

IONOSPHERIC DATA IN JAPAN

FOR FEBRUARY 1994

VOL. 46 NO. 2

CONTENTS

Preface	
Introduction	1
A. Ionosphere	
A1. Automatic Scaling	
Hourly Values at Wakkanai ($foF2$, fEs and $fmin$)	5
Hourly Values at Kokubunji ($foF2$, fEs and $fmin$)	8
Hourly Values at Yamagawa ($foF2$, fEs and $fmin$)	11
Hourly Values at Okinawa ($foF2$, fEs and $fmin$)	14
Summary Plots at Wakkanai	17
Summary Plots at Kokubunji	24
Summary Plots at Yamagawa	31
Summary Plots at Okinawa	38
Monthly Medians $h'F$ and $h'Es$	45
Monthly Medians Plot of $foF2$	47
A2. Manual Scaling	
Hourly Values at Kokubunji	48
f -plot at Kokubunji	62
B. Solar Radio Emission	
B1. Daily Data at Hiraiso	70
B2. Outstanding Occurrences at Hiraiso	71
B3. Summary Plots of $F_{10.7}$ at Hiraiso	72
C. Radio Propagation	
C1. H.F. Field Strength at Hiraiso	73
C2. Radio Propagation Quality Figures at Hiraiso	75
C3. Phase Variation in OMEGA Radio Waves at Inubo	76
C4. Sudden Ionospheric Disturbances	
a. Short Wave Fade-out (SWF) at Hiraiso	78
b. Sudden Phase Anomaly (SPA) at Inubo	78

COMMUNICATIONS RESEARCH LABORATORY
 MINISTRY OF POSTS AND TELECOMMUNICATIONS
 TOKYO, JAPAN

INTRODUCTION

This Series contains data on ionosphere (I), solar radio emission (S) and radio propagation (P) obtained at the follow-

ing stations under the Communications Research Laboratory, Ministry of Posts and Telecommunications of Japan.

Station	Geographic		Geomagnetic		Technical Method
	Latitude	Longitude	Latitude	Longitude	
Wakkanai	45°23.5'N	141°41.2'E	35.3°N	206.5°	Vertical Sounding (I)
Kokubunji	35°42.4'N	139°29.3'E	25.5°N	205.8°	Vertical Sounding (I)
Yamagawa	31°12.1'N	130°37.1'E	20.4°N	198.3°	Vertical Sounding (I)
Okinawa	26°16.9'N	127°48.4'E	15.3°N	196.0°	Vertical Sounding (I)
Hiraiso	36°22.0'N	140°37.5'E	26.3°N	206.8°	Radio Receiving (S,P)
Inubo	35°42.2'N	140°51.5'E	25.6°N	207.0°	Radio Receiving (P)

A. IONOSPHERE

Ionospheric observations are carried out at the above four stations in Japan by means of vertical sounding using ionosondes. The ionosonde produces ionograms, which are recorded digitally on computer storage medium as well as graphically on 35 mm photographic film. The digitally-recorded ionograms are collected from each station by the central computer and reduced to numerical values and Summary Plots by the automatic processing system. The ionograms obtained at Kokubunji are manually scaled as well by experienced specialists to supplement automatically-scaled parameters.

A1. Automatic Scaling

Digital ionograms are automatically scaled by the pattern recognition method. The following five factors of ionospheric characteristics are published for the present. The reliability of these factors has been ascertained by comparison of the automatically-scaled parameters with the manually-scaled values of large amounts of test ionograms.

The published data consist of tabulations of hourly values of three factors (f_oF_2 , fEs , $fmin$) and monthly medians of two factors ($h'Es$, $h'F$), daily Summary Plots and monthly medians plot of f_oF_2 .

a. Characteristics of Ionosphere

f_oF_2	Ordinary wave critical frequency for the F_2 layer
fEs	Highest frequency of the Es layer whether it may be ordinary or extraordinary
$fmin$	Lowest frequency which shows vertical ionospheric reflections
$h'Es$ $h'F$	Minimum virtual height on the ordinary wave for the Es and F layers, respectively

b. Descriptive Letters

The following descriptive letters are used in the tables.

- A Impossible measurement because of the presence of a lower thin layer, for example Es (for f_oF_2).
- B Impossible measurement because of absorption in the vicinity of $fmin$.
- C Impossible measurement because of any failure in observation.
- G Impossible automatic scaling because of too small ionization density of the layer (for fEs).
- N Impossible automatic scaling because of complex echoes.
- Blank No digital record because of trouble in the automatic data processing system, but existence of film record.

c. Definitions of the CNT, MED, UQ and LQ

Median count (CNT) is the number of numerical values from which the median has been computed. In addition to numerical values, the count may include a descriptive letter G.

Median (MED) is defined as the middle value when the numerical values are arranged in order of magnitude, or the average of the two middle values if there is an even number of values.

Upper quartile (UQ) is the median value of the upper half of the values when they are ranked according to magnitude; the *lower quartile* (LQ) is the median value of the lower half.

If CNT is less than 10, there are blank spaces left.

d. Reliability of Automatic Scaling

The results of the comparison between automatically-scaled values and manually-scaled ones showed that hourly values of f_oF_2 , fEs and $fmin$ were scaled within a difference of 1 MHz from about 90, 90 and 99%, respectively of the test ionograms.

e. Summary Plot

Daily Summary Plots which are made from quarter-hourly digital ionograms are published to present general ionosphere conditions. The upper and middle parts of a Summary Plot show the diurnal variation of the frequency range of the echoes reflected from the F and E regions, respectively. The two solid arcing lines indicate the predicted values of fxE and foE calculated by the method described in the CCIR report 340. The lower part shows the diurnal variation of the virtual height where the echo traces become horizontal.

A2. Manual Scaling

The published data consist of tabulations of hourly values of the ionospheric characteristics and figures of daily f -plot.

All symbols and terminology in the tables or figures of ionospheric data are used in accordance with the "URSI Handbook of Ionogram Interpretation and Reduction (Second Edition) 1972" and its revision of chapters 1-4, published in July 1978.

a. Characteristics of Ionosphere

fxl	Top frequency of spread F trace
f_oF_2 f_oF_1 f_oE f_oEs	Ordinary wave critical frequency for the F_2 , F_1 , E and Es including particle E layers, respectively
$fbEs$	Blanketing frequency of the Es layer, e.g. the lowest ordinary wave frequency visible through Es
$fmin$	Lowest frequency which shows vertical ionospheric reflections
$M(3000)F_2$ $M(3000)F_1$	Maximum usable frequency factor for a path of 3000 km for transmission by F_2 and F_1 layers, respectively
$h'F_2$ $h'F$ $h'E$ $h'Es$	Minimum virtual height on the ordinary wave for the F_2 , whole F , E and Es layers, respectively
Types of Es	See below b.(iii)

b. Symbols

(i) Descriptive Letters

The following letters are entered after, or used to replace a numerical value on the monthly tabulation sheets, if necessary.

- A Measurement influenced by, or impossible because of, the presence of a lower thin layer, for example *Es*.
 B Measurement influenced by, or impossible because of, absorption in the vicinity of *fmin*.
 C Measurement influenced by, or impossible because of, any non-ionospheric reason.
 D Measurement influenced by, or impossible because of, the upper limit of the normal frequency range in use.
 E Measurement influenced by, or impossible because of, the lower limit of the normal frequency range in use.
 F Measurement influenced by, or impossible because of, the presence of spread echoes.
 G Measurement influenced or impossible because the ionization density of the layer is too small to enable it to be made accurately.
 H Measurement influenced by, or impossible because of, the presence of a stratification.
 K Presence of particle *E* layer.
 L Measurement influenced or impossible because the trace has no sufficiently definite cusp between layers.
 M Interpretation of measurement questionable because the ordinary and extraordinary components are not distinguishable.
 N Conditions are such that the measurement cannot be interpreted.
 O Measurement refers to the ordinary component.
 P Man-made perturbations of the observed parameter; or spur type spread *F* present.
 Q Range spread present.
 R Measurement influenced by, or impossible because of, attenuation in the vicinity of a critical frequency.
 S Measurement influenced by, or impossible because of, interference or atmospheric.
 T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful.
 V Forked trace which may influence the measurement.
 W Measurement influenced or impossible because the echo lies outside the height range recorded.
 X Measurement refers to the extraordinary component.
 Y Lacuna phenomena, severe layer tilt.
 Z Third magneto-electronic component present.

(ii) Qualifying Letters

The following letters are entered in the first column before a numerical value on the monthly tabulation sheets, if necessary.

- A Less than. Used only when *fbEs* is deduced from *foEs* because total blanketing of higher layer is present.
 D Greater than.
 E Less than.
 I Missing value has been replaced by an interpolated value.
 J Ordinary component characteristic deduced from the extraordinary component.

M Mode interpretation uncertain.

O Extraordinary component characteristic deduced from the ordinary component. (Used for x-characteristics only.)

T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful.

U Uncertain or doubtful numerical value.

Z Measurement deduced from the third magneto-electronic component.

(iii) Description of Types of *Es*

When more than one type of *Es* trace are present on the ionogram, the type for the trace used to determine *foEs* must be written first. The number of multiple trace is indicated after the type letter.

The types are:

- f An *Es* trace which shows no appreciable increase of height with frequency.
 l A flat *Es* trace at or below the normal *E* layer minimum virtual height or below the particle *E* layer minimum virtual height.
 c An *Es* trace showing a relatively symmetrical cusp at or below *foE*. (Usually a daytime type.)
 h An *Es* trace showing a discontinuity in height with the normal *E* layer trace at or above *foE*. The cusp is not symmetrical, the low frequency end of the *Es* trace lying clearly above the high frequency end of the normal *E* trace. (Usually a daytime type.)
 q An *Es* trace which is diffuse and non-blanketing over a wide frequency range.
 r An *Es* trace showing an increase in virtual height at the high frequency end similar to group retardation.
 a An *Es* trace having a well-defined flat or gradually rising lower edge with stratified and diffuse traces present above it.
 s A diffuse *Es* trace which rises steadily with frequency and usually emerges from another type *Es* trace.
 d A weak diffuse trace at heights below 95 km associated with high absorption and large *fmin*.
 n The designation 'n' is used to denote an *Es* trace which cannot be classified into one of the standard types.
 k The designation 'k' is used to show the presence of particle *E*. When *foEs* > *foE* (particle *E*) the *Es* type precedes k.

c. Definitions of the CNT, MED, UQ and LQ

Median count (CNT) is the number of values from which the median has been computed. In addition to numerical values, the count may include certain descriptive letters.

Median (MED) is the middle value when the numerical values are arranged in order of magnitude, or the average of the two middle values if there is an even number of values.

Upper quartile (UQ) is the median value of the upper half of the values when they are ranked according to magnitude; *the lower quartile* (LQ) is the median value of the lower half.

B. SOLAR RADIO EMISSION

Solar radio observations at 200, 500 and 2800 MHz are carried out at Hiraiso. The observation equipment consists of two parabolic antennas, one with 10-meter diameter for 200 MHz measurements and one with 2-meter diameter for 500 and 2800 MHz measurements. Observations are continuously carried out almost from sunrise to sunset.

B1. Daily Data at Hiraiso

The three-hourly mean and daily mean values of the solar radio emission intensities are tabulated separately for 200 and 500 MHz measurements. The intensities are expressed by the flux density in $10^{22} \text{ Wm}^{-2} \text{ Hz}^{-1}$ unit.

The table for 200 MHz measurements also presents the variability indices defined by the number of impulsive radio bursts within the three-hour intervals as follows:

- 0 quiet or no burst,
 1 a few bursts,

- 2 many bursts,
 3 very many bursts.

The daily variability index is defined as the daily mean of three-hourly indices.

The following symbols are used in the tables, when interference or radio bursts prevented measuring the base-level flux densities or determining the variability indices:

* Measurement impossible because of interference.

B Measurement impossible because of bursts. Daily data within parentheses mean that the observation time does not exceed one third of the period.

B2. Outstanding Occurrences at Hiraiso

The table is a list of outstanding occurrences of solar radio emission bursts observed at 200, 500 and 2800 MHz during a month.

Listed in the table are the date, frequencies, the type of event, the start time and the time of maximum, both in U.T. expressed in hours, minutes and tenths of a minute, the duration in minutes, the peak and mean flux densities in $10^{-22} \text{ Wm}^{-2} \text{ Hz}^{-1}$ unit, and the polarization.

The type of event is expressed by a combination of a numerical code and a letter symbol in accordance with the "Descriptive Text of Solar Geophysical Data, NOAA" as defined by H. Tanaka in the "Instruction Manual for Monthly Report of Solar Radio Emission, WDC-C2" in January 1975:

SGD Code	Letter Symbol	Morphological Classification
1	S	Simple 1
2	S/F	Simple 1F
3	S	Simple 2
4	S/F	Simple 2F
5	S	Simple
6	S	Minor
7	C	Minor*
8	S	Spike
20	GRF	Simple 3
21	GRF	Simple 3A
22	GRF	Simple 3F
23	GRF	Simple 3AF
24	R	Rise
25	R	Rise A
26	FAL	Fall
27	RF	Rise and Fall
28	PRE	Precursor
29	PBI	Post Burst Increase
30	PBI	Post Burst Increase A
31	ABS	Post Burst Decrease
32	ABS	Absorption
40	F	Fluctuations

SGD Code	Letter Symbol	Morphological Classification
41	F	Group of Bursts
42	SER	Series of Bursts
43	NS	Onset of Noise Storm
44	NS	Noise Storm in progress
45	C	Complex
46	C	Complex F
47	GB	Great Burst
48	C	Major
49	GB	Major*

The polarization is expressed by the polarization degree and sense as follows:

R or L	right- or left-handed polarization,
W,M or S	weak, moderate or strong polarization,
0	almost zero or unable to detect polarization due to small increase of flux,
00	polarization degree of less than 1 percent.

One of the following symbols may be attached after numerical values, if necessary.

D	greater than, or later than,
E	less than or earlier than,
U	approximate, or uncertain.

B3. Summary Plots of $F_{10.7}$ at Hiraiso

The 10.7 cm solar radio flux at Hiraiso is plotted over a one month period. The 10.7 cm flux ($F_{10.7}$) is determined by adjusting the 10.7 cm radio flux measured at Hiraiso to the Pentinc-ton 10.7 cm radio flux. The figure on the right-hand side shows the $F_{10.7}$ index estimated at Hiraiso.

C. RADIO PROPAGATION

C1. H.F. Field Strength at Hiraiso

Field strength observation of 15 MHz standard waves transmitted from WWV and WWVH stations which are located respectively at Fort Collins, Colorado and Kauai, Hawaii, is carried out at Hiraiso. In order to avoid interference among the same frequency waves, the upper sideband of WWV or WWVH with the audio tone 600 Hz is picked up by the use of a narrow band-pass filter with 80 Hz bandwidth. Particulars of the transmitters and the receiver are summarized in the following table.

The tabulated *field strength* expressed in dB above one microvolt per meter is the average of quasi-peak values of the incident upper sideband field intensity for 45 seconds after the universal time indicated on the table. Abbreviated symbols are as follows:

CNT	number of observed values,
MED	median,
UD	value of the uppermost decile when they are ranked according to magnitude,
LD	value of the lowest decile when they are ranked according to magnitude,
U	uncertain,
E	less than,

C	influenced by, or impossible because of, any artificial accident,
S	influenced by, or impossible because of, interferences or atmospheric.

C2. Radio Propagation Quality Figures at Hiraiso

The tabulated six-hourly quality figures are calculated for standard waves WWV transmitted from Fort Collins and WWVH transmitted from Kauai.

Quality figures expressing radio propagation conditions range over five grades as follows:

1	very poor (very disturbed),
2	poor (disturbed),
3	rather poor (unstable),
4	normal,
5	good.

Whole day quality figure ranged in grades of 1o, 1+, 2-, 2o, 2+, 3-, 3o, 3+, 4-, 4o, 4+, 5-, 5o stands for an average of six-hourly quality figures of the two circuits. Abbreviated symbols are as follows:

C	artificial accident,
S	propagation accident,
U	inaccurate.

Characteristics	Transmitter		Receiver
Station Call	WWV	WWVH	Hiraiso, Ibaraki
Location	Fort Collins, Colorado	Kauai, Hawaii	
latitude	40°41' N	22°00' N	36°22' N
longitude	105°02' W	159°46' W	140°38' E
Distance	9150 km	5910 km	--
Carrier Power	10 kW	10 kW	--
Power in each sideband	625 W	625 W	--
Modulation	50 %	50 %	--
Antenna	$\lambda / 2$ vertical	$\lambda / 2$ vertical	4.5 m vertical rod
Bandwidth	--	--	80 Hz for upper sideband
Calibration	--	--	Every hour

The column of conditions presents a record of the forecast of *radio propagation conditions* which is applicable to forthcoming 12 hours and broadcast six times per hour from JJY (Japan Standard Wave) station. The conditions are denoted as follows:

N normal,
U unstable,
W disturbed.

Data on *geomagnetic storms* which are often correlated with radio propagation disturbances are tabulated based on reports from observation at Kakioka Magnetic Observatory, Japan Meteorological Agency. *Time* (U.T.) is expressed in hours and minutes (or tenths of an hour), and *range* in nanotesla. When they are uncertain quantitatively, /'s are used to replace the numerical values. Continuation of a geomagnetic storm is denoted by ---.

C3. Phase Variation in OMEGA Radio Waves at Inubo

The phase values of eight OMEGA radio signals as received at Inubo are depicted for an interval of one month, along with the phase deviation defined as a deviation from a value averaged over the six quietest day within the month. Particulars of the received signals are given in the table below.

In each of the four panels of the figure, the phase (ϕ) is shown in the lower part and the phase deviation ($\Delta\phi$) is shown in the upper part. The phase data are sampled every 30 min, so the curves of the phase and phase deviation are composed of 48 data points per day. The phase delay is measured as a positive value.

The polar cap phase anomaly (PCPA) caused by the solar protons are well detected on the Norway signal. The start, end and maximum times of the PCPA are listed in the table next to the figure, where the times are expressed as day / hour & minute in U.T.. The maximum phase deviation in the list is defined as a phase advance (negative values in the figure) in degrees.

C4. Sudden Ionospheric Disturbances

a. Short Wave Fade-out (SWF) at Hiraiso

The table of short wave fade-out (SWF) is prepared from the record of field intensities measured at Hiraiso.

Drop-out intensities of the 10 MHz, the 20 MHz, and the

25 MHz waves are respectively distinguished by marks ', '', and '''' from those of the 15 MHz wave for WWV and WWVH. Values of *start*, *duration*, *type*, and *importance* are obtained from data of the circuit whose drop-out intensity in dB is underlined as xx. When these quantities could not be determined accurately, they are accompanied by one of the following symbols.

D greater than,
E less than,
U uncertain or doubtful.

Types of fade-out are as follows:

S sudden drop-out and gradual recovery,
SL slow drop-out taking 5 to 15 minutes and gradual recovery,
G gradual and irregular in both drop-out and recovery.

Importance of fade-out is scaled according to its amplitude into nine ascending grades as 1-, 1, 1+, 2-, 2+, 3-, 3, 3+.

Correspondence of solar optical and X-ray flares, and solar radio burst to SWF is marked by X, being determined with data from interchange messages of IUWDS and observations at Hiraiso.

In table (a) SWF, *date* indicates the day to which the *start-time* of the event belongs.

b. Sudden Phase Anomaly (SPA) at Inubo

Data of sudden phase anomaly (SPA) are prepared from the records of phase measurement of VLF radio waves received at Inubo. The transmitting stations are listed in the following table.

Phase advance is shown in unit of degree at its maximum stage. No transmission or no reception during the period is indicated by -, an indistinguishable record is spaced out, and a multi-peak event is marked by *. The most remarkable or distinct phase advance is underlined and listed in the column of *Time*.

In table (b) SPA, *date* indicates the day to which the *start-time* of the event belongs.

The following letters may be attached to the value, if necessary.

D greater than,
E less than,
U uncertain or doubtful.

Transmitting Stations						
Name	Location (Geographic Coordinates)		Call Sign	Frequency (kHz)	Radiation Power (kW)	Arc Distance from Inubo (km)
Norway	66°25'N	013°08'E	Ω / N	13.6	10	7820
Liberia	06°18'N	010°40'W	Ω / L	13.6	10	14480
Hawaii	21°24'N	157°50'W	Ω / H	13.6	10	6100
North Dakota	46°22'N	098°20'W	Ω / ND	13.6	10	9140
La Reunion	20°58'S	055°17'E	Ω / LR	13.6	10	10970
Argentina	43°03'S	065°11'W	Ω / AR	13.6	10	17640
Australia	38°29'S	146°56'E	Ω / AU	13.6	10	8270
Japan	34°37'N	129°27'E	Ω / J	13.6	10	1040
North West Cape	21°49'S	114°10'E	NWC	22.3	1000	6990

HOURLY VALUES OF FOF2 AT WAKKANAI
 FEB. 1994
 LAT. 45.4N LON. 141.7E SWEEP 1MHz to 25MHz AUTOMATIC SCALING

H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	38								72	90	86	75	70	71	62	62	41	34	30		38	37			
2	38	38	37	40	43	38	30		61	79	78	86	76	89	71	66	72	54	37	36	31	30	32	35	
3	34	36	32	22	35	28		64	67	83	116	90	79		66	64	79	44	34	23	26	30	31		
4	32	31	34	35	34	34	96	52	63	72	72	78	88	74	90	71	68	58	40	31	32	30	29	34	
5	34	32	36	37		32		56	85	60		78			70	84	71	54	40	38	35	34	37	34	
6	37	36	34	37	36	31		38	51		A			62	70	77	64	67	43	50	48	43	35	N	
7	43	40	40	43	40	38	A		62		73	87	85	62	89	91	81	88	66	35	31	31	34	38	34
8	31	48	38	34	N			53	72	73	87	69	86	86	90	68	71	71	48	44	35	34	34	34	
9	38	36	37	28	28	34		54	59	83	89	80	87	81	83	67	66	64	47	38	50	51	38	A	
10	32	38	34	31	35	43		54	65	70	98	84	102	87	82	71	64	58	43	40	34		37	34	
11	35	34	37	32	35	29		44	64	72	86	86	90	86	74	74	77	61	36	35	47	52	48	A	
12	43	35	34	30	35	37	38	48	64	68	108	83	88	86	80		77	59	58	49	38	A	36	38	
13	36	32	38	30	28	26	32	A	71	78	73		86	73	90	76	76	60	51	49	40	37		30	
14	48	42	36	34	36	34		53	A	60	74	83	90	74	78	80	66	58	44	35	43	43	49	48	
15	53	43	44	43	42		71	53	54	72	72	83	N	72	82	82	59	54	40		34	36	43	46	
16	43	40	40	37	36	37	37	45	61	72	82	75	87	75	77	88	87	61	44	42	43	35	37	43	
17	50	50	49	43	43	35	50	53	67	76	77	74	86	74	71	72	69	63	47	46	38	35	41	42	
18	43	31	44	41	42	38	71	63	66	83	78	82	79	75	61	78	72	61	41	35	34	31	31	31	
19	31	32	34	35	40	34	34	62	76	71	70	77	66	83	72	69	67	66	58	48	43	42	38	43	
20	34	51	51	46	40	38	57	67	81	78	77	88	87	89	91	80	75	64	51	46	51	51	43	43	
21	43	38	34	40	43	37		74	86	74	84	86	87	88		87	74	64	43	40	43	43	43	38	
22	38	23	26	28	30		A	54	65								54	53	34		32	A	30	26	
23	26	28	29	32			69	62	88	87	114	105	86	90	83	87	74	67	50	54	52	22	34	34	
24	C	36	38	37	35	32	34	65	77	82	90	101	88	78	77	80	70	66	60	52	43	41	38	40	
25	38	40	40	35	36	34	51	62	86	90	102	90	90	80	84	81	78	62	59	52	48	36	38	38	
26	38	37	37	38	37	35	66	51	67	83	91	97	97	86	86	77	75	66	56	40	36	34	37	37	
27	37	41	38	40	40	38	48	62	66	84	90	90	91	81	78	77	77	74	52	38	38	43	38	42	
28	43	48	47	50	44	44	46	60	66	77	90	84	88	90	81	80	71	64	58	42	42	44	46	40	
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	27	27	27	27	24	23	16	25	25	26	23	25	24	26	25	26	28	28	28	26	28	24	27	25	
MED	38	37	37	37	36	35	49	54	66	75	86	84	87	81	80	77	71	62	44	40	38	36	38	37	
U O	43	41	40	40	41	38	67	62	76	83	90	90	90	87	85	81	75	66	51	48	43	43	41	42	
L O	34	32	34	32	35	32	35	52	63	72	77	79	86	75	71	71	66	58	40	35	34	34	34	34	

HOURLY VALUES OF FES AT WAKKANAI
 FEB. 1994
 LAT. 45.4N LON. 141.7E SWEEP 1MHZ TO 25MHZ AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	G								G		G	G	G	G	G	G	G	G	29	G	G		G	G		
2	G	G	G	G	G	G	G		G	49	G	G	G	G	G	G	G	30	34	26		G	G	G	27	
3	G	G	G	26	G	G	G	G	G	G		110	G	G		G	G	G	G	G	26	32		G	G	
4	G	G	G	G	G	G	G	G	G	G	G	G	G	G	50	G	G	G	G	G	24	G	G	G	G	
5	G	G	G	G		G	G	G	G	G		G		G	G	G	G	G	G	G	G	G	G	G	G	
6	G	G	G	G	G	G		G	G		37			59	G	36	32	70	31	30		G	G	G	G	
7	G	G	G	G	G	G		G		G	G	G	G	G	G	G	G	31		G	G	G	G	G	G	
8	G	G	G		28	28		G	31	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
9	G		G	G	G	G	G	G	G		G	G		49	54	G	G	G	G	27	60	33	25	31	32	
10	29	G	25	26	G	G	G	G		53	42		G	G	G	G	G	G	G	G	G			27	G	
11	29	29	26	23	G	G	G	G	G		38	94	G	G	G	G	G	G	G	G		32	31	28	32	
12	25	G	G	G	G	G	G		37	56	G	G	G	G	G		G	G	G		34	30	34	G	G	
13	G	G	G	G	G	G		28	57	G	G	G		G	G	G	G	G	G	G		26			G	
14	G	G	G	G	G	G		38	38	42		56	63	G	G	G	G	G	G	G	G	G		24	30	
15	G	G	G	G	G		G	G	G	G	G	G	G	G	G	G	G	G	G		G	G	G	G	G	
16	G	G	G	G	G	G	G	G	G		38	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
17	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
18	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		32	G	
19	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
20	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
21	G	G	G	G	G	G	G	G	G	G	G	G	G	G		G	G	G	G		24		G	G	G	23
22	G	G	G	G	G			59	34	G			G	G	G	G	G	G	G	G	G	G	26		G	G
23	G	G	G	G		G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	29		G	G
24	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		32	G
25	32	30	26		G	G	G	G	G	G	G	G	G	G	G	G	G	G		28	26		G	G	G	G
26	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		32	26	24		G	G	G
27	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G
28	G	G	G	G	G	G		41	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G
29																										
30																										
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	28	27	27	27	25	24	26	26	26	26	24	27	26	28	26	27	28	28	28	27	28	26	27	28		
MED	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
U O	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	24	12	G	G	G		
L O	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	

HOURLY VALUES OF FMIN AT WAKKANAI
 FEB. 1994
 LAT. 45.4N LON. 141.7E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

$\frac{H}{D}$	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	15									27		20	21	21	18	27	23	17	15	16	15		15	15
2	15	15	15	15	14	15	16		21	39	20	20	46	32	32	17	20	20	15	15	15	15	15	15
3	15	14	15	15	15	16	20	20	27	18		17	46	29		32	22	16	14	15	16	15	15	14
4	15	15	15	15	15	15	16	18	21	20	28	31	18	30	18	18	21	16	15	15	15	15	15	15
5	15	15	15	15		15	16	18	26	32		42		32	38	20	20	16	15	15	15	15	15	16
6	15	14	15	15	15	15		18	33		48	46		46	45	29	18	16	15	15	15	15	15	15
7	15	15	15	15	14	14	15	21		44	44	42	45	39	26	21	16	15	15	15	15	16	15	15
8	16	15	14	14	15			16	24	23	30	30	45	32	45	39	27	18	18	16	15	15	15	16
9	15	15	14	14	15	15	17	18	26	26	30	32	20	20	18	24	18	18	15	15	14	15	15	15
10	15	15	15	15	14	15	20	18	17	21	46	45	45	30	32	28	23	16	15	15	15		16	16
11	15	16	15	14	15	15		22	24	24	22	22	47	32	21	28	26	17	15	16	15	15	15	15
12	16	15	15	15	14	15	16	16	18	31	43	45	28	45	24		26	17	15	15	18	16	15	15
13	15	15	15	15	15	14	16	18	46	40	46		48	44	45	46	26	18	15	15	16	15		16
14	15	14	14	15	14	15	15	17	22	18	27	44	49	44	46	28	29	18	15	15	15	15	15	15
15	15	14	15	14	14		16	20	29	30	45	46	46	49	42	28	32	17	14		15	15	15	15
16	15	15	15	15	15	15	18	23	28	23	45	46	46	40	46	35	23	18	15	15	15	15	15	15
17	15	14	15	15	15	14	16	21	28	41	43	45	48	46	44	32	29	20	16	16	15	15	15	15
18	15	15	15	16	15	14	16	22	27	44	49	45	49	48	48	45	28	17	15	15	15	15	16	16
19	15	15	15	15	15	15	16	24	46	48	49	48	49	49	48	46	28	20	15	15	15	15	15	15
20	15	15	15	15	15	15	16	23	17	20	48	50	48	45	42	28	26	20	16	15	15	15	15	15
21	15	14	15	15	15	15	18	26	29	33	43	48	49	46		21	32	23	15	16	15	16	15	15
22	15			16	14		17	17	28					23			30	20	15	16	15	18	16	17
23	16	16	15	15			23	22	28	20	45	45	46	46	42	20	24	20	15	15	15	15	15	16
24	17	15	14	15	15	15	16	22	27	45	37	46	44	18	44	20	17	20	16	14	15	15	15	16
25	16	16	15	15	15	15	16	23	29	45	43	43	46	44	35	20	26	21	15	16	15	15	15	15
26	15	15	15	15	15	15	17	23	28	30	44	45	45	45	44	29	27	21	17	16	16	16	15	15
27	15	15	15	15	15	15	17	26	45	43	45	40	46	46	45	34	26	21	15	15	15	15	16	15
28	15	15	14	15	15	15	16	26	29	34	34	44	24	22	45	28	27	20	15	16	15	15	15	15
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	28	26	26	27	25	23	24	26	26	26	24	26	25	28	25	26	28	28	28	27	28	26	27	28
MED	15	15	15	15	15	15	16	21	28	30	44	44	46	42	42	28	26	18	15	15	15	15	15	15
U 0	15	15	15	15	15	15	17	23	29	41	45	46	48	46	45	32	27	20	15	16	15	15	15	16
L 0	15	15	15	15	14	15	16	18	24	23	32	32	44	30	29	21	21	17	15	15	15	15	15	15

HOURLY VALUES OF FOF2 AT KOKUBUNJI

FEB. 1994

LAT. 35.7N LON. 139.5E SWEEP 1MHz to 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	31	47	35	38	38	43	32	58	68	80	91	110	82	80	72	60	70	68	38	42	38	35	35	47
2	25		46	46	46	32	26	57	73	67	83	84	78	81	87	76	70	55	43	46	37		35	37
3		35	A	A	40	37	A	57	76	82	91	92	86	80	77	72	68	70	67	46	33	N		37
4	38	36	41	A	32	A	38	61	80	66	75	76	76	79	70	71	71	55	46	46	32	36	36	A
5	34	35	49	30	32		23	57	72	67	79	91	76	86	86	72	68	68	37	30	A	A	A	48
6	48	57	N	A	29	37	34	58	88	114	100	126	114	74	75	71	67	69	67	56	57	59	51	
7	57	68	42	40	30	43	32	76	81	86	82	115	106	82	94	94	78	58	45		A	36	36	37
8	48	29	A	A	A	33	32	58	98	84	82	84	113	86	94	68	70	70	60	54	56	34	36	35
9	37	32	43		26	34	50	54	74	78	80		98	84	86		71	68	67		39	A	A	37
10	28	38	42	37	40	36	38	58	61	75	86	107		86		72	80	67	61	38	A		41	49
11	A	A	44	31	A	N	51	57	67	80	88	106	107	94	75	75	87	69	50	37	70	A	46	61
12	46	36	A	A	A	A		58	76	80	125	124	105	85	76	78	78	70	61	55	66			29
13		41	28	28			36	58	92	95	103	84	83	81	74	74	66	66	60	55	48			34
14	46	43	34	32	42	25	36	58	68	66	97	101	77	86	71	81	81	61	46	51	44	35	43	47
15	44	42	38	36	35	35	43	58	67	76	77	80	86	72	85	84	74	62	50	42	46	47	41	46
16	46	36	38	41	35	50	44	69	70	78	85	86	91	95	84	76	87	80	57	38	A	A	31	38
17	43	41	44	40	35			58	80	78	85	84	90	86	81	77	80	70	52	46	50	37		40
18	35	34	38	42	38	29	35	62	87	78	91	95	91	101	85	73	68	64	57	48	49	40	A	A
19	36	A	38	35	34	43	40	58	72	75	78	80	94	80	73	73	76	67	61	51	47	52	46	38
20	43	43	48	41	36	56	38	81	85	83	82	87	88	85	95	87	78	71	58	54	54	56	58	42
21	55	40	43	43	41	58	54	78	93	78	76	91	116	111	107	100	75	67	57	56	58	49	49	52
22	67	40	47	52	48	54	A	80	66	85		117	94	80	81	87	86	83	59	49	50	50	51	44
23	48	45	38	A	A			80	86	104	115	122	120	101	100	80	84	78	69	54	A	49	A	A
24	37	37	38	37	40	36	46	80	92	81	93	101	121	112	92	78	81	73	55	52	57	56	47	47
25	52	37	44	44	34	42	43	75	82	100	112	111	107	90		97	94	70	60	51	50	57	65	44
26	38	44	48	42	42	32	36	62	92	101	88	112	110	106	97	90	80	66	54	43	44	40	40	
27	43	34	44	44	49		31	58	73	87	92	102	114	101	87	77	75	70	56	37	46	32	36	37
28	38	44	47	44	37	37	60	80	67	78	82	98	110	118	97	88	87	91	60	60	41	61	60	52
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	25	25	24	21	23	20	23	28	28	28	27	27	27	28	26	27	28	28	28	26	23	19	20	23
MED	43	40	42	40	37	37	38	58	76	80	86	98	94	86	85	77	77	68	57	48	48	47	42	42
U 0	48	43	45	43	41	43	44	75	86	85	93	111	110	98	94	87	81	70	60	54	56	56	50	47
L 0	36	35	38	35	34	33	32	58	69	77	82	84	86	80	75	72	70	66	50	42	41	36	36	37

HOURLY VALUES OF FES AT KOKUBUNJI
 FEB. 1994
 LAT. 35.7N LON. 139.5E SWEEP 1MHz to 25MHz AUTOMATIC SCALING

H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	G	G	G	G	G	G	G	G	G	G	56	G	44	48	G	G	G	G	G	G	G	G	23	G	
2	G	G	G	G	G	G	G	G	G	G	44	G	G	G	G	G	G	47	G	G	24	24	G	G	
3		26	36	32	24	G	34	G	G	G	G	40	G	40	G	G	54	60	37	24	G	G	G	G	
4	G	G	28	37	26	27	G	28	G	G	G	G	G	G	G	G	36	27	G	G	30	26	G	29	
5	G	G	G	G	G	G	G	G	G	40	43	43	45	G	G	G	G	53	43	33	40	49	54	G	
6	G	26	G	25	G	G	G	G	G	G	45	59	52	G	G	G	G	G	G	G	G	G	32	30	
7	34	48	G	G	G	G	24	31	G	G	G	G	60	57	G	G	G	G	G	G	58	34	G	G	
8	G	24	33	27	29	48	24	G	49	50	G	56	G	G	40	G	G	G	G	G	G	G	G	G	
9	24	30	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	34	40	30	58	33	33	
10	30	55	26	G	G	G	G	40	G	40	45	G	G	G	G	G	63	48	33	40	37	44	30	28	
11	45	30	G	G	45	G	G	G	G	G	44	55	51	40	G	G	G	31	G	27	G	34	G	G	
12	29	30	29	36	28	33	G	G	38	71	54	G	G	G	G	39	G	28	G	24	G	G	G	G	
13	G	G	G	G	G	G	G	G	G	G	52	G	G	G	G	G	G	G	G	G	G	G	G	G	
14	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	28	29	34	G	G	G	G	
15	G	G	G	G	G	G	G	28	35	G	G	G	G	G	G	G	G	G	G	26	G	29	30	23	
16	G	G	G	G	23	G	G	G	G	G	G	45	G	G	G	G	G	G	28	30	26	33	23	G	
17	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
18	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	40	35	29	G	G	60	54	G	
19	26	29	G	G	G	G	G	38	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
20	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
21	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	36	30	45	33	G	G	25	
22	38	G	G	G	G	27	28	40	G	G	G	G	G	G	G	G	54	G	34	G	G	24	25	G	
23	34	44	27	32	26	G	26	G	G	G	G	52	G	G	G	G	46	58	59	34	59	40	36	30	
24	G	G	G	G	G	G	G	G	G	G	G	G	G	G	45	40	G	G	G	G	G	G	G	G	
25	G	G	G	25	25	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
26	G	G	G	G	G	G	G	30	G	G	G	G	G	G	G	G	G	G	25	G	G	G	G	G	
27	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
28	G	G	G	G	G	G	G	25	32	G	44	43	G	G	G	G	G	G	G	G	G	G	G	G	
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	26	28	28	27	27	23	27	28	28	28	28	27	28	28	27	27	28	28	28	28	28	28	25	25	27
MED	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G
U O	26	27	G	25	24	G	G	27	G	G	44	43	G	G	G	G	G	33	29	28	30	33	30	25	
L O	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G

HOURLY VALUES OF FMIN AT KOKUBUNJI

FEB. 1994

LAT. 35.7N LON. 139.5E SWEEP 1MHz to 25MHz AUTOMATIC SCALING

H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	16	16	16	14	15	16	15	18	16	17	21	36	20	28	18	14	26	18	14	15	15	17	15	15
2	15	16	18	15	15	15	15	20	16	18	18	26	24	20	16	18	23	14	15	15	15		17	15
3		16	15	14	14	15	14	18	16	21	20	28	20	21	18	16	15	15	15	16	15	15		16
4	15	15	14	14	15	15	16	15	14	14	21	21	17	16	18	14	15	15	23	16	15	14	16	14
5	15	15	15	14	17		16	20	14	14	18	23	23	29	35	28	18	15	15	15	15	15	15	15
6	15	17	14	14	16	17	15	15	27	32	33	33	33	39	28	28	16	18	14	15	16	17	15	16
7	15	15	15	14	21		15	21	14	15	30	20	17	16	17	38	24	18	14		15	14	15	16
8	17	15	14	14	14	14	15	20	14	16	35	24	38	34	27	27	27	20	16	16	15	16	15	15
9	15	15	18		15	17	15	16	14	15	36		36	36	33		16	18	14	14	15	15	15	14
10	14	14	15	15	14	15	15	15	15	15	27	26	41	18	35	20	14	14	14	16	15	15	14	15
11	14	14	14	15	14	15	15	20	16	18	29	21	28	26	28	20	18	14	15	15	15	14	15	15
12	14	14	15	14	15	15		16	15	16	27	14	39	24	14	16	18	15	15	14	17			16
13		17	18	14			15	28	38	40	33	43	42	44	42	38	33	27	15	16	15			15
14	15	15	15	15	14	15	18	23	24	34	34	41	40	39	27	33	18	15	15	14	15	14	16	15
15	15	15	14	14	15	16	15	14	17	22	22	42	41	42	21	32	27	27	15	15	15	14	15	15
16	15	17	15	17	15	18	15	21	27	17	33	27	41	34	33	34	18	20	15	15	15	15	15	14
17	15	16	15	15	16		18	24	15	33	39	40	41	39	34	34	18	21	15	15	15	15	18	15
18	17	15	15	15	14	15	15	14	17	35	39	36	39	42	34	32	17	15	14	15	16	16	14	15
19	15	14	16	14	14	14	15	16	15	33	18	21	42	36	35	36	17	21	15	14	15	16	15	15
20	15	14	15	14	14	15	15	24	14	16	20	50	43	42	43	38	18	27	15	16	15	15	16	16
21	16	15	15	15	14	15	15	20	30	36	40	38	40	39	40	32	18	14	15	14	15	16	15	15
22	15	18	15	14	14	15	15	16	30	32	43	42	39	39	40	36	22	15	14	17	16	14	15	15
23	15	14	15	14	15		18	18	30	18	35	28	41	40	39	36	14	14	15	14	15	15	16	16
24	15	15	15	14	15	15	15	15	21	33	32	29	38	41	33	22	18	23	15	15	15	15	15	16
25	15	15	15	14	15	17	15	23	18	33	24	36	37	36		23	14	18	16	16	15	15	16	15
26	16	15	15	14	15	21	15	17	17	18	34	45	35	22	35	30	29	22	15	15	15	16	16	
27	15	15	15	15	14		15	23	33	34	35	35	42	38	34	34	28	23	15	15	16	15	16	15
28	15	16	15	16	15	15	15	18	14	18	18	32	24	18	20	14	15	17	15	15	15	15	15	15
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	26	28	28	27	27	22	27	28	28	28	28	27	28	28	27	27	28	28	28	27	28	25	25	27
MED	15	15	15	14	15	15	15	18	16	18	31	32	38	36	33	30	18	18	15	15	15	15	15	15
U Q	15	16	15	15	15	16	15	21	25	33	35	40	41	39	35	34	23	21	15	16	15	16	16	16
L Q	15	15	15	14	14	15	15	16	14	16	21	24	26	23	20	20	16	15	14	15	15	14	15	15

HOURLY VALUES OF FOF2 AT YAMAGAWA
 FEB. 1994
 LAT. 31.2N LON. 130.6E SWEEP 1MHz to 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	A	69	76	N	31	45	46	34	66	87	90	111	94	95	86	86	72	77	54	38			84	76	
2		66	71	51	28	53	30	32		71	73	87	100	97	101	100	77	71	54	110	109	91	91		
3	A		26	25	31	31		29	71	86	82	100	90	97	102	99	96	78	78	88	34	111		71	
4		51	51	29	46			66	71	76	76	68	80	80	78	72	76	63	66		30	111	46	91	
5	91	32	51	N			36	32	64	78	72	77	77	96	85	78	72	72	66	66	73				
6			36	28	29	N	29	31	76	111	88	126	122	80	85	76	68	71	66				A		
7			65	37	A	A	26	46	80	67	89	119		105	105	86	97	86	64	119	68	32		79	
8	99	N	N	N	A	N		30	78	81	81	94	105	92	86	76	69	66	78		A	A	A	A	
9	A	A	A	A	30		N	51	A	83	74	88	107	86	91	71	63	84	88		69	107		A	
10	A	37	51	46	N	30	51	43	51	66	78	108		99	65	66	80	76	66	129		51	71	66	
11	34	45		25	N	46	32	32	41	74	73	86	105	96	91	75	86	71	54	111	131	N	131	185	
12	49	26	26	A	A	A	26	38		84	111		112	94	85	101	78	84	57	51		A			
13				30				32	76	97	87	82	87	106	104	N	86	73	73			A	51	68	
14	51			34	51	36		37	54	61	93	110	81	88	91	85	80	71		A	A	76		69	
15	49		31	34	N	36	29	37	66	77	78	78	86	75	90	98	84	61	65	A		31	89	67	
16		26		N	N	46		28	64	66	82	78	86	104	111	82	72	77	86	46	116	91	110	104	
17			71	34	32		31	32	66	77	85	91	96	96	102	90	78	76	A	46				76	
18	51	66	70	28	51			30	66	77	90	100	111	121	110	90		70	71	71	31	69	66	106	
19	N	71	76	30	26		N	32	62	81	82	87	96	86	84	82	80	75	54	A	A	A	131		
20	N	76	28	46	51	28	26	42	61	75	87	108	92	90	101	91	82	80	73	57					
21	66		71	31	35	46	50	42	66	74	78	86	118	120	118	112	98	76	66	63	129		99		
22		91	51	36	26	51	A	A	A	106		96	98	87	87	105	93	97	86	A	46		89	99	
23	A	89						30	82	90	103	118	118	125	117	111	101	94	77	45		A			
24	86	A	71	35	32	A	A	41	84	86	90	111	135	138	138	127	123	110	84	106		99	111	119	
25			76	38	51	71	30	31	77	90	115	112	122	127	134	138	131	112	84	110	69			86	
26	75	91	76	46	41	51	25	53	78	82	97	106	130	127	123	112	90	72	66	29	89	71	84	111	
27		79	51	51	36	29	N	43	72	87	105	108	114	134	141	111	103	86	67	70			91	105	
28		49	71	42	46	45	46	29	66	76	85	97	107	111	112	105	96	90	90	75			49	110	
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	10	16	21	21	18	15	15	27	24	28	27	27	26	28	28	27	27	28	26	19	14	12	16	17	
MED	58	66	65	34	34	45	30	32	66	80	85	97	102	96	101	90	82	76	66	70	69	90	86	91	
U 0	86	77	71	44	46	51	46	42	76	86	90	110	114	115	111	105	96	85	78	110	109	103	104	108	
L 0	49	41	43	29	30	31	26	31	64	74	78	86	90	89	86	78	76	71	65	46	34	70	66	73	

HOURLY VALUES OF FES AT YAMAGAWA
 FEB. 1994
 LAT. 31.2N LON. 130.6E SWEEP 1MHz to 25MHz AUTOMATIC SCALING

D \ H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	37	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	27	G	29	G	G	G	
2	G	25	G	G	G	G	G	24	G	G	G	G	47	G	G	G	G	G	G	G	G	25	29	26	
3	38	G	27	G	G	G	G	G	32	G	G	G	G	G	G	G	G	G	25	G	G	G	G	23	
4	G	24	24	G	G	G	G	G	G	G	G	44	G	G	45	G	G	G	28	G	23	G	G	G	
5	G	G	G	27	G	G	G	G	G	G	G	G	G	G	G	G	30	G	G	G	33	32	G	30	
6	27	G	G	G	G	G	G	G	G	G	49	49	42	G	G	G	G	32	G	G	24	28	33	26	
7	28	G	32	G	45	34	27	G	33	G	G	G	G	G	G	G	G	G	G	G	G	G	22	32	
8	G	32	28	33	33	26	G	G	G	40	56	G	G	G	G	G	G	G	G	G	33	33	44	33	
9	33	34	29	32	G	G	G	G	32	G	G	G	G	G	G	G	G	G	G	G	23	32	31	G	
10	34	33	G	24	G	G	G	G	G	G	G	56	G	G	G	39	39	33	G	G	G	G	23	G	
11	G	G	G	24	G	G	G	28	G	G	G	46	G	72	G	G	44	G	31	29	29	27	24		
12	G	G	G	33	34	30	G	G	G	40	39	G	G	56	54	G	G	G	G	G	G	28	G		
13	G	G	G	G	G	G	G	28	30	G	G	G	G	G	G	G	G	G	G	G	G	30	27	G	
14	G	G	G	G	G	G	G	G	G	G	G	45	G	G	G	G	39	32	G	33	31	28	G	G	
15	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	29	G	32	30	32	
16	28	G	G	23	G	G	G	G	30	G	G	G	G	G	45	G	G	G	G	G	G	G	G	G	
17	G	G	G	G	G	G	G	G	G	G	G	G	44	52	G	G	G	G	32	28	28	30	G	G	
18	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	33	G	G	G	25	G	31	
19	25	32	28	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	29	26	33	32	24	G	
20	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	45	G	G	G	31	25	G	G	
21	26	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
22	G	G	G	G	G	28	38	43	38	45	G	G	G	G	G	G	G	G	G	34	G	G	26	31	
23	27	G	G	G	G	G	G	G	G	G	G	48	G	G	G	44	G	G	G	28	G	28	28	G	
24	G	32	32	G	31	28	26	G	G	G	40	47	G	G	G	G	G	G	33	G	G	G	G	G	
25	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	41	G	G	G	G	G	G	
26	G	G	G	G	G	G	G	G	31	34	38	50	G	G	G	G	G	G	G	G	G	G	G	G	
27	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
28	G	G	G	G	G	G	G	G	28	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	26	28	24	27	26	24	23	28	28	28	28	28	28	28	28	28	27	28	28	28	28	28	28	26	28
MED	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	25	G	G	
U Q	27	12	25	23	G	G	G	G	29	G	G	44	G	G	G	G	G	G	13	13	28	29	27	26	
L Q	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	

HOURLY VALUES OF FMIN AT YAMAGAWA
 FEB. 1994
 LAT. 31.2N LON. 130.6E SWEEP 1MHz to 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	15	15	16	16	15	15	15	15	15	16	15		17	23	16	18	15	17	15	16	15	15	16	15
2	26	15	15	15	15	15	15	15	21	15	16	16	16	21	16	16	38	15		15	15	15	15	15
3	15		15	15	16	16		15	15	16	17	18	17		16		18	15	15	16	15	15	16	16
4		15	15	15	15			15	22	17	15	16	22	16	18	16	37	18	15	15	15	15	15	15
5	15	15	15	15			17	15	15		15	16	28	45	46	17	16	16	29	15	15	15	15	15
6	16	15	16	15	15	16	16	15	18	16	15	16	23	46	16	16	15	15	16	15	17	15	15	15
7	15		15	15	15	15	15	16	17	18	16	17	22	49	46	17	15	15	17	15	15	15	15	15
8	15	15	15	15	15	16		15	15	15	26	49	45	45	24	22	15	16	16	15	15	15	16	15
9	15	16	15	15	16		16	16	20	16	18	49	45	42	41	17	16	15	16	15	15	15	15	
10	15	15	15	15	15	15	15	15	15	15	17	18	16	17	21	18	15	15	15	15	15	15	16	15
11	16	15		15	16	15	16	15	15	18	43	45	17	18	24	17	15	15	15	15	15	15	15	15
12		15	15	15	15	15	15	15		16	16	17	49	45	23	16	16	15	16	15	16	16		
13	16	17		15			17	15	17	46	42	49	46	46	49	48	36	16	17	15	15	15	15	20
14	15			15	15	15		15	18	18	20	48	44	46	44	22	16	15		15	15	15		15
15	16	15	15	15	15	15	16	16	16	16	21	47	46	49	46	23	17	15	15	15	16	15	15	15
16	15	15		15	15	15	15	17	15	16	45	22	46	48	24	17	16	16	17	15	15	15	15	16
17	15	15	15	15	15	18	16	17		33	45	21	26	36	48	24	20	16	15	15	16	15		15
18	15	17	15	15	16		18	16	61	16	23	24	46	48	24	23		16	17	15	15	15	16	15
19	15	15	15	15	15	15	15	16	15	15	16	18	45	24	23	18	16	16	15	16	15	16	15	17
20	16	15	15	15	15	15	15	16	15	37	48		49	48	46	17	16	18	20	15	15	16	15	17
21	15	16	15	15	15	15	15	18	16	16	44	49	48	48	48	47	20	15	17	15	15	15	16	15
22	15	15	15	15	15	15	15	15	22	18	46	38	45	47	46	46	23	17	20	15	16	16	15	15
23	15	15	15			18		18	17	15	21	42	50	47	49	22	17	15	15	15	16	16	16	18
24	15	15	15	15	15	15	15	17	16	16	17	46	48	48	49	15	16	16	15	15	16	15	15	15
25	15	15	15	15	15	15	15	18	16	16	23	21	45	49	45	48	16	16	18	15	15	15	15	15
26	16	15	16	15	15	15	16	18	16	15	45	23	46	48	49	46	16	17	18	15	15	15	15	15
27	15	15	15	16	15	15	17	15	16	39	45	48	46	49	23	16	44	17	16	15	16	15	15	16
28		17	15	15	15	15	15	15	18	15	15	16	48	48	48	23	15	16	16	15	18	17	15	15
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	25	25	24	27	25	23	23	28	26	27	28	26	28	27	28	27	27	28	26	28	28	28	25	26
MED	15	15	15	15	15	15	15	15	16	16	20	22	45	46	42	18	16	16	16	15	15	15	15	15
U Q	16	15	15	15	15	15	16	16	18	18	43	47	46	48	47	23	20	16	17	15	16	15	16	16
L O	15	15	15	15	15	15	15	15	15	15	16	17	22	36	23	17	15	15	15	15	15	15	15	15

HOURLY VALUES OF FOF2 AT OKINAWA

FEB. 1994

LAT. 26.3N LON. 127.8E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	A	30	31	A	32	25		34	62	77	100	106	121	112	120	131	108	85	87	63	40	47	34	34		
2	34	35		43	30	N	N		62	67	87	102	96	118			136	106	87	72	68	68	61	36		
3	46	26	A	48	30	A	N		68	76	101	111	108	120	132	144	147	141	115	104		86	85	66	A	
4	A	A		28	45	27				82	77	90	82	90	87	74	80	82	80	87	78	54	52	42		
5	34	26	32	37	28	29	26	31	61	85	80	76	81	92	91	84	82	84	85	77	80	86	78	54		
6	52	23	29	35	32	31	32		71	111	106	121	110	95	91	95						89	109	90		
7	87	58	53	A	40	31	38	54	77	78	90	117		111	105	102	110	102	80	64	61	78	78	71		
8	78	40	53	35	N	A		A	80	80	82	107	111	111	91	85	76	76	86	76	52	30	34	32		
9	A	52	A	A	A	A			34	56	87	94	92	111	95	104	96	73	80	105	78	23	42	34	32	
10	32	38	35	34	36	28	28	52	65	67	78	117	161	144	110	90	90	87	78	66	34	44	A	A		
11	30	34	A	32	A	A	A		36	60	76	78	82	104	103	103	90	94	90	84	78	52	86	62	53	
12	34	31	30	28	30	28	28	37	66	82	111	131	137	131	132		130	108	88	66	66	54	52	33		
13	28	65	52	26	22			34	76	95	101	101	118	164	161	142	142	120	110	109	78	25	43	41		
14	42	42	52	40	31	N			38	60	75	104	112	90	90	108	105	103	90	84	66	58	32	43	34	
15	32	34	34	32	34	N			36	72	72	88	85	90	95	105	121	110	90	84	86	78	53	46	40	
16	43	A	A	45	A	N			28	38	64	66	80	87	91	105	131	111	91	91	110	108	66	N	61	52
17	37	42	51	35	N	N			34	66	84	91	92	116	118	120	142	137	109	108	93	87	85	62	43	
18	43	32	53	33	31	28	N		36	71	82	95	111	137	141	146	146	132	121	107	104	85	74	62	44	
19	38	37	38	40	40	25	A		37	62	71	92	105	105	95	104	104	103	94	90	76	70	53	53	A	
20	A	A		36	35	N	N		26	51	60	66	94	116	107	94	100	94	90	94	88	85	82	73	41	37
21	32	34	29	32	44	30	N		38	66	76	77	96	129	146	145	160	161	142			121	106	85	107	
22	66										C								107	103	87		62	54	52	
23	50	62	54	A					42	80	91	105	116						170	165	120	86	84	77	66	
24	52	36	53	45	38	25	30	42	78	80	92	121	144	177	178	168					111		87	88	70	
25	53	51	40	41	46	26	N		38	70	90	110	126	141	162	170	161	153	142		108	78	66	66	35	
26	42	37	37	41	35	30	26	43	76	86	95	120	111	145	145	142	121	111	90	66	53	43	43	43		
27	40	35	44	46	51				38	72	90	105	118	111	156	167	169	146	138	108	85	80	78	54		
28											83	105	111	120	136	A			146	162	145	111	66	52	54	
29																										
30																										
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	23	23	21	22	19	12		22	25	26	27	27	25	26	25	23	23	26	24	25	25	27	27	24		
MED	42	36	38	36	32	28		38	66	81	92	107	111	115	120	111	110	104	89	85	78	66	54	43		
U 0	52	42	52	43	40	30		42	76	87	104	117	125	144	145	146	137	120	107	106	83	85	66	54		
L 0	34	32	31	33	30	25		36	62	75	82	92	100	95	103	94	90	90	84	69	55	47	43	35		

HOURLY VALUES OF FES AT OKINAWA
 FEB. 1994
 LAT. 26.3N LON. 127.8E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	33	G	37	34	30	24	G	G	34	G	60	46	56	58	45	40	38	60	36	28	G	G	G	G		
2	G	G	G	G	G	G	G	G	G	39	G	80	70	54		41	G	36	30	G	G	24	23	33		
3	G	29	58	26	26	33	G	G	36	38	42	42	42	47	90	51	58	39	34	28	24	G	32	49		
4	68	33	38	48	36				G		64	42	44	60	46	43	G	G		26	26	26	23	G	G	
5	G	G	G	G	26	24	G	G	G		43	46	58	45	49	57	72	34	61	40	G	G	G	G		
6	G	G	26	31	G	G	G		G	G	G	43	47	46	G	G						G		32	26	
7	G	G	27	39	26	30	23	48	36	50	G	G	G	G	G	G		G					34	34	33	59
8	39	26	28	32	26	28		32	32	38	47	62	72	45	44	44	G	G		69	49	45	36	29	G	
9	32	28	29	31	40	30		G	G	G		42					G	G	G		28	28	G	G	69	
10	30	25	25	G	26	24	G	G	G								G				G	G			69	
11	23	23	40	37	29	33	25	24		G	G														29	
12	25	G	G	24	G	G	G	G		33	39	49	46	46	50	43	60	43	G		48	23	24	G	G	G
13	G	25	G	G	G				28	32	56	43	43	G	G										28	
14	25	26	G	G	G	G		24	36	40	49	63	62	46	45	49	44	36	28	30	27	26	G	G		
15	G	G	26	G	G	G	G	G	G	G	G		48	47	50	42	45	60	47	43	43	33	G	G		
16	25	32	33	24	28	26	G	G	G	G	G		48	G	52	44	41	47	36	27	26	G	G	24	G	
17	G	G	G	G	26	G	G	G	G	G	G				44	78	61	57	38	40	33	24	G	G	G	
18	G	26	32	37	32	G	G	G		34	G									G	G	G			24	
19	G		G	38	41	27	23		G	G															24	
20	30	32	26	G	G	G	G	G																	26	
21	G	G	G	G	G	G	G	G		28	36	45	G	G	G										26	
22	G																								26	
23	26	32	28	28	G	G	G		G		42	47	61												26	
24	23	30	38	33	38	G		32	29	43	40	47	50	50	51	51	49								25	
25	G	G	G	G	G	G	G	G	G	G	G		43	G	G	G		61	48	48		28	23	G	40	G
26	G	G	G	G	G	G	G		23	30	43	51	56	72	44	G	46	41	G	G	G	G	G	G	G	
27	G	G	G	G	G		G		25	G	G	G	G	G	G	G		41	G	G	G	G	G		24	
28												43	G												24	
29																										
30																										
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	27	26	26	26	26	23	21	24	25	26	27	27	26	26	25	26	23	26	24	26	26	28	28	27		
MED	G	22	26	24	26	G	G	G	G	G	43	46	47	46	43	44	44	35	31	28	22	12	23	G		
U 0	26	28	32	33	29	27	G	24	33	39	47	48	56	52	50	51	57	39	38	34	27	25	32	28		
L 0	G	G	G	G	G	G	G	G	G	G	G	41	G	G	G	41	38	G	G	23	G	G	G	G		


HOURLY VALUES OF FMIN AT OKINAWA

FEB. 1994

LAT. 26.3N LON. 127.8E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING


$\frac{H}{D}$	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	15	15	14	14	14	15	15	14	14	14	16	14	16	16	15	16	15	14	14	15	15	15	15	15
2	15	15	15	14	15	15	15	15	15	14	14	14	15	15		16	15	15	15	14	14	15	15	14
3	14	14	14	15	14	14	15	14	14	15	14	16	16	16	15	14	14	14	15	15	15	15	14	15
4	15	14	14	14	14				15	14	16	17	17	16	16	15	15	16	15	14	15	15	16	16
5	16	15	15	15	15	15	16	15	14	15	16	17	18	24	24	21	16	15	15	15	15	15	15	15
6	16	15	14	15	15	15	15		15	16	15	16	21	28	22	21						15	15	16
7	17	16	16	14	14	15	15	15	17	15	21	20	21	22	20	20	14	14	14	15	15	15	15	15
8	15	15	14	14	15	15		14	16	14	15	18	24	20	23	22	14	15	15	15	15	14	14	16
9	15	15	14	15	14	15		15	17	14	15	20	34	18	22	21	16	15	16	15	14	15	15	15
10	15	15	14	14	14	15	15	15	15	15	15	17	29	21	28	21	16	14	15	15	14	14	14	15
11	15	15	15	14	14	15	15	15	15	16	18	32	24	24	22	17	16	15	17	15	15	14	15	14
12	15	15	15	15	14	14	14	15	15	14	15	20	33	32	21	16	16	14	16	15	15	15	15	15
13	15	15	15	15	14			14	14	15	20	26	29	29	33	20	16	14	14	15	14	15	15	15
14	15	15	15	15	14			15	15	15	14	34	20	30	22	20	18	15	14	14	15	15	14	15
15	16	15	15	15	15	14	16	16	15	15	20	23	22	30	21	23	18	17	15	15	15	15	15	14
16	15	15	14	15	15	15	15	15	15	15	17	20	36	30	24	18	16	14	15	14	15	15	15	15
17	15	14	15	15	15	18	16	15	20	15	22	22	35	23	22	22	16	14	14	15	15	15	15	15
18	15	15	15	15	15	15	17	15	15	14	15	21	24	27	30	22	26	17	15	14	15	15	14	15
19	15	15	15	14	14	15	15	15	15	14	20	24	21	22	21	20	17	14	15	15	15	15	15	15
20	15	15	16	15	15	16	15	15	15	15	16	54	40	29	29	16	14	18	14	15	16	15	15	15
21	15	15	15	15	15	15	16	15	15	14	17	21	22	22	21	20	18	17			15	14	15	15
22	15									C								17	22	15		15	15	15
23	15	15	15	14		17	16	16	17	17	17	20						14	14	14	15	15	15	14
24	15	14	14	14	15	15	14	14	14	14	16	22	33	34	18	24				15	15	15	15	15
25	15	15	15	15	15	15	17	16	15	16	18	26	29	28	29	23	15	14		15	15	15	15	15
26	16	15	15	15	15	15	15	15	15	15	16	20	23	22	29	21	18	15	22	15	16	15	16	17
27	15	15	15	15	15		17	16	16	18	21	21	21	33	24	18	16	17	16	15	15	15	15	
28										15	16	17	33	26				16	20	14	15	15	14	15
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	27	26	26	26	25	22	21	24	25	26	27	27	26	26	25	25	23	26	24	26	26	28	28	27
MED	15	15	15	15	15	15	15	15	15	15	16	20	22	24	22	20	16	15	15	15	15	15	15	15
U Q	15	15	15	15	15	15	16	15	15	15	18	23	29	30	27	21	17	16	16	15	15	15	15	15
L Q	15	15	14	14	14	15	15	15	15	14	15	17	20	21	21	16	15	14	14	15	15	15	15	15

SUMMARY PLOTS AT WAKKANAI




FXECP): PREDICTED VALUE FOR FxE
 F0ECP): PREDICTED VALUE FOR F0E

SUMMARY PLOTS AT WAKKANAI




FXECP: PREDICTED VALUE FOR FXE
FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT WAKKANAI




SUMMARY PLOTS AT WAKKANAI




FXECP: PREDICTED VALUE FOR FXE
FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT WAKKANAI




FXECP: PREDICTED VALUE FOR FXE
FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT WAKKANAI




SUMMARY PLOTS AT KOKUBUNJI TOKYO




FXECP; PREDICTED VALUE FOR FXE
 FOECP; PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT KOKUBUNJI TOKYO




FXECP: PREDICTED VALUE FOR FXE
 FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT KOKUBUNJI TOKYO




FXECP: PREDICTED VALUE FOR Fx
 FOECP: PREDICTED VALUE FOR F0E

SUMMARY PLOTS AT KOKUBUNJI TOKYO




FXECP: PREDICTED VALUE FOR Fx
FOECP: PREDICTED VALUE FOR Fy

SUMMARY PLOTS AT KOKUBUNJI TOKYO




FXECP: PREDICTED VALUE FOR Fx
FOECP: PREDICTED VALUE FOR Eo

SUMMARY PLOTS AT KOKUBUNJI TOKYO




FXECP: PREDICTED VALUE FOR Fx
FOECP: PREDICTED VALUE FOR Fmin

SUMMARY PLOTS AT YAMAGAWA




SUMMARY PLOTS AT YAMAGAWA




XECP: PREDICTED VALUE FOR XE
 FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT YAMAGAWA




SUMMARY PLOTS AT YAMAGAWA




FxECP: PREDICTED VALUE FOR FxE
FOECP: PREDICTED VALUE FOR Foe

SUMMARY PLOTS AT YAMAGAWA




FXECP; PREDICTED VALUE FOR FXE
FOECP; PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT YAMAGAWA




FXECP: PREDICTED VALUE FOR FxE
F0ECP: PREDICTED VALUE FOR F0E

SUMMARY PLOTS AT YAMAGAWA




FXECP: PREDICTED VALUE FOR F2E
 FOECP: PREDICTED VALUE FOR F2O

SUMMARY PLOTS AT OKINAWA




SUMMARY PLOTS AT OKINAWA




FXECP: PREDICTED VALUE FOR FXE
 FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT OKINAWA




FXECP: PREDICTED VALUE FOR FXE
FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT OKINAWA




FXECP: PREDICTED VALUE FOR FXE
 FOECP: PREDICTED VALUE FOR FOE

SUMMARY PLOTS AT OKINAWA




FXECP: PREDICTED VALUE FOR Fx
FOECP: PREDICTED VALUE FOR E

SUMMARY PLOTS AT OKINAWA



FXE(P): PREDICTED VALUE FOR Fx
 F0E(P): PREDICTED VALUE FOR F0E

SUMMARY PLOTS AT OKINAWA



FXE(P); PREDICTED VALUE FOR FXE
 FOE(P); PREDICTED VALUE FOR FOE

MONTHLY MEDIANS OF H'F AND H'ES
 FEB. 1994 135E MEAN TIME(UTC+9H) AUTOMATIC SCALING

H'F STATION WAKKANAI LAT. 45.4N LON. 141.7E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT									20	28	26	14	10	18	24	28	24							
MED									243	243	252	247	240	240	243	244	239							
U O									248	258	258	254	260	252	251	254	246							
L O									229	235	238	194	40	226	239	241	234							

H'ES

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT																				10	10			
MED																				103	107			
U O																				113	113			
L O																				15	16			

H'F STATION KOKUBUNJI LAT. 35.7N LON. 139.5E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT									25	28	26				17	29	28	18						
MED									248	252	261				254	254	247	244						
U O									259	264	274				263	263	258	254						
L O									242	245	254				250	247	239	240						

H'ES

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	11	13		10	11			12			12	12						14	14	14	13	12	14	12
MED	109	109		107	105			161			142	122						108	107	108	109	107	106	108
U O	113	112		115	107			213			233	193						113	111	111	113	113	111	117
L O	101	105		103	101			148			115	116						101	103	105	104	103	105	105

MONTHLY MEDIANS OF H'F AND H'ES
 FEB. 1994 135E MEAN TIME(UTC+9H) AUTOMATIC SCALING

H'F STATION YAMAGAWA LAT. 31.2N LON. 130.6E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT									13	27	30					19	29	26	15					
MED									258	260	265					260	254	250	260					
U Q									290	270	278					268	264	264	274					
L Q									247	252	256					246	245	244	242					

H'ES

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	13	10	10	10					11			11							10	10	14	18	14	13
MED	109	106	108	104					155			121							107	106	107	107	107	107
U Q	112	119	111	115					290			260							276	121	109	113	113	123
L Q	105	105	105	101					121			115							103	105	105	103	103	104

H'F STATION OKINAWA LAT. 26.3N LON. 127.8E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT									22	28	28					16	27	30	29	22	16	13		
MED									261	260	269					258	250	242	242	239	247	252		
U Q									268	276	288					272	264	272	249	254	263	310		
L Q									240	248	256					252	244	232	228	226	224	174		


H'ES

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	16	18	19	18	18	14		13	17	17	22	24	20	22	21	28	24	19	23	23	17	17	18	17
MED	106	105	105	103	106	103		155	143	143	125	121	118	117	119	114	113	111	119	105	107	109	105	105
U Q	194	137	111	107	109	163		216	276	280	149	131	127	127	136	120	171	232	246	113	149	133	109	138
L Q	103	101	101	103	101	101		132	120	119	115	119	112	113	113	111	107	107	107	99	102	103	101	102

MONTHLY MEDIANS PLOT OF FOF2

FEB. 1994

AUTOMATIC SCALING



IONOSPHERIC DATA STATION KOKUBUNJI

FEB. 1994 FXI (0.1MHZ)

135° E MEAN TIME (G.M.T. + 9H)

LAT. 35° 42.4' N LON. 139° 29.3' E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

D ^H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	X	X	X	X	X	X	X												X	X	X	X	X	42
	39	40	41	43	42	40	39												41	43	37	34	39	42
2	X	X	X	X	X	X	X												X	X	X	X	X	X
	40	44	45	51	54	34	32												42	42	40	38	37	39
3	X	X	X	X	X	X	A												X	X	X	X	X	X
	39	39	44	38	41	33													61	48	38	29	32	34
4	X	X	X	A	X	X	X												X	X	X	X	X	X
	35	36	38		37	36	37												51	44	41	37	36	38
5	X	X	X	X	X	X	X												X	X	X	X	X	X
	38	37	42	40	38	29	32												45	41	48	47	45	47
6	X	X	X	X	X	X	X												X	X	X	X	X	X
	43	58	27	31	32	32	34												67	58	59	57	62	83
7	X	X	X	X	X	X	X												X	X	X	X	X	X
	61	82	47	46	34	32	35												48	33	40	40	40	43
8	X	X	X	X	X	X	X												X	X	X	X	X	X
	45	37	31	37	32	42	34												63	59	58	38	40	39
9	X	X	X	X	X	X	X												X	X	X	X	X	X
	39	42	37	28	32	33	31												74	48	47	39	40	41
10	X	X	X	X	X	X	X												X	X	X	X	X	X
	40	40	42	40	44	38	42												59	48	41	40	44	33
11	X	X	X	X	X	X	X												X	X	X	X	X	X
	37	36	39	41	38	30	38												50	47	51	46	47	50
12	X	X	X	X	X	X	X												X	X	X	X	X	X
	46	40	37	34	33	33	31												59	59	53	35	34	33
13	X	X	X	X	X	X	X												X	X	X	X	X	X
	35	41	31	33	30	30	33												55	60	41	40	42	41
14	X	X	X	X	X	X	X												X	X	X	X	X	X
	42	46	39	37	47	38	37												54	55	49	40	42	46
15	X	X	X	X	X	X	X												X	X	X	X	X	X
	43	46	45	39	38	38	37												51	47	46	48	45	46
16	X	X	X	X	X	X	X												X	X	X	X	X	X
	44	45	43	43	38	37	39												64	45	45	42	45	46
17	X	X	X	X	X	X	X												X	X	X	X	X	X
	44	45	49	44	39	29	34												56	50	54	42	40	41
18	X	X	X	X	X	X	X												X	X	X	X	A	X
	39	41	44	46	43	31	32												61	52	52	45		39
19	X	X	X	X	X	X	X												X	X	X	X	X	X
	40	40	42	39	36	32	37												62	56	48	48	44	43
20	X	X	X	X	X	X	X												X	X	X	X	X	X
	43	45	46	44	38	40	44												61	58	56	59	50	46
21	X	X	X	X	X	X	X												X	X	X	X	X	X
	48	48	46	48	48	47	51												57	55	57	50	54	61
22	X	X	X	X	X	X	X												X	X	X	C	C	C
	74	44	54	58	54	34	31												64	54	55			
23	C	C	C	C	C	C													X	X	X	X	X	X
																			69	61	58	49	43	40
24	X	X	X	X	X	C													X	X	X	X	X	X
	42	44	43	41	39														59	56	56	51	48	47
25	X	X	C	C	C	C													X	X	X	X	X	X
	47	45																	59	55	54	54	49	48
26	X	X	X	X	X	X													X	X	X	X	X	S
	44	46	47	46	47	37													56	47	48	44	45	
27	C	C	C	C	C	C													X	X	X	X	X	X
																			58	44	44	44	45	42
28	X	X	X	X	X	X													X	X	X	X	X	X
	45	47	48	51	42	41													67	53	50	48	48	48
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	26	26	25	24	25	24	21												28	28	28	27	26	26
MED	X	X	X	X	X	X	X												X	X	X	X	X	X
	42	44	43	41	38	34	35												59	51	48	44	44	42
U O	X	X	X	X	X	X	X												X	X	X	X	X	X
	45	46	46	46	44	38	38												62	56	54	48	47	47
L O	X	X	X	X	X	X	X												X	X	X	X	X	X
	39	40	38	38	35	32	32												52	46	42	39	40	39

IONOSPHERIC DATA STATION KOKUBUNJI
 FEB. 1994 FOF2 (0.1MHZ) 135°E MEAN TIME (G.M.T. + 9H)
 LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	33	34	35	37	36	34	33	57	62	74	84	109	81	77	72	66	69	62	35	37	31	28	33	34		
2	34	38	39	45	48	28	26	49	65	67	74	83	81	86	84	69	63	53	36	36	34	J R	31	33		
3	33	33	38	32	35	27		A	53	71	83	90	91	84	79	76	71	64	58	55	42	32	23	26	28	
4	29	29	32	A	31	30	31	58	73	63	74	75	77	78	68	71	70	52	45	38	J R	35	30	32		
5	32	31	36	34	32	23	26	53	69	63	77	90	76	84	85	71	66	70	39	35	42	41	39	41		
6	37	52	21	25	26	26	28	56	80	114	100	125	104	73	74	70	65	58	61	52	53	51	56	58		
7	55	F	F	H	28	26	30	67	75	78	80	113	104	85	92	93	80	57	42	27	34	34	34	37		
8	39	31	V	31	26	F	F	56	97	81	83	83	110	85	92	67	65	66	57	53	52	32	34	33		
9	33	36	31	22	26	27	25	48	70	77	78	I C	98	85	83	I C	70	63	68	42	41	33	34	35		
10	34	34	36	34	V	32	36	49	57	72	84	105	136	84	64	72	75	61	53	42	35	34	38	24		
11	31	30	33	35	32	24	32	54	62	75	86	105	106	91	76	77	83	62	44	41	45	40	41	44		
12	40	34	31	28	27	27	25	59	74	75	106	124	103	83	72	77	77	68	53	53	47	29	28	27		
13	29	35	25	27	24	24	27	56	90	97	104	82	83	79	74	73	67	64	49	54	35	34	36	F		
14	36	40	V	31	41	F	F	53	62	68	96	100	77	86	70	80	73	58	48	49	43	34	37	40		
15	F	40	F	33	32	32	31	52	67	74	78	78	85	74	83	82	72	62	45	41	40	42	39	40		
16	38	39	37	37	32	31	33	59	62	77	84	86	91	94	83	74	73	78	58	40	39	36	39	40		
17	38	39	43	38	33	23	28	56	76	73	84	88	90	85	80	74	73	65	50	43	J R	34	35			
18	33	R	38	40	37	25	26	59	77	77	90	94	89	100	83	71	68	67	55	46	46	39	A	33		
19	34	34	36	33	30	26	31	57	71	75	77	73	92	78	71	71	71	62	56	50	42	42	38	37		
20	37	39	40	38	32	34	38	65	82	82	82	H	89	V	94	88	76	69	55	52	50	53	44	40		
21	42	42	40	42	42	41	45	65	88	76	73	90	115	109	105	98	73	62	51	49	51	44	48	F		
22	F	F	F	F	F	F	25	50	69	88	H	I C	94	78	78	85	I C	77	58	48	49	C	C	C		
23	C	C	C	C	C	C	C	C	C	C	C	C	115	121	118	103	100	86	83	75	63	55	52	43	37	34
24	36	38	37	35	33	C	C	C	C	79	88	100	119	110	90	77	80	71	53	50	50	45	42	41		
25	41	39	C	C	C	C	C	C	98	110	109	106	87	I C	88	96	85	68	53	49	48	48	43	42		
26	38	40	41	40	41	H	31	34	59	91	100	87	111	111	104	96	88	77	66	50	41	42	38	I S		
27	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	86	76	74	68	52	38	38	38	39	36	
28	39	41	42	45	36	35	41	59	68	77	80	97	104	97	96	86	77	65	61	47	44	42	42	42		
29																										
30																										
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	26	26	25	24	25	24	23	24	24	26	27	27	27	27	28	28	28	28	28	28	28	27	26	27		
MED	36	37	36	35	32	27	30	56	71	77	84	94	94	85	83	75	73	64	53	44	42	38	38	37		
U O	39	40	40	40	36	32	33	59	78	82	96	109	106	94	91	86	77	68	56	50	48	42	41	41		
L O	33	34	32	32	29	26	26	53	66	74	78	86	84	79	74	71	68	62	46	40	36	33	34	33		

IONOSPHERIC DATA STATION KOKUBUNJI

FEB. 1994 FOF1 (0.01MHZ) 135° E MEAN TIME (G.M.T. + 9H)

LAT. 35° 42.4' N LON. 139° 29.3' E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1									L	L	L	U	L	U	L	L								
2									L		L	U	L	U	L	U	L	L						
3									L	L	L	U	L	U	L	L	L							
4											L	U	L	U	L	U	L	L						
5									L		U	L	U	L	U	L	L	L						
6											L	U	L			L	L	L						
7									L	L	U	L	L		L	U	L	L						
8									L	L	U	L		U	L	U	L	L						
9											U	L		U	L	U	L	L						
10											L	L	L	U	L	L	L	L						
11											U	L	L	U	L	U	L	U	L					
12											U	L	L	U	L	U	L	L	U	L				
13									L		U	L	U	L	L	L	L	L						
14											L	U	L	U	L	U	L	L						
15											L	L	U	L	U	L	U	L	L					
16											L	U	L	U	L	U	L	L	L					
17											L	U	L	U	L	U	L	L	L					
18									L		L	U	L	U	L	U	L	L	L					
19									L	L	L	U	L	L	L	L	L	U	L	L				
20									L	L	L	L	L	U	L	L	U	L	L	L				
21									L	L	L	L	L	L	U	L	U	L	L	L				
22									L	L	L	U	L	L	L	U	L	L	L					
23											L	L	L	U	L	U	L	L	L					
24											L	L	U	L	L	L	L	U	L	L				
25											U	L	U	L	U	L	U	L	I	C	U	L		
26											L	U	L	L	U	L	U	L	U	L	L			
27											U	L	L	L	L	L	L	L	L	L				
28											L	U	L	L	L	L	L	L	L	L				
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT										5	17	20	23	16	16	8								
MED										U	L	U	L	U	L	U	L	U	L	U	L			
U O										420	470	470	470	470	470	455	425							
L O										U	L	U	L	U	L	U	L	U	L	U	L			
										490	475	480	500	480	470	440								
										U	L	U	L	U	L	U	L	U	L	U	L			
										365	450	460	460	450	440	420								

IONOSPHERIC DATA STATION KOKUBUNJI

FEB. 1994 FOES (0.1MHZ) 135°E MEAN TIME (G.M.T. + 9H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	E B	13	16	17	17	E B	E B	E B	E B	G	G	J A		J A	G		26	18	E B	E B		20	17	22	17	
2	J A	E B	E B	E B	E B	E B	E B	J A		G				J A	G		21	30	J A		J A	E B		22	22	
3		J A	J A	J A					E B	G		J A		J A	G	J A	J A	J A	J A			17	19	19	E B	
4	E B		J A		J A	J A	E B			G	J A	G		J A	G	J A			E B	J A	J A	J A	J A	J A		
5	E B	E B	E B	E B		E B			G	J A							J A	J A	J A	J A	J A	J A	J A	J A		
6	E B			J A	E B	E B	E B					J A					26	20	E B	E B	E B	J A	J A	J A	J A	
7	J A	J A			J K				G	G			J A	G	G			18	12	15	51	27	13	20		
8	E B		J A	J A	J A	J A	J A		J A	J A	J A		G	G					E B	E B	E B	E B	E B	E B	E B	
9		23	22	20	20	E B			G	G	G	G		G	G				J A	J A	J A	J A	J A	J A	J A	
10	J A	J A				E B	E B				J A	G	G	G			J A	J A	J A	J A	J A	J A	J A	J A		
11	J A	J A	J A		J A	J A			G	G	J A	J A		J A		J A	J A	J A	J A	E B	J A	J A	J A	E B		
12		J A	J A	J A	J A				G	J A	J A	J A		G	J A				E B	J A	E B		20	20	20	
13			E B		E B	E B	E B		E B	E B	J A	E B	E B	G	E B	E B	E B	E B	E B	E B	E B	E B	E B	E B	E B	
14	E B	E B	E B	E B	E B	E B	E B			G	E B	G							J A		E B	E B	E B	J A		
15	E B	E B	E B	E B	E B	E B	J A	J A						G	G	G						J A	J A	J A		
16		E B	E B	E B		E B			G		J A			G	G					J A	J A	J A	J A			
17	E B	E B	E B	E B	E B	E B	E B		G	G	G			G	G				G	E B	E B	E B	E B	E B	E B	
18	E B	E B	E B	E B	E B	E B	E B		G	G	G			G			J A	J A	J A		J A	J A	J A	J A		
19	J A	J A		E B	E B	E B	E B		G	G	G	G							E B	E B	E B	E B	E B	E B		
20	E B	E B	E B	E B	E B	E B	E B		G	G				G	G	E B			G	E B	E B	E B	E B	E B	E B	
21		E B	E B	E B	E B	E B	E B		G	G			G	E B	E B	E B			G	J A	J A	J A	J A	E B	E B	J A
22	J A	J A		E B	E B		J A	J A		G	E B	G	G	C					C	J A		J A	C	C	C	
23	C	C	C	C	C	C	C		C	C	G	J A		G	E B				J A	J A	J A	J A	J A	J A	J A	
24	E B	E B	E B	E B	E B	E B	C	C	C	C	G			38	36	36	37	38	34		G	E B	E B	E B	J A	
25		E B	C	C	C	C	C	C	C	C	G	G	G						J A	J A	J A		E B	E B	E B	
26	E B	E B	E B	E B			E B		G	G	G	G		G	G	G			G	J A	E B	E B	E B	E B	E B	
27	C	C	C	C	C	C	C		C	C	C	C		C	C	G			G	E B	E B	E B	E B	E B	E B	
28	E B	E B	E B	E B		E B	E B		G					G	G	G				E B	E B	E B	E B	E B	E B	
29																										
30																										
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	26	26	25	25	25	24	24	24	24	26	27	26	26	27	27	27	27	28	28	28	28	28	27	27	27	
MED	16	14	E B	E B	E B	E B	E B	G	G	E G	E G			35	33	28			20	18	16	18	17	19	19	
U O	J A	J A	J A		J A						J A	J A					J A	J A	J A	J A	J A	J A	J A	J A	J A	
L O	E B	E B	E B	E B	E B	E B	E B	G	G	G	G	G	G	G	G	G	G	G	E B	E B	E B	E B	E B	E B	E B	

IONOSPHERIC DATA STATION KOKUBUNJI
 FEB. 1994 FBES (0.1MHZ) 135°E MEAN TIME (G.M.T. + 9H)
 LAT.35°42.4'N LON.139°29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	E B 13 14	E B E B 15 12	E B E B E B 15 14 14	E B E B E B E B 15 14 14 17	G	G					43 35	36 39	29 28	G U Y 24 17	13 16	E B E B E B E B 13 13 17 15								
2	E B E B 17 12	E B E B E B 13 14	E B E B E B E B 13 14 14	E B E B E B E B 13 14 14	G				20	33 35	36 36	35 32	G G 22 17	20	E B E B E B E B E B 11 12 12 14 14 14									
3	E B E B 14 13	E B E B 26 20	E B A A E B 17 14 32	E B E B E B E B 17 13 14 18	G					29 30	29 26	31 31	30 27	32 24	E B 14 16	16 16	13 13							
4	E B E B E B 14 13 13	E B A A 13 35	E B E B E B 17 13 14	E B E B E B 17 13 14 18	G					29 27	25 38	35 33	G 23 33	24 20	E B 13 19	13 13	E B E B 13 16							
5	E B E B E B 13 12 14	E B E B E B 12 13 14	E B E B E B E B 13 14 14	G					26 31	35 34	34 34	E B 31 33	27 29	26 22	20 29	17 12								
6	E B 13 20	E B 14 16	E B E B E B 14 14 14	E B E B E B 14 14 14 20	27 32	38 50	44 34	33 30	26 17	E B E B E B E B 15 14 12 14 14 21														
7	E B 26 33	E B 13 12	E B K K 13 13 14	22 25	21	G G 26 45	42 25	20	18 12	15 21	16 13	15												
8	E B 12 16	16 16	16 16	E B E B 16 13 13	20 26	30 33	46	G U G 30 34	G G 14 14	11 14	11 11													
9	E B E B 13 11	E B 18 13	E B E B E B 13 14 18	G	G G G 19 22 21	C G G 23	C G	18 15	23 19	20 24	17													
10	15 17	17 12	E B E B E B 12 13 13	22 26	30 34	G G G 29 25	30	48 25	20 29	27 24	19 16													
11	18 18	11 12	23 16	13 19	G G	36 38	35 34	32 28	21 19	E B 10 15	E B 13 25	13 13												
12	E B E B 12 13	21 19	17 15	15 21	G	30 40	35 32	33 30	24 21	E B 14 14	E B 14 19	E B E B 14 13												
13	E B 14 16	E B E B E B 13 13	E B E B E B E B 13 14 13	21 27	31 36	36 41	G E B E B 34 30	27 20	13 14	17 12	16 14													
14	E B E B E B 13 13 13	E B E B E B 13 13 13	E B E B E B E B 13 13 14	G	27	G E B 34	G G 34 34	34 34	G G 25 19	16 15	E B E B E B E B 13 13 14 13													
15	E B E B E B 13 13 12	E B E B E B 13 14 13	16 27	31 31	G G G 24	G G 16 14	20 16	18 19	15															
16	E B E B E B 13 15 12	14 14	E B E B E B 14 12 13	20 31	22 37	34 33	G G G 14 20	16 24	E B E B 13 13															
17	E B E B E B 13 13 14	E B E B E B 12 14 14	E B E B E B E B 14 15 14	G G G G 34 33	U Y 36	G G G 37 37	33 27	17 15	14 14	13 14	13													
18	E B E B E B 13 13 11	E B E B E B 13 14 13	E B E B E B E B 14 13 13	G G G G 36	G G G 27 35	36 29	G G 31 30	23 16	13 21	14 53	29													
19	E B 13 17	E B E B E B 12 13	E B E B E B E B 13 14 12	G G G G 27 35	36 29	G G 27 18	14 13	13 13	14 13															
20	E B E B E B 13 13 14	E B E B E B 14 11 14	E B E B E B 13 12	G G G 20 35	G U Y 35	G E B 34	G G 13 13	13 13	13 12	13 14														
21	E B E B E B E B 14 13 13 13	10 13	13 13	G G U Y 33 35	G E B E B E B 40 40 34	25 27	20 16	15 14	13 13															
22	E B E B E B 28 14	13 13	11 17	16 32	G E B 33	G G 36 34	30 C	21 14	13 12	C C C														
23	C C C C	C C C C	C C C C	C C C C	C C C C	G G G G 40	G G E B 35	28 34	32 23	33 24	20 13													
24	E B E B E B 12 12 14	14 14	E B C C C 14	C C G 36 35	36 37	37 33	27 19	15 14	13 13	13 13	13													
25	E B E B 13 12	C C C C	C C C C	C C C C	C G G G 20	G G G 19 15	14 13	13 13	13 13															
26	E B E B E B E B 13 12 13 12	14 16	13 22	G G G G 25 28	24 31	G G E B 14 13	14 13	14 13	12 15															
27	C C C C	C C C C	C C C C	C C C C	C C C C	C C G 31 21	20 14	14 14	14 14	13 13														
28	E B E B E B E B 14 14 14 14	11 11	14 30	33 37	37 35	G G G 20	G G 20 13	13 14	14 14	14 13														
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	26	26	25	25	25	24	24	24	24	26	27	26	26	27	27	27	27	28	28	28	28	27	27	27
MED	E B E B E B E B 13 13 13 13	E B E B E B E B 14 14 14 18							G E G 29 32				G E G 34 32			G 28		E B E B E B E B 18 14 14	E B E B E B E B 14 14 14	E B E B E B E B 14 14 14	E B E B E B E B 14 14 14	E B E B E B E B 14 14 14	E B E B E B E B 13 13 13	
U O	14 16	14 14	14 14	14 14	14 14	14 20	26 31	36 36	36 35	34 30	27 22	16 16	18 19	17 15										
L O	E B E B E B E B 13 13 13 12	E B E B E B E B 13 13 13					G G G G 25		G E B E B E B E B 13 13	E B E B E B E B 13 13	E B E B E B E B 13 13	E B E B E B E B 13 13	E B E B E B E B 13 13	E B E B E B E B 13 13										

IONOSPHERIC DATA STATION KOKUBUNJI

FEB.1994 FMIN (0.1MHZ)

135°E MEAN TIME (G.M.T. + 9H)

LAT.35°42.4'N LON.139°29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	13	13	15	12	15	14	14	17	16	16	20	20	20	21	18	12	16	14	13	16	13	13	12	13	
2	13	12	13	14	13	14	14	14	14	16	17	23	21	19	15	15	14	14	11	12	12	14	14	14	
3	14	13	13	13	14	14	13	18	15	19	19	20	20	15	16	15	15	13	15	14	14	12	13	13	
4	14	13	13	11	12	13	14	14	13	13	21	19	18	15	13	13	13	13	15	13	13	13	13	12	
5	13	12	14	12	13	14	14	14	13	14	16	19	20	14	31	17	16	12	13	14	14	13	13	12	
6	13	13	14	13	14	14	14	14	13	23	21	27	33	25	22	20	16	15	15	14	12	14	14	14	
7	12	13	13	11	13	13	11	14	12	15	18	19	17	15	17	13	16	18	12	15	14	13	13	12	
8	12	13	11	12	14	13	13	14	13	15	22	21	20	24	24	21	16	13	14	14	11	14	11	11	
9	13	11	14	13	13	14	13	14	12	14	17	C	17	19	20	C	14	13	12	13	13	14	14	14	
10	13	14	13	12	12	13	13	10	13	14	21	15	24	19	15	13	13	13	13	13	13	14	14	12	
11	13	14	11	12	11	14	11	13	16	18	25	18	22	22	22	16	13	13	10	13	13	11	13	13	
12	12	13	12	14	12	13	13	13	14	13	15	21	25	18	E S 22	17	14	13	14	13	14	14	14	13	
13	14	13	13	13	13	14	13	13	27	31	30	36	41	25	34	30	27	20	13	14	13	12	16	14	
14	13	13	13	13	13	13	14	13	15	23	34	25	24	29	24	20	14	13	12	13	13	13	14	13	
15	13	13	12	13	13	14	13	12	16	22	20	24	22	24	20	20	21	13	14	14	13	13	13	15	
16	13	15	12	14	12	12	13	14	15	13	16	23	23	27	27	19	16	14	14	13	15	14	13	13	
17	13	13	14	12	14	15	14	15	15	13	20	20	23	23	23	19	15	17	15	14	14	13	14	13	
18	13	13	11	13	14	13	13	13	13	17	22	29	19	19	22	21	15	15	12	13	16	14	13	13	
19	13	13	12	13	13	14	12	13	14	16	16	21	19	26	27	18	16	18	14	13	13	13	14	13	
20	13	13	14	11	14	13	12	12	12	14	16	28	26	26	28	34	13	14	13	13	13	12	13	14	
21	14	13	13	13	10	13	13	14	16	20	21	21	40	40	34	25	19	14	14	13	13	14	13	13	
22	13	14	13	13	11	14	13	13	24	33	23	22	C	33	22	21	C	13	12	13	12	C	C	C	
23	C	C	C	C	C	C	C	C	C	C	C	22	28	29	28	35	20	15	13	14	14	13	13	12	13
24	12	12	14	14	14	C	C	C	C	17	30	30	29	27	21	15	13	14	13	14	13	12	12	12	
25	13	12	C	C	C	C	C	C	C	19	20	15	30	24	C	15	13	14	14	13	13	13	13	13	
26	13	12	13	12	14	13	13	15	17	16	20	28	22	22	20	19	21	14	14	13	14	13	12	15	
27	C	C	C	C	C	C	C	C	C	C	C	C	C	C	28	17	14	13	14	14	14	14	13	13	
28	14	14	14	14	11	11	14	13	12	13	20	27	E S 27	15	20	14	13	14	13	13	14	14	14	13	
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	26	26	25	25	25	24	24	24	24	26	27	26	26	27	27	27	27	28	28	28	28	27	27	27	
MED	13	13	13	13	13	14	13	14	14	16	20	22	22	23	22	18	15	14	14	13	13	13	13	13	
U O	13	13	14	13	14	14	14	14	16	19	22	27	27	26	27	20	16	14	14	14	14	14	14	14	
L O	13	13	12	12	12	13	13	13	13	14	17	20	20	19	20	15	13	13	12	13	13	13	13	13	

IONOSPHERIC DATA STATION KOKUBUNJI
 FEB. 1994 MC3000)F2 (0.01) 135° E MEAN TIME (G.M.T. + 9H)
 LAT. 35° 42.4' N LON. 139° 29.3' E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	325	300	295	305	320	310	320	365	350	350	320	350	340	335	325	340	355	365	340	350	350	300	295	285		
2	300	285	290	325	370	395	290	340	355	340	335	335	320	340	350	345	360	360	335	330	315	J R 315	275	280		
3	280	280	310	295	330	310		A 330	350	350	340	355	355	345	335	345	350	335	335	350	335	355	285	290		
4	285	300	310		A 310	270	300	340	360	380	360	340	335	360	350	335	370	355	330	315	J R 330	325	285	290		
5	285	285	330	315	345	295	310	335	345	360	340	355	335	340	360	355	360	365	305	305	295	290	285	310		
6	300	360	380	270	285	280	290	305	305	335	290	330	365	360	355	355	345	350	315	320	290	270	275	320		
7	280	F 340	F 260	H 245	280	265	270	340	350	340	300	330	335	330	340	350	345	345	350	275	285	300	275	305		
8	330	300	V 275	350	270	F 340	F 280	325	350	350	325	330	345	335	355	350	340	345	325	315	345	275	285	290		
9	300	340	350	300	315	310	380	355	325	350	345	I C 350	360	315	355	I C 355	355	340	340	355	325	300	315	315		
10	305	305	310	320	V 325	280	340	360	345	330	315	305	345	370	345	330	345	340	345	330	330	310	345	295		
11	300	285	305	325	290	355	330	350	360	320	335	335	345	350	340	340	360	355	335	300	305	285	290	330		
12	315	320	320	310	295	305	290	340	360	330	330	340	350	340	330	340	330	360	335	340	355	340	255	265		
13	285	350	280	330	315	295	310	330	340	330	360	355	350	335	325	335	355	340	320	325	345	325	335	F 280		
14	325	340	V 330	290	345	F 300	F 300	340	355	305	340	350	325	340	340	345	355	340	310	330	345	325	285	290		
15	F 300	330	F 295	300	295	320	330	360	355	355	325	335	350	340	335	330	350	345	325	310	295	300	300	320		
16	290	300	295	305	300	295	325	360	335	345	345	320	325	330	335	350	325	350	355	295	305	295	285	295		
17	270	300	325	330	345	285	310	335	360	350	325	340	315	340	330	340	350	350	330	305	325	J R 300	280			
18	285	R 305	300	330	365	340	320	350	350	325	335	340	325	335	340	345	360	340	325	315	325	A 320	290			
19	290	315	330	345	330	305	340	365	360	340	335	335	335	355	330	335	345	350	320	310	310	315	315	280		
20	285	295	310	330	320	290	305	360	355	350	315	H 315	320	V 320	340	335	335	345	335	310	295	320	315	290		
21	310	310	285	290	305	310	320	H 335	355	355	335	315	325	335	330	345	350	340	320	300	295	265	275	F 295		
22	F 320	F 240	F 245	F 275	F 290	F 295	340	340	265	H 250	315	325	I C 320	315	310	315	I C 320	325	310	275	250	C 300	C 290	C 280		
23	C	C	C	C	C	C	C	C	C	C	C	C	325	330	330	330	335	340	345	350	330	320	315	340	310	275
24	300	300	305	310	290		C	C	C	C	355	325	315	335	335	340	340	340	345	330	305	315	310	300	295	
25	295	290		C	C	C	C	C	C	325	335	340	330	320	320	325	355	350	325	300	310	305	300	315		
26	280	285	290	290	H 315	275	295	335	340	335	315	320	325	320	330	345	360	355	340	305	335	300	290	S		
27	C	C	C	C	C	C	C	C	C	C	C	C	C	C	345	345	340	350	345	330	300	290	295	280		
28	290	300	320	335	310	310	325	360	340	335	325	315	335	325	330	330	345	340	330	325	305	305	305	305		
29																										
30																										
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	26	26	25	24	25	24	23	24	24	26	27	27	27	27	28	28	28	28	28	28	28	27	26	26		
MED	298	300	305	310	315	302	310	340	350	340	330	335	335	335	338	340	350	348	330	315	315	305	292	290		
U O	305	320	322	330	330	310	330	360	355	350	340	340	345	340	345	345	355	352	338	330	332	320	305	305		
L O	285	290	290	292	292	288	295	335	340	330	320	320	325	330	330	335	342	340	322	305	298	295	285	280		

IONOSPHERIC DATA STATION KOKUBUNJI

FEB.1994 M(3000)F1 (0.01) 135°E MEAN TIME (G.M.T. + 9H)

LAT.35°42.4'N LON.139°29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1									L	L	A	L	U	L	L	L								
2									L		L	L	U	U	L	U	L	L						
3									L	L	L	U	L	U	L	L	L							
4										L	U	U	L	U	L	L	L							
5									L		U	U	L	U	L	L	L	L						
6										L	U	L	A	A	L	L	L							
7									L	L	L	L	A	L	U	L	L	L						
8									L	L	L	A	U	L	U	L	L	L						
9										L	U	L	C	U	L	L	L	C						
10										L	L	L	U	L	L	L	L	A						
11											U	L	L	U	L	U	L	L						
12											425	365	350	365	375									
13											U	L	L	U	L	L	L	L						
14											U	L	L	U	L	L	L	L						
15											L	U	L	U	L	U	L	L						
16											L	U	L	U	L	U	L	L						
17											L	U	L	U	L	U	L	L						
18											L	U	L	U	L	L	L	L						
19											L	L	L	L	L	L	L	L						
20											L	L	L	L	L	L	L	L						
21											L	L	L	L	L	L	L	L						
22											L	L	L	L	L	L	L	L						
23											C	C	C	L	L	L	L	L						
24											C	C	L	L	L	L	L	L						
25											C	C	C	U	L	U	L	L	L					
26											L	U	L	L	U	L	U	L	L					
27											C	C	C	C	C	C	C	L	L					
28											L	U	L	L	L	L	L	L						
29																								
30																								
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT											5	16	18	22	16	16	8							
MED											U	L	U	L	U	L	U	L	L					
U O											412	375	375	370	382	372	382							
L O											U	L	L	L	U	L	U	L	L					

IONOSPHERIC DATA STATION KOKUBUNJI
 FEB. 1994 H'F2 (KM) 135°E MEAN TIME (G.M.T. + 9H)
 LAT. 35° 42.4'N LON. 139° 29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1									230	250	290	230	260	240	250	235									
2									230		270	260	255	240	255	235	230								
3									230	245	260	240	245	250	250	250									
4										230	240	260	265	250	240	250									
5									250		255	245	260	250	240	230	220								
6										240	305	260	235	240	235	230									
7									240	245	285	265	245	260	250	250	230								
8									235	225	280	255	250	245	235	225									
9											I C	255	260	235	255	235	230								
10																	A								
11									265	270	290	240	215	240	265	250									
12									245	255	265	255	245	250	250										
13									260	250	250	235	250	240	250										
14									255	250	235	240	255	260	240	250	225								
15									240	260	240	255	255	240	255										
16									245	255	255	240		265	255	230									
17									255	265	280	275	265	260	240	260									
18									250	275	255	270	255	255	255										
19									245	250	260	255	255	265	245	250									
20									245	250	250	255	275	245	255	255	240								
21									240	250	245	265	275	265	265	255	250								
22									225	225	255	305	280	250	265	245	235								
23									L			I C					C								
24									365	290	270	265	265	265	305	285									
25								C	C	C		260	255	255	255	250	245								
26								C	C	C		C	C		I C										
27									260	250	250	260	250	280	260	235									
28									240	255	255	270	270	255	255	250	230								
29								C	C	C	C	C	C		255	250	240								
30									260	265	280	255	265	265	250	235	230								
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT									13	23	27	27	27	26	28	28	14	1							
MED									240	250	260	260	255	250	250	250	235	230							
U O									248	255	270	265	265	260	258	255	240								
L O									230	240	255	250	245	245	240	238	230								

IONOSPHERIC DATA STATION KOKUBUNJI

FEB.1994 H'F (KM)

135°E MEAN TIME (G.M.T. + 9H)

LAT.35°42.4'N LON.139°29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	270	295	305	270	255	250	235	225	H	A				A											
2	300	295	300	250	220	200	275	225	H																
3	320	310	A	300	255	260		250	H																
4	340	325	270	A	290	315	280	240	H																
5	305	305	255	250	E	B			H																
6	255	240	220	355	340	350	305	255																	
7	310	250	300	320	300	375	360	240																	
8	250	260	A	225	335	245	330	250																	
9	320	235	225	290	270	280	220	225																	
10	285	270	280	260	255	325	240	210																	
11	320	330	260	255	E	A																			
12	245	250	285	290	320	275	250	240																	
13	335	240	295	250	255	290	245	240																	
14	260	235	250	300	225	290	E	B																	
15	295	255	300	270	230	240	245	235																	
16	295	285	280	265	270	275	245	220																	
17	310	270	255	240	235	265	285	240																	
18	320	280	285	245	220	250	285	245																	
19	300	285	245	235	230	275	240	225																	
20	290	290	260	225	255	295	270	220																	
21	275	255	265	275	235	240	255	225																	
22	265	355	380	325	285	310	275	240																	
23	C	C	C	C	C	C	C	C																	
24	290	275	265	255	285	C	C	C																	
25	275	285	C	C	C	C	C	C																	
26	290	305	295	285	240	H	280	285																	
27	C	C	C	C	C	C	C	C																	
28	290	285	255	240	230	255	235	225																	
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	26	26	24	24	25	24	23	24	24	26	25	24	25	26	28	28	27	28	28	28	28	28	27	26	26
MED	292	282	275	262	255	275	255	232	228	225	225	222	220	220	220	220	230	225	220	245	255	255	290	290	
U O	310	295	298	290	288	298	285	240	235	230	235	230	228	240	225	225	235	230	235	262	270	315	310	310	
L O	275	255	255	248	232	250	240	225	H	218	215	215	218	210	215	210	210	220	220	215	230	240	250	270	270

IONOSPHERIC DATA STATION KOKUBUNJI
 FEB. 1994 H'E (KM) 135°E MEAN TIME (G.M.T. + 9H)
 LAT. 35° 42.4'N LON. 139° 29.3'E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1								B	125	115	120	115	120	120	A	A	120	B						
2								160	E A	E A	115	125	E A	145	120	130	125	130	B					
3								B	120	A	A	E A	A	A	A	A	A	B						
4								A	115	A	E A	A	A	A	A	A	A	B						
5								160	A	A	A	A	120	115	A	B	110	A	B					
6								150	125	130	130	125	B	125	120	A	A	B						
7					B	B		150	110	125	115	130	A	A	A	A	125	120	125	B				
8								E B	A	A	A	A	120	120	A	A	120	120	120					
9								E B	A	A	I C	I C	110	115	125	115	115	A						
10								175	115	115	A	120	125	120	110	115	A	B						
11								130	120	115	120	A	A	A	115	A	A	B						
12								E B	155	120	120	A	A	A	A	115	A	A	A					
13								120	B	B	A	B	B	120	B	B	B	B	B					
14								115	120	125	B	125	125	A	A	120	A	A						
15								A	A	A	A	115	115	110	120	120	125	130						
16								135	120	115	130	A	A	A	140	120	120	150						
17								130	120	115	115	120	A	120	125	115	120	B						
18								130	120	120	120	125	125	115	120	A	120	A						
19								130	115	115	115	125	A E A	130	125	125	120	A	B					
20								125	115	120	125	115	A	120	E B	B	120	125						
21								140	120	120	120	120	B	B	B	120	A	A						
22					K	B		170	140	130	120	120	C	A	110	A	C	A						
23								C	C	C	A	A	130	130	B	B	120	A	B					
24								C	C	115	A	A	A	A	120	120	A	125						
25								C	C	C	115	115	115	125	125	125	120	120	120					
26								B	130	120	115	115	125	125	125	120	A	120	140					
27								C	C	C	C	C	C	C	130	A	120	A						
28								B	130	115	110	110	130	A	115	115	120	115	A					
29																								
30																								
31																								
CNT						1		21	21	19	19	21	15	17	20	17	15	7						
MED						K		170	132	120	115	120	120	122	120	120	120	125						
U O								158	125	125	125	125	130	125	125	120	125	140						
L O								130	115	115	115	120	120	118	115	115	120	120						

IONOSPHERIC DATA STATION KOKUBUNJI

FEB. 1994 H'ES (KM)

135° E MEAN TIME (G.M.T. + 9H)

LAT. 35° 42.4' N LON. 139° 29.3' E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING





H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	B	110	115	110	B	B	B	B	G	G	120	130	120	115	120	120	E G	B	B		110	110	105	105	
2	110	B	B	B	B	B	B	G			120	165	165	165	190	185	180	115	110	105	105	105	105	120	110
3	115	115	105	105	105	120	105	B	G		120	115	115	110	110	110	105	100	100	100	105	105	105	105	B
4	B	105	105	100	105	105	B	140	G		110	110	110	175	160	155	95	120	100	115	B	110	110	130	105
5	B	B	B	110	110	B	115	G	E G		185	105	140	130	125	130	140	145	125	110	110	105	100	105	115
6	B	115	115	120	B	B	B	165	165	150	140	125	125	140	125	120	115	125	B	B	B		120	120	115
7	110	105	105	115	125	B	155	150	165	110	G	105	100	100	100	100	G	B	B	B		110	110	100	100
8	B	110	110	110	110	110	150	155	140	120	130	110	G	120	115	G	G	G	B	B	B	B	B	B	B
9	100	105	110	110	B	105	105	G			110	110	110	C	G	G	C	G		120	110	110	110	105	110
10	105	120	105	110	110	B	B	165	170	115	115	115	110	110	G	160	100	95	95	110	110	105	125	110	
11	105	100	110	110	105	105	100	150	G	G	120	120	120	115	125	120	115	110	115	110	B	110	110	B	
12	110	110	105	100	105	100	110	160	G		130	115	115	115	115	115	115	115	110	B	B	105	100	100	
13	100	100	B	100	B	B	B	150	B	B	B	B	B	G	B	B	B	B	B	B	B	105	B	B	B
14	B	B	B	B	B	B	B	G	140	G	B	G	130	130	120	G	120	115	110	110	B	B	B	110	
15	B	B	B	B	B	B	150	120	115	120	115	G	G	G	110	G	G	110	120	105	110	100	105	105	
16	100	B	B	B	105	105	B	165	G		150	115	120	125	125	G	G	G	G	110	105	105	105	100	
17	B	B	B	B	B	B	B	G	G	G	G	130	120	G	G	G	G	B	B	B	B	B	B	B	
18	B	B	B	B	B	B	B	G	G	G	G	G	175	G	G	115	125	115	110	110	110	125	105	105	
19	110	100	110	B	B	B	B	G	G	G	G	105	160	135	110	G	120	B	B	B	B	105	B	110	
20	B	B	B	B	B	B	B	G	G		110	175	G	G	G	B	G	G	B	B	B	B	B	B	
21	115	B	B	B	B	B	B	G	G		185	170	G	B	B	B	G	110	105	110	120	110	B	135	
22	125	160	135	B	B	180	140	125	G	B	G	G	C	135	130	120	C	115	110	115	115	C	C	C	
23	C	C	C	C	C	C	C	C	C	C	G	115	G	G	B	G	105	100	95	95	105	110	110	110	
24	B	B	B	B	B	C	C	C	C	G	120	120	120	120	120	120	120	G	B	B	B	B	B	110	
25	105	B	C	C	C	C	C	C	C	G	G	105	G	G	C	G	105	110	105	100	100	B	B	B	
26	B	B	B	B	110	105	B	155	G	G	G	G	110	110	110	160	G	G	105	B	B	B	B	B	
27	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	G	160	105	105	B	B	B	B	B	
28	B	B	B	B	115	B	B	G	175	170	145	140	125	G	G	100	G	100	B	B	B	B	B	B	
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	13	13	12	12	11	9	9	12	10	15	18	18	19	17	15	16	17	19	16	15	16	15	14	17	
MED	110	110	110	110	110	105	115	152	146	120	120	118	120	120	118	120	115	110	110	110	110	105	105	110	
U O	112	115	112	110	110	115	150	162	170	150	140	130	130	135	125	130	120	115	110	110	110	110	120	110	
L O	102	102	105	102	105	105	105	145	120	110	115	110	115	112	110	110	105	100	105	105	105	105	105	105	

IONOSPHERIC DATA STATION KOKUBUNJI
 FEB. 1994 TYPES OF ES 135° E MEAN TIME (G.M.T. + 9H)
 LAT. 35° 42.4' N LON. 139° 29.3' E SWEEP 1.0MHZ TO 25.0MHZ IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1		F1	F1	F1							C2	C1	C2	C2	LL11	LL11	H1	H1			F1	F1	F2	F1	
2	F1						F1		L1	HL11	H1	H1	HL11	H1	HL11	L1	L2	F1	F2	F2		F1	F1	F1	
3	F1	F1	F3	F3	F2	F1	F2		L2	L1	L1	L1	L2	L2	L2	L2	L3	F1	F1	F1	F1	F2	F2		
4		F1	F2	F3	F2	F2		C1	L1	L1	L1	HL11	HL11	HL11	L1	CL11	L1	FF11		F2	F1	F1	F2		
5				F1	F1		F1		HL11	LH21	HL11	CL11	C11	CL11		H1	HC11	CL12	F3	F3	F2	F3	F3	F1	
6		F1	F1	F2				H1	H1	H1	H2	C1	H1	C1	C1	C1	C1					F1	F1	F2	
7	F4	F3	F2	FF11	F1	K1	HKL11	H1	H1	L1		L1	L2	L2	L2	L1					F3	F2		F1	
8		F2	F4	F4	F2	FF11	F1	C1	HL11	CL11	C1	C3		L1	L1										
9	F2	F1	F1	F1		F1	F2		L1	L2	L1			L1			C1	F1	F3	F2	F3	F3	F2		
10	F2	FF23	F2	F2	F1			H1	H1	C1	C1	L1	L1	L1		HL11	L2	L2	F2	F2	F2	F3	FF13	F2	
11	F3	F3	F1	F1	F2	F2	F1	HL11			C1	C1	C1	C1	C1	L1	L1	F1	F1		F3	F2			
12	F1	F2	F3	F4	F2	F2	F2	H1		C1	C2	C1	L1	L1		C1	L1	L2		F1		F2	F1	F1	
13	F1	F1		F1				H1			L1										F1				
14									H1				C1	C1	C1		L1	L2	F2	F1				F1	
15						F1	LH11	L1	L1	L1					L1		L1	F1	F2	F1	F3	F3	F1		
16	F1				F1	F1		H1		H1	L1	C2	C1	C1				F1	F2	F2	F2	F2	F2	F2	
17												C1	C1												
18													HL11			L1	C1	C1	F2	F1	F2	F1	F3	F4	
19	F1	F2	F1								L1	HL11	H1	L1		C1					F1			F1	
20									L1	HL11			C1												
21	F1								H1	H1							L1	L2	F2	FF11	F2			F1	
22	F4	F1	F1			HK11	H1	C1					C1	H1	C1		C1	F3	F1	F1					
23												C1					L1	L2	F3	F2	FF22	FF22	FF21	F1	
24										C1	C1	C1	C1	CL11	C1		C1							F1	
25	F1										L1						L1	L1	F1	F1	F1				
26					F1	F1		H1					L1	L1	L1	HL11			F1						
27																HL11	L1	L1							
28					F1				H1	H1	H1	H1	C1			L1		L1							
29																									
30																									
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT																									
MED																									
U 0																									
L 0																									

f-PLOTS OF IONOSPHERIC DATA

KEY OF F-PLOT	
I	SPREAD
○	F _{OF2} , F _{OF1} , F _{OE}
×	F _{XF2}
*	DOUBTFUL F _{OF2} , F _{OF1} , F _{OE}
⊗	FBES
L	ESTIMATED F _{OF1}
†,‡	F _{MIN}
^	GREATER THAN
v	LESS THAN




F-PLOT DATA

SCALER : T.KOIZUMI

STATION : KOKUBUNJI

DATE : 1994/ 2/ 5

135°E MEAN TIME




F-PLOT DATA

SCALER : T.KOIZUMI

STATION : KOKUBUNJI

DATE : 1994/ 2/ 7

135°E MEAN TIME




F-PLOT DATA

SCALER : T.KOIZUMI

STATION : KOKUBUNJI

DATE : 1994/ 2/ 6

135°E MEAN TIME




F-PLOT DATA





SCALER : T.KOIZUMI





STATION : KOKUBUNJI

DATE : 1994/ 2/ 8

135°E MEAN TIME







B. Solar Radio Emission
 B1. Daily Data at Hiraïso
 200 MHz

Not available until system improvement is completed.

B. Solar Radio Emission
 B1. Daily Data at Hiraïso
 500 MHz

Hiraïso

February 1994

Single-frequency total flux observations at 500 MHz					
Flux density: $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$					
UT	00-03	03-06	06-09	21-24	Day
Date					
1	37	37	(37)	37	37
2	37	37	(37)	37	37
3	37	37	(37)	36	37
4	36	35	(35)	35	36
5	35	35	(35)	35	35
6	35	34	(34)	35	35
7	35	35	(34)	35	35
8	35	34	(34)	33	34
9	33	33	(33)	36	33
10	36	35	(35)	35	36
11	35	34	34	35	34
12	36	36	36	-	36
13	-	-	-	-	-
14	36	35	35	36	36
15	36	35	34	37	35
16	37	36	36	37	37
17	37	36	36	38	37
18	37	37	36	38	37
19	37	37	36	38	37
20	37	38	38	37	38
21	38	38	38	38	38
22	38	38	38	38	38
23	38	38	38	39	38
24	39	38	38	39	39
25	38	38	38	38	38
26	38	37	37	38	38
27	38	37	37	37	37
28	37	36	36	37	36

Note: No observations during the following period.

12th 2150 - 14th 0021


B. Solar Radio Emission
B2. Outstanding Occurrences at Hiraiso

Hiraiso

February 1994

Single-frequency observations								
Normal observing period: 2130 - 0820 U.T. (sunrise to sunset)								
FEB. 1994	FREQ. (MHz)	TYPE	START TIME (U. T.)	TIME OF MAXIMUM (U. T.)	DUR. (MIN.)	FLUX DENSITY ($10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$)		POLARIZATION
						PEAK	MEAN	REMARKS
7	2800	1 S	0451.5	0452.1	2.0	8	4	0
9	500	41 F	0305.8	0306.0	2.0	3	-	0
18	2800	1 S	0540.1	0540.5	4.0	8	4	0
20	500	48 C	0102.0	0135.8	58	810	300	MR
	500	29 PBI		0200	110	20	10	WR
	2800	21 GRF	0103	0119.3	165	102	40	0
21	2800	1 S	0501.5	0501.6	1.0	4	2	0
23	500	41 F	0137.6	0140.8	9.0	6	-	0

B. Solar Radio Emission

B3. Summary Plots of $F_{10.7}$ at Hiraiso

Note: A vertical grid space corresponds to a 100 sfu.
 Elevation angle range $\geq 6^\circ$.
 B: Affected by burst.
 S: Wet snow on telescope

C. RADIO PROPAGATION

C1. H.F. FIELD STRENGTH (UPPER SIDE-BAND OF WWVH)

FEB 1994	FREQUENCY 15 MHZ BANDWIDTH 80 HZ RECEIVING ANTENNA ROD 4.5 M																							MEASURED AT HIRAI SO			
UT DAY	00H 46M	01H 46M	02H 46M	03H 46M	04H 46M	05H 46M	06H 46M	07H 46M	08H 46M	09H 46M	10H 46M	11H 46M	12H 46M	13H 46M	14H 46M	15H 46M	16H 46M	17H 46M	18H 46M	19H 46M	20H 46M	21H 46M	22H 46M	23H 46M			
1	6	9	2	9	9	11	ES-27	-12	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	-3	12	0	4			
2	3	8	1	13	5	9	ES-28	-19	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-5	8	9	9			
3	3	3	3	8	15	8	-19	-22	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-13	-2	6	3			
4	8	3	17	1	17	-7	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	3	-7	-4	-7			
5	1	7	6	7	10	-9	ES-27	-18	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	-6	4	11	1			
6	4	4	7	4	4	9	-18	-12	-12	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	-3	7	-3			
7	-10	-10	-5	6	-2	-24	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	4	7	10	7			
8	0	6	1	10	10	-2	ES-28	-13	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	28	25	27	24			
9	3	6	7	10	13	3	ES-28	ES-28	-3	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-6	10	6	3			
10	-2	10	8	10	6	-4	-13	-2	ES-28	ES-28	ES-28	ES-28	ES-28	-10	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-2	1	3	0		
11	1	0	5	5	8	-19	-19	-15	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-9	1	8	6		
12	1	8	7	8	10	11	-13	-2	ES-28	-22	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-4	6	7	-2		
13	1	-2	-4	-2	3	-2	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-4	-2	2	-2		
14	-4	0	-10	1	15	14	-13	-19	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	8	8	3	3		
15	-6	3	-1	3	7	8	6	-6	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-1	8	8	2		
16	-1	4	-1	10	11	10	-4	-1	-19	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	8	7	4	8		
17	-2	-4	-2	3	10	8	8	-2	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-1	7	0	-2		
18	0	-7	3	3	8	8	-19	-15	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-10	13	3	-4		
19	0	6	8	3	8	10	-13	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	17	ES-28	ES-28	-2	3	6	2
20	-13	ES-28	-15	0	9	6	8	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	8	2	3	-2		
21	-3	1	6	7	8	10	11	-2	-19	ES-28	ES-28	ES-28	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
22	3	0	14	6	15	9	22	13	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	-3	-1	2	1		
23	-12	-3	-5	5	10	7	-5	-17	ES-26	ES-26	ES-26	ES-26	-1	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	-1	1	0	-4		
24	-3	-3	-1	-10	11	9	1	-4	3	ES-27	-2	-18	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	3	4	2	5		
25	-15	-10	-6	-4	-3	-6	-19	6	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	ES-27	-6	-6	-5	-13		
26	-10	-12	-9	1	1	4	-12	ES-27	ES-27	ES-27	ES-27	ES-27	ES-25	ES-25	ES-25	ES-25	ES-25	ES-25	ES-25	ES-25	ES-25	-5	-14	-14	-5		
27	-14	-11	-11	-3	-3	2	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	-13	-11	-17	-12		
28	-11	-5	-11	0	2	5	-11	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	-7	-1	-5	-8		
CNT	28	28	28	28	28	28	28	28	28	28	28	28	27	27	27	27	27	27	27	27	27	27	27	27	27		
MED	0	0	1	4	8	8	-16	-16	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-3	3	3	1		
UD	4	8	8	10	15	11	8	-1	ES-26	ES-26	ES-26	ES-26	-10	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	ES-26	8	12	10	8		
LD	-13	-11	-11	-3	-2	-9	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	ES-28	-13	-7	-5	-8		

C. Radio Propagation





C2. Radio Propagation Quality Figures at Hiraiso

Hiraiso		Time in U.T.														
FEB. 1994	Whole Day Figure	W W V				W W V H				Condition				Principal Geomagnetic		Storms Range nT
		00 06	06 12	12 18	18 24	00 06	06 12	12 18	18 24	00 06	06 12	12 18	18 24	Start h m	End h	
1	4o U	4U	-	-	5U	4	3U	-	4	N	N	N	N	None		
2	4+ U	5U	-	-	5U	4	3U	-	4	N	N	N	N			
3	4+ U	5U	-	-	5U	4	3U	-	4	N	N	N	N			
4	4+ U	5U	-	-	5U	4	3U	-	4	N	N	N	N			
5	4o U	5U	-	-	4U	4	3U	-	4	N	N	N	N			
6	4- U	5U	-	-	3U	4	4	-	3	N	N	N	N			
7	4- U	4U	-	-	4U	3	3U	-	5	N	N	N	N			
8	4+ U	4U	-	-	5U	4	3U	-	5	U	U	U	U			
9	4o U	4U	-	-	4U	4	4U	-	4	U	U	U	U			
10	4+ U	4U	-	-	4U	4	5U	-	4	U	U	U	U			
11	4o U	4U	-	-	4U	4	-	-	4	U	U	U	U			
12	4+ U	4U	-	-	4U	4	5	-	4	U	U	U	U			
13	3+ U	4U	-	-	3U	3	-	-	4	N	N	N	N			
14	4- U	4U	-	-	3U	4	4U	-	4	N	N	N	N			
15	4o U	4U	-	-	3U	4	5U	-	4	N	N	N	N			
16	4o U	4U	-	-	3U	4	5U	-	4	N	N	N	N			
17	4+ U	4U	5U	-	5U	4	5U	-	4	N	N	N	N			
18	4+ U	5U	-	-	4U	4	4U	-	4	N	N	N	N			
19	4- U	4U	-	-	4U	4	3U	-	4	N	N	N	N			
20	4- U	4U	-	-	3U	3	4U	-	4	N	N	N	N			
21	4+CU	4U	-	-	C	4	5U	C	C	N	N	N	N			
22	4o U	4U	-	-	3U	4	5U	-	4	U	U	U	U			
23	4o U	4U	-	-	3U	4	4U	5U	4	N	N	N	N			
24	4+ U	4U	-	-	4U	4	5U	-	4	N	N	N	N			
25	4- U	4U	-	-	4U	3	4U	-	3	N	N	N	N			
26	4- U	5U	-	-	4U	3	-	-	3	N	N	N	N			
27	3+ U	4U	-	-	4U	3	3U	-	3	N	N	N	N			
28	3+ U	4U	-	-	4U	3	3U	-	3	N	N	N	N			

C. Radio Propagation


C3. Phase Variation in OMEGA Radio Waves at Inubo

Inubo February 1994



Inubo

February 1994



Note : As for LIBERIA-13.6kHz, no record during 24 January 0820 UT
 - 2 March 1500 UT, due to the maintenance of transmitter.

Polar Cap Phase Anomaly (PCPA) on Norway-Inubo Circuit

Start (U. T.)	End (U. T.)	Max. (U. T.)	Max. Phase Deviation (negative value, deg.)
Feb. 20/0100	Feb. 22/1600	Feb. 21/0730	230

C. Radio Propagation

C4. Sudden Ionospheric Disturbance

(a) Short Wave Fade-out (SWF) at Hiraiso

Hiraiso

Time in U.T.

FEB. 1994	S W F								Correspondence		
	Drop-out Intensities(dB)					Start	Dur.	Type	Imp.	Solar * Flare	Solar Burst
	CO	HA	AUS	MOS	BBC						
20	>38		42	x		0114	98	3	3+	x	C

NOTE CO:Colorado(WWV) HA:Hawaii(WWVH) AUS:Australia MOS:Moscow BBC:London
* Optical and X-ray Flares

(b) Sudden Phase Anomaly (SPA) at Inubo

Inubo

Feb. 1994	S P A						Time (U.T.)		
	Phase Advance (degrees)						Start	End	Maximum
Date	Ω/N	Ω/L	Ω/LR	Ω/AU	Ω/H	Ω/ND			
3		—	<u>22</u>	11	5		0416	0455	0424
3		—	<u>14</u>	7			0614	0648	0622
7		—	<u>8</u>	5			0454	0514	0456
15		—	<u>7</u>	6	7		0349	0411	0354
15		—	<u>8</u>	5			0552	0624	0601
15		—	<u>30</u>	10			0751	0842	0802
17		—	<u>15</u>				1105	1138	1117
20	74	—	<u>145</u>	143	124	130	0109	0525	0140
22		—	<u>10</u>	10	6		0224	0302	0238
23		—		<u>11</u>	7		0142	0212	0149
27	63	—	<u>112</u>				0858	1037	0921

IONOSPHERIC DATA IN JAPAN FOR FEBRUARY 1994
F-542 Vol.46 No.2 (Not for Sale)

電離層月報 (1994年2月)

第46卷 第2号 (非売品)

1994年7月9日 印刷

1994年7月15日 発行

編集兼 郵政省通信総合研究所

発行所 〒184 東京都小金井市貫井北町4丁目2-1

☎ (0423) (21) 1 2 1 1(代)

Queries about "Ionospheric Data in Japan" should be forwarded to:
Communications Research Laboratory, Ministry of Posts and Telecommunications,
2-1 Nukui-Kitamachi 4-chome, Koganei-shi, Tokyo 184 JAPAN.