

IONOSPHERIC DATA IN JAPAN

FOR APRIL 1995

VOL. 47 NO. 4

CONTENTS

Preface	
Introduction	1
A. Ionosphere	
A1. Automatic Scaling	
Hourly Values at Wakkanai (f_oF2 , fEs and $fmin$)	5
Hourly Values at Kokubunji (f_oF2 , fEs and $fmin$)	8
Hourly Values at Yamagawa (f_oF2 , fEs and $fmin$)	11
Hourly Values at Okinawa (f_oF2 , fEs and $fmin$)	14
Summary Plots at Wakkanai	17
Summary Plots at Kokubunji	25
Summary Plots at Yamagawa	33
Summary Plots at Okinawa	41
Monthly Medians $h'F$ and $h'Es$	49
Monthly Medians Plot of f_oF2	51
A2. Manual Scaling	
Hourly Values at Kokubunji	52
<i>f</i> -plot at Kokubunji	66
B. Solar Radio Emission	
B1. Daily Data at Hiraiso	75
B2. Outstanding Occurrences at Hiraiso	76
B3. Summary Plots of $F_{10.7}$ at Hiraiso	77
C. Radio Propagation	
C1. H.F. Field Strength at Hiraiso	78
C2. Radio Propagation Quality Figures at Hiraiso	80
C3. Phase Variation in OMEGA Radio Waves at Inubo	(next issue)
C4. Sudden Ionospheric Disturbances	
a. Short Wave Fade-out (SWF) at Hiraiso	81
b. Sudden Phase Anomaly (SPA) at Inubo	(next issue)
(C1. H.F. Field Strength at Hiraiso, September 1994)	82
(C3. Phase Variation in OMEGA Radio Waves at Inubo, March 1995)	84
(C4. Sudden Ionospheric Disturbances	
b. Sudden Phase Anomaly (SPA) at Inubo, March 1995)	86

COMMUNICATIONS RESEARCH LABORATORY
MINISTRY OF POSTS AND TELECOMMUNICATIONS

TOKYO, JAPAN

INTRODUCTION

This Series contains data on ionosphere (I), solar radio emission (S) and radio propagation (P) obtained at the follow-

ing stations under the Communications Research Laboratory, Ministry of Posts and Telecommunications of Japan.

Station	Geographic		Geomagnetic		Technical Method
	Latitude	Longitude	Latitude	Longitude	
Wakkanai	45°23.5'N	141°41.2'E	35.3°N	206.5°	Vertical Sounding (I)
Kokubunji	35°42.4'N	139°29.3'E	25.5°N	205.8°	Vertical Sounding (I)
Yamagawa	31°12.1'N	130°37.1'E	20.4°N	198.3°	Vertical Sounding (I)
Okinawa	26°16.9'N	127°48.4'E	15.3°N	196.0°	Vertical Sounding (I)
Hiraiso	36°22.0'N	140°37.5'E	26.3°N	206.8°	Radio Receiving (S,P)
Inubo	35°42.2'N	140°51.5'E	25.6°N	207.0°	Radio Receiving (P)

A. IONOSPHERE

Ionospheric observations are carried out at the above four stations in Japan by means of vertical sounding using ionosondes. The ionosonde produces ionograms, which are recorded digitally on computer storage medium as well as graphically on 35 mm photographic film. The digitally-recorded ionograms are collected from each station by the central computer and reduced to numerical values and Summary Plots by the automatic processing system. The ionograms obtained at Kokubunji are manually scaled as well by experienced specialists to supplement automatically-scaled parameters.

A1. Automatic Scaling

Digital ionograms are automatically scaled by the pattern recognition method. The following five factors of ionospheric characteristics are published for the present. The reliability of these factors has been ascertained by comparison of the automatically-scaled parameters with the manually-scaled values of large amounts of test ionograms.

The published data consist of tabulations of hourly values of three factors (f_oF_2 , fEs , $fmin$) and monthly medians of two factors ($h'Es$, $h'F$), daily Summary Plots and monthly medians plot of f_oF_2 .

a. Characteristics of Ionosphere

f_oF_2	Ordinary wave critical frequency for the F_2 layer
fEs	Highest frequency of the Es layer whether it may be ordinary or extraordinary
$fmin$	Lowest frequency which shows vertical ionospheric reflections
$h'Es$ $h'F$	Minimum virtual height on the ordinary wave for the Es and F layers, respectively

b. Descriptive Letters

- The following descriptive letters are used in the tables.
- A Impossible measurement because of the presence of a lower thin layer, for example Es (for f_oF_2).
 - B Impossible measurement because of absorption in the vicinity of $fmin$.
 - C Impossible measurement because of any failure in observation.
 - G Impossible automatic scaling because of too small ionization density of the layer (for fEs).
 - N Impossible automatic scaling because of complex echoes.
 - Blank No digital record because of trouble in the automatic data processing system, but existence of film record.

c. Definitions of the CNT, MED, UQ and LQ

Median count (CNT) is the number of numerical values from which the median has been computed. In addition to numerical values, the count may include a descriptive letter G.

Median (MED) is defined as the middle value when the numerical values are arranged in order of magnitude, or the average of the two middle values if there is an even number of values.

Upper quartile (UQ) is the median value of the upper half of the values when they are ranked according to magnitude; the *lower quartile* (LQ) is the median value of the lower half.

If CNT is less than 10, there are blank spaces left.

d. Reliability of Automatic Scaling

The results of the comparison between automatically-scaled values and manually-scaled ones showed that hourly values of f_oF_2 , fEs and $fmin$ were scaled within a difference of 1 MHz from about 90, 90 and 99%, respectively of the test ionograms.

e. Summary Plot

Daily Summary Plots which are made from quarter-hourly digital ionograms are published to present general ionosphere conditions. The upper and middle parts of a Summary Plot show the diurnal variation of the frequency range of the echoes reflected from the F and E regions, respectively. The two solid arcing lines indicate the predicted values of f_xE and f_oE calculated by the method described in the CCIR report 340. The lower part shows the diurnal variation of the virtual height where the echo traces become horizontal.

A2. Manual Scaling

The published data consist of tabulations of hourly values of the ionospheric characteristics and figures of daily f -plot.

All symbols and terminology in the tables or figures of ionospheric data are used in accordance with the "URSI Handbook of Ionogram Interpretation and Reduction (Second Edition) 1972" and its revision of chapters I-4, published in July 1978.

a. Characteristics of Ionosphere

fxl	Top frequency of spread F trace
f_oF_2 f_oF_1 f_oE f_oEs	Ordinary wave critical frequency for the F_2, F_1, E and Es including particle E layers, respectively
$fbEs$	Blanketing frequency of the Es layer, e.g. the lowest ordinary wave frequency visible through Es
$fmin$	Lowest frequency which shows vertical ionospheric reflections
$M(3000)F_2$ $M(3000)F_1$	Maximum usable frequency factor for a path of 3000 km for transmission by F_2 and F_1 layers, respectively
$h'F_2$ $h'F$ $h'E$ $h'Es$	Minimum virtual height on the ordinary wave for the F_2 , whole F, E and Es layers, respectively
Types of Es	See below b.(iii)

b. Symbols

(i) Descriptive Letters

The following letters are entered after, or used to replace a numerical value on the monthly tabulation sheets, if necessary.

- A Measurement influenced by, or impossible because of, the presence of a lower thin layer, for example *Es*.
 B Measurement influenced by, or impossible because of, absorption in the vicinity of *fmin*.
 C Measurement influenced by, or impossible because of, any non-ionospheric reason.
 D Measurement influenced by, or impossible because of, the upper limit of the normal frequency range in use.
 E Measurement influenced by, or impossible because of, the lower limit of the normal frequency range in use.
 F Measurement influenced by, or impossible because of, the presence of spread echoes.
 G Measurement influenced or impossible because the ionization density of the layer is too small to enable it to be made accurately.
 H Measurement influenced by, or impossible because of, the presence of a stratification.
 K Presence of particle *E* layer.
 L Measurement influenced or impossible because the trace has no sufficiently definite cusp between layers.
 M Interpretation of measurement questionable because the ordinary and extraordinary components are not distinguishable.
 N Conditions are such that the measurement cannot be interpreted.
 O Measurement refers to the ordinary component.
 P Man-made perturbations of the observed parameter; or spur type spread *F* present.
 Q Range spread present.
 R Measurement influenced by, or impossible because of, attenuation in the vicinity of a critical frequency.
 S Measurement influenced by, or impossible because of, interference or atmospheric.
 T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful.
 V Forked trace which may influence the measurement.
 W Measurement influenced or impossible because the echo lies outside the height range recorded.
 X Measurement refers to the extraordinary component.
 Y Lacuna phenomena, severe layer tilt.
 Z Third magneto-electronic component present.

(ii) Qualifying Letters

The following letters are entered in the first column before a numerical value on the monthly tabulation sheets, if necessary.

- A Less than. Used only when *fbEs* is deduced from *foEs* because total blanketing of higher layer is present.
 D Greater than.
 E Less than.
 I Missing value has been replaced by an interpolated value.
 J Ordinary component characteristic deduced from the extraordinary component.

M Mode interpretation uncertain.

O Extraordinary component characteristic deduced from the ordinary component. (Used for x-characteristics only.)

T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful.

U Uncertain or doubtful numerical value.

Z Measurement deduced from the third magneto-electronic component.

(iii) Description of Types of *Es*

When more than one type of *Es* trace are present on the ionogram, the type for the trace used to determine *foEs* must be written first. The number of multiple trace is indicated after the type letter.

The types are:

- f An *Es* trace which shows no appreciable increase of height with frequency.
 l A flat *Es* trace at or below the normal *E* layer minimum virtual height or below the particle *E* layer minimum virtual height.
 c An *Es* trace showing a relatively symmetrical cusp at or below *foE*. (Usually a daytime type.)
 h An *Es* trace showing a discontinuity in height with the normal *E* layer trace at or above *foE*. The cusp is not symmetrical, the low frequency end of the *Es* trace lying clearly above the high frequency end of the normal *E* trace. (Usually a daytime type.)
 q An *Es* trace which is diffuse and non-blanketing over a wide frequency range.
 r An *Es* trace showing an increase in virtual height at the high frequency end similar to group retardation.
 a An *Es* trace having a well-defined flat or gradually rising lower edge with stratified and diffuse traces present above it.
 s A diffuse *Es* trace which rises steadily with frequency and usually emerges from another type *Es* trace.
 d A weak diffuse trace at heights below 95 km associated with high absorption and large *fmin*.
 n The designation 'n' is used to denote an *Es* trace which cannot be classified into one of the standard types.
 k The designation 'k' is used to show the presence of particle *E*. When *foEs* > *foE* (particle *E*) the *Es* type precedes k.

c. Definitions of the CNT, MED, UQ and LQ

Median count (CND) is the number of values from which the median has been computed. In addition to numerical values, the count may include certain descriptive letters.

Median (MED) is the middle value when the numerical values are arranged in order of magnitude, or the average of the two middle values if there is an even number of values.

Upper quartile (UQ) is the median value of the upper half of the values when they are ranked according to magnitude; *the lower quartile* (LQ) is the median value of the lower half.

B. SOLAR RADIO EMISSION

Solar radio observations at 200, 500 and 2800 MHz are carried out at Hiraiso. The observation equipment consists of two parabolic antennas, one with 10-meter diameter for 200 MHz measurements and one with 2-meter diameter for 500 and 2800 MHz measurements. Observations are continuously carried out almost from sunrise to sunset.

B1. Daily Data at Hiraiso

The three-hourly mean and daily mean values of the solar radio emission intensities are tabulated separately for 200 and 500 MHz measurements. The intensities are expressed by the flux density in $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$ unit.

The table for 200 MHz measurements also presents the variability indices defined by the number of impulsive radio bursts within the three-hour intervals as follows:

- 0 quiet or no burst,
 1 a few bursts,

- 2 many bursts,
 3 very many bursts.

The daily variability index is defined as the daily mean of three-hourly indices.

The following symbols are used in the tables, when interference or radio bursts prevented measuring the base-level flux densities or determining the variability indices:

* Measurement impossible because of interference.

B Measurement impossible because of bursts. Daily data within parentheses mean that the observation time does not exceed one third of the period.

B2. Outstanding Occurrences at Hiraiso

The table is a list of outstanding occurrences of solar radio emission bursts observed at 200, 500 and 2800 MHz during a month.

Listed in the table are the date, frequencies, the type of event, the start time and the time of maximum, both in U.T. expressed in hours, minutes and tenths of a minute, the duration in minutes, the peak and mean flux densities in $10^{-22} \text{ Wm}^{-2} \text{ Hz}^{-1}$ unit, and the polarization.

The type of event is expressed by a combination of a numerical code and a letter symbol in accordance with the "Descriptive Text of Solar Geophysical Data, NOAA" as defined by H. Tanaka in the "Instruction Manual for Monthly Report of Solar Radio Emission, WDC-C2" in January 1975:

SGD Code	Letter Symbol	Morphological Classification
1	S	Simple 1
2	S/F	Simple 1F
3	S	Simple 2
4	S/F	Simple 2F
5	S	Simple
6	S	Minor
7	C	Minor ⁺
8	S	Spike
20	GRF	Simple 3
21	GRF	Simple 3A
22	GRF	Simple 3F
23	GRF	Simple 3AF
24	R	Rise
25	R	Rise A
26	FAL	Fall
27	RF	Rise and Fall
28	PRE	Precursor
29	PBI	Post Burst Increase
30	PBI	Post Burst Increase A
31	ABS	Post Burst Decrease
32	ABS	Absorption
40	F	Fluctuations

SGD Code	Letter Symbol	Morphological Classification
41	F	Group of Bursts
42	SEF	Series of Bursts
43	NS	Onset of Noise Storm
44	NS	Noise Storm in progress
45	C	Complex
46	C	Complex F
47	GB	Great Burst
48	C	Major
49	GB	Major ⁺

The polarization is expressed by the polarization degree and sense as follows:

R or L	right- or left-handed polarization,
W, M or S	weak, moderate or strong polarization,
0	almost zero or unable to detect polarization due to small increase of flux,
00	polarization degree of less than 1 percent.

One of the following symbols may be attached after numerical values, if necessary.

D	greater than, or later than,
E	less than or earlier than,
U	approximate, or uncertain.

B3. Summary Plots of $F_{10.7}$ at Hiraiso

The 10.7 cm solar radio flux at Hiraiso is plotted over a one month period. The 10.7 cm flux ($F_{10.7}$) is determined by adjusting the 10.7 cm radio flux measured at Hiraiso to the Pentincton 10.7 cm radio flux. The figure on the right-hand side shows the $F_{10.7}$ index estimated at Hiraiso.

C. RADIO PROPAGATION

C1. H.F. Field Strength at Hiraiso

Field strength observation of 15 MHz standard waves transmitted from WWV and WWVH stations which are located respectively at Fort Collins, Colorado and Kauai, Hawaii, is carried out at Hiraiso. In order to avoid interference among the same frequency waves, the upper sideband of WWV or WWVH with the audio tone 600 Hz is picked up by the use of a narrow band-pass filter with 80 Hz bandwidth. Particulars of the transmitters and the receiver are summarized in the following table.

The tabulated *field strength* expressed in dB above one microvolt per meter is the average of quasi-peak values of the incident upper sideband field intensity for 45 seconds after the universal time indicated on the table. Abbreviated symbols are as follows:

CNT	number of observed values,
MED	median,
UD	value of the uppermost decile when they are ranked according to magnitude,
LD	value of the lowest decile when they are ranked according to magnitude,
U	uncertain,
E	less than,

C	influenced by, or impossible because of, any artificial accident,
S	influenced by, or impossible because of, interferences or atmospheric.

C2. Radio Propagation Quality Figures at Hiraiso

The tabulated six-hourly quality figures are calculated for standard waves WWV transmitted from Fort Collins and WWVH transmitted from Kauai.

Quality figures expressing radio propagation conditions range over five grades as follows:

1	very poor(very disturbed),
2	poor(disturbed),
3	rather poor(unstable),
4	normal,
5	good.

Whole day quality figure ranged in grades of 10, 1+, 2-, 20, 2+, 3-, 30, 3+, 4-, 40, 4+, 5-, 50 stands for an average of six-hourly quality figures of the two circuits. Abbreviated symbols are as follows:

C	artificial accident,
S	propagational accident,
U	inaccurate.

Characteristics	Transmitter		Receiver
Station Call	WWV	WWVH	
Location	Fort Collins, Colorado	Kauai, Hawaii	Hiraiso, Ibaraki
latitude	40°41' N	22°00' N	36°22' N
longitude	105°02' W	159°46' W	140°38' E
Distance	9150 km	5910 km	--
Carrier Power	10 kW	10 kW	--
Power in each sideband	625 W	625 W	--
Modulation	50 %	50 %	--
Antenna	$\lambda / 2$ vertical	$\lambda / 2$ vertical	4.5 m vertical rod
Bandwidth	--	--	80 Hz for upper sideband
Calibration	--	--	Every hour

The column of conditions presents a record of the forecast of *radio propagation conditions* which is applicable to forthcoming 12 hours and broadcast six times per hour from JJY (Japan Standard Wave) station. The conditions are denoted as follows:

N	normal,
U	unstable,
W	disturbed.

Data on *geomagnetic storms* which are often correlated with radio propagation disturbances are tabulated based on reports from observation at Kakioka Magnetic Observatory, Japan Meteorological Agency. *Time* (U.T.) is expressed in hours and minutes (or tenths of an hour), and *range* in nanotesla. When they are uncertain quantitatively, /'s are used to replace the numerical values. Continuation of a geomagnetic storm is denoted by ---.

C3. Phase Variation in OMEGA Radio Waves at Inubo

The phase values of eight OMEGA radio signals as received at Inubo are depicted for an interval of one month, along with the phase deviation defined as a deviation from a value averaged over the six quietest day within the month. Particulars of the received signals are given in the table below.

In each of the four panels of the figure, the phase (ϕ) is shown in the lower part and the phase deviation ($\Delta\phi$) is shown in the upper part. The phase data are sampled every 30 min, so the curves of the phase and phase deviation are composed of 48 data points per day. The phase delay is measured as a positive value.

The polar cap phase anomaly (PCPA) caused by the solar protons are well detected on the Norway signal. The start, end and maximum times of the PCPA are listed in the table next to the figure, where the times are expressed as day / hour & minute in U.T.. The maximum phase deviation in the list is defined as a phase advance (negative values in the figure) in degrees.

C4. Sudden Ionospheric Disturbances

a. Short Wave Fade-out (SWF) at Hiraiso

The table of short wave fade-out (SWF) is prepared from the record of field intensities measured at Hiraiso.

Drop-out intensities of the 10 MHz, the 20 MHz, and the

25 MHz waves are respectively distinguished by marks ' , ' ' , and ' ' ' from those of the 15 MHz wave for WWV and WWVH. Values of *start*, *duration*, *type*, and *importance* are obtained from data of the circuit whose drop-out intensity in dB is underlined as xx. When these quantities could not be determined accurately, they are accompanied by one of the following symbols.

D	greater than,
E	less than,
U	uncertain or doubtful.

Types of fade-out are as follows:

S	sudden drop-out and gradual recovery,
SL	slow drop-out taking 5 to 15 minutes and gradual recovery,
G	gradual and irregular in both drop-out and recovery.

Importance of fade-out is scaled according to its amplitude into nine ascending grades as 1-, 1, 1+, 2-, 2+, 3-, 3, 3+.

Correspondence of solar optical and X-ray flares, and solar radio burst to SWF is marked by X, being determined with data from interchange messages of IUWDS and observations at Hiraiso.

In table (a) SWF, *date* indicates the day to which the *start-time* of the event belongs.

b. Sudden Phase Anomaly (SPA) at Inubo

Data of sudden phase anomaly (SPA) are prepared from the records of phase measurement of VLF radio waves received at Inubo. The transmitting stations are listed in the following table.

Phase advance is shown in unit of degree at its maximum stage. No transmission or no reception during the period is indicated by -, an indistinguishable record is spaced out, and a multi-peak event is marked by *. The most remarkable or distinct phase advance is underlined and listed in the column of *Time*.

In table (b) SPA, *date* indicates the day to which the *start-time* of the event belongs.

The following letters may be attached to the value, if necessary.

D	greater than,
E	less than,
U	uncertain or doubtful.

Transmitting Stations						
Name	Location (Geographic Coordinates)		Call Sign	Frequency (kHz)	Radiation Power (kW)	Arc Distance from Inubo (km)
Norway	66°25'N	013°08'E	Ω / N	13.6	10	7820
Liberia	06°18'N	010°40'W	Ω / L	13.6	10	14480
Hawaii	21°24'N	157°50'W	Ω / H	13.6	10	6100
North Dakota	46°22'N	098°20'W	Ω / ND	13.6	10	9140
La Reunion	20°58'S	055°17'E	Ω / LR	13.6	10	10970
Argentina	43°03'S	065°11'W	Ω / AR	13.6	10	17640
Australia	38°29'S	146°56'E	Ω / AU	13.6	10	8270
Japan	34°37'N	129°27'E	Ω / J	13.6	10	1040
North West Cape	21°49'S	114°10'E	NWC	22.3	1000	6990

HOURLY VALUES OF f_oF₂ AT WAKKANAI

APR. 1995

LAT. 45.4N LON. 141.7E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	69	58	69	35	35	44	38		60	56	63	70	76	52	64	56	55	56	69	61	69	58	35	56	
2	46	36	38	38	36	49	35	A	57		59	A	61	62	64	58	61	61	63	56	51	57	57	58	
3	50	57	38	35		28	35	A	A	64		65	A	63	56	58	57	54	57	60	70	40	38	38	
4	36	35	35	58	35	31	35	39	69		66	67	66	67	67	67	62	57	62	60	59	38	56	44	
5	58	38	31	34	35	38	59	54	58	57	66	66	67	71	68	67	60	61	58	35	38	57	48	48	
6	43	35	36	37		31		57	70	80		60	70	70	61	62	65	68	55	57	38	49	56	56	
7	35	26	56	38	35	38	32	A	A	57	68	A	A	67	66	66	57	68	81	57	69	38	58	35	
8	38	32	69	29	26	A	A	A	A	A	A	A	A	A	A	A			38		31	32	29		
9		24	31	30	26		A	A	A	A	A	A	A	A	A	A		24	41	44	38	40	40	35	
10	34	59	31	28	29	35	35	A	A	A		61	A	61	57	54	50	56	50	69		49	38	39	
11	38	58	35	26	A	29	31	A	A	57	60	65	A	58	60	65	64	64	32	52	56	56	57		
12	69	59	41	29		29	31	A		57	63	66	66	63	63	60	64	71	71	68	57	58	46	46	40
13	56	35	38	38	30	37	39	N		58	75	61	68	65		60	60	58	69	60	60	58	56	57	
14	40	38	35	38	30		52			58	75	61	68	65	A	66	63	68	68	58	57	58	61	57	44
15	49	49	40	40	31	38	59	49	61	58	64	67	64	A	66	63	68	68	58	57	58	61	57	44	
16	58	58	46	47	44	49	55	A	64	62	67	A	65	A	66	61	66	60	58	67	58	69	57	54	
17	56	37	35	35	40	52	51	A	54	60	69	73	58	68	68	71	66	71	64	70	69	56	70	58	
18	58	69	49	37	35	58	57	A	60	60	68	71		65	A	64	74	67	61	70	58	60	57	69	
19	56	38	42	36	38	28	54	60	60	59	70	70	A	65	A	70	68	56	76	65	71	60	59	57	
20	58		57	47	32	60	59	57	60																
21																			62	56	60	62	57	56	
22	57	30	38	28	35	51	51	53	66	68	67	65	A	64	67	64	64	63	57	69	67	57	57	57	
23	41	38	37	38	40	35	31	A	A	70	A	58	A	A	64	A	58	62	69	70	71	68	57	56	
24	57	57	38	46	38	40		A	A	A	A	A	A	A	A	67	60	56	50	A	A	54	51	57	
25	38	38	57	28	40	35	56	A	A	A	A	A	60	59	66	61	A	A	58	60	67	60	50	42	
26		38	38	38	37	35	32	A	59	A	A	A	A	A	A	70	A	60	61	61	68	A	A	46	
27	48	49		38	32	47		A	A	A	A	A	A	A	A	A	53	A	58	70	56	38	A	29	
28		29	31	35	29			A	A	A	A	A	A	A	A	A	A	A		61	61	57	25	46	
29	37	58	42	38	37	34	30	A	A	A	A	A	A	A	A	A	A		39	48	59	A		57	35
30	36	35	35	38	29	35	40	37	A	A	A	A	A	A	57	A	58	54	35	59	56	56	50	58	
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	26	28	28	29	26	25	23		14	16	15	15	12	17	18	21	22	24	29	27	26	27	27	26	
MED	48	38	38	37	35	37	39		60	60	66	66	66	64	64	64	60	60	58	60	58	56	56	55	
U Q	57	57	44	38	37	48	55		64	63	68	70	67	67	66	67	66	65	63	67	68	60	57	57	
L Q	38	35	35	32	30	34	32		58	57	63	61	62	60	60	59	57	56	52	57	56	40	46	40	

HOURLY VALUES OF fEs AT WAKKANAI

APR. 1995

LAT. 45.4N LON. 141.7E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	G	G	G	G	G	G	24		27	28	30	29	30	29	32	28	25	G	G	G	G	G	G	G	
2	G	G	G	G	G	G	G	26	30		38	34	35	33	28	26	27	29	G	G	G	G	G	G	
3	G	G	G	G	G	G	23	26	28	27		34	30	31	33	32	28	G	G	G	G	G	G	G	
4	G	G	G	G	G	G	38	28	32		34	31	32	31	31	28	30	G		G	G	G	G	G	
5	G	G	G	G	G	G	24	36	34	31	32	30	31	31	29	38	27	G		29	29	G	G	G	
6	G	G	G	G		G		N		32	33		35	40	30	30	27	36	27		G	G	G	G	
7	G		G	G	G	G	24	27	31	34	34	33	32	31	31	28	35	32	36		G	G	G	G	
8	G	38	G	G	G		26	42	38	30	34	34	28	29	29	27	29	28		G	G	G	G	G	
9	G	G	G	G	G	G	37	38	34	31	34	34	35	34	32	33	30	28		G	G	G	G	G	
10		G	G	G	G	G	G		26	30	28	30	42	49	30	38	28	36	29		G	G	G	G	
11	G	G	G	G	G	G	32	24	34	34		37	56	31	30	27	27	23	28		G		G	G	
12	G	G	G		32	28	G	30	31	33	34	34	34	33	31	31	34	30	25	33		G		G	
13	G	G	G	G	G	G	36	34	28	31	36	35	38	35	38	34	42	38	38	35		G	G	G	
14	G	G	G	G	G		26	27		36	34	34	33	34		30	30	28	27		G	G	G	G	
15	G	G		24	27	G	G	25	26	30	30	32	34	33	33	30	28	28	26	30		G	G	G	
16	G	G	G	G	G	G	G	30	29	35	35	61	45	33	33	31	27	30		G		28	24	G	
17	G	G	G	G		G	G	26	36	30	36	35	31	32	36	28	26		G	G	G	G	G	G	
18		G	G	G	G	G		29	30	29	32	32	33		34	33	30	31	29	33	27	28		G	
19	G	G	G	G	G		27	33	31	36	36	32	32	33	33	31	30	27	28	26					
20	G		G	G	G	G	35	30	29																
21																								G	
22	G	G	G	G	G																34	24	24	29	G
23	G	G	G		G	G	28	28	34	36	34	34	31	31	32	29	37	44	36	38	40	29		G	
24	G	G		27	G	G	26	29	29	54	57	46	42	33	32	52	56	39	29		G	G	G	29	
25	G		28	26	G	G	G	39	68	65	61	42	56	57	62	34	29	27	45	44	40	44		G	
26		23	24	25	G	G	31		35	28	54	56	41	38	62	39	62	76	87	48	38	66	52	G	
27		G	G	G	G	G	36	34	33	35	36	40	65	61	58	34	60	50	43	63	38	71	60		
28	26	G		23	G	G	38	39	37	54	63	51	38	33	36	33	44	37	32	31	31	28	29	24	
29	G	G	G		24		29	36	35	66	58	58	44	39	35	30	28	28	25	35	48	30	36	26	
30	G	G	G	G		27	22	27	25	34	40	37	48	35	34	43	36	41	25	32	26	38		30	
31					23	G	26	24	32	32	31	33	38	45	33	60	50	41	40	25	30	33	30	G	
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	28	28	28	29	28	28	28	27	28	26	25	28	27	28	27	28	28	28	29	29	28	28	29	28	
MED	G	G	G	G	G	G	26	30	32	34	34	34	35	33	32	30	30	28	29	G	G	G	G		
U Q	G	G	G	12	G	G	35	35	34	36	37	41	40	34	36	34	41	34	35	30	30	27	G		
L Q	G	G	G	G	G	G	23	26	29	31	32	33	32	31	30	28	27	24	G	G	G	G	G		

HOURLY VALUES OF fmin AT WAKKANAI
 APR. 1995
 LAT. 45.4N LON. 141.7E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

$\begin{matrix} H \\ D \end{matrix}$	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	15	16	15	15	15	15	17		15	15	17	17	16	16	14	15	16	20	15	15	15	15	15	15
2	15	15	15	15	15	15	21	16	15		16	16	17	17	16	16	15	15	15	15	15	15	15	15
3	15	15	15	16	20	20	21	16	15	16		15	16	17	16	16	15	21	15	15	16	15	16	16
4	16	16	15	15	15	15	18	15	15		17	17	20	16	17	16	15	21	15	15	15	15	15	15
5	15	15	15	15	15	16	17	17	15	16	15	18	16	17	16	16	15	23	15	15	15	15	15	15
6	15	15	16	15		15		16	15	15		16	17	16	16	15	15	17	15	15	15	15	15	15
7	15	15	15	15	15	16	23	15	16	16	16	16	16	17	16	16	15	15	15	15	15	15	15	15
8	15	15	18	15	15	18	16	17	16	15	15	18	17	16	15	16	15	21	16	15	15	15	16	17
9	16	15	15	15	15	17	16	16	15	15	15	16	16	16	16	16	15	16	15	15	15	15	15	15
10	15	15	16	16	16	15	21	15	15	15	16	18	16	15	15	15	14	15	15	15	16	15	15	16
11	14	17	15	15	17	16	22	16	15	15		16	18	16	16	16	14	22	15	15		15	15	15
12	14	15	16	15	15	16	15	15	16	16	17	16	16	16	16	15	15	17	15	15	15	15	15	
13	15	14	14	15	15	15	18	17	17	16	17	20	17	20	16	16	15	15	15	15	15	16	16	16
14	15	15	15	16	15		24	16		16	16	15	16	16		17	16	15	17	15	15	15	15	15
15	16	15	15	15	15	16	24	15	16	15	16	16	17	15	16	16	15	15	15	15	15	15	15	15
16	15	15	15	16	16	17	23	18	16	16	17	16	16	17	16	15	15	14	16	15	15	16	16	15
17	15	15	15	15	16	18	24	16	15	16	18	17	18	17	17	16	16	15	17	15	15	15	15	15
18	15	15	15	15	15	15	15	15	15	17	16	17		17	17	16	15	15	15	16	15	15	15	15
19	16	16	15	15	15	18	20	15	15	16	16	21	16	17	15	15	15	15	17	16	15	15	15	15
20	15		15	15	15	17	20	18	15															
21																			15	15	15	15	15	16
22	15	15	14	15	15	20	17	15	15	16	15	17	16	16	17	16	15	15	15	15	15	15	15	15
23	17	15	16	15	15	20	15	15	16	15	16	17	29	18	16	15	15	14	15	16	15	15	15	15
24	16	15	15	15	16	17	26	17	17	16	16	18	16	17	16	15	16	15	15	15	15	15	15	15
25	15	15	15	15	15	15	21	18	16	16	16	17	17	18	16	15	15	15	15	14	15	14	15	15
26		15	15	15	15	18	17	16	15	17	16	18	16	17	16	16	15	15	15	15	15	15	15	16
27	15	15		17	16	18	21	15	15	16	15	15	16	16	16	15	15	15	15	15	15	15	15	16
28	16	16	15	15	14	15	18	16	15	18	16	16	20	15	16	15	15	15	16	14	15	15	15	16
29	16	16	16	15	16	18	17	18	16	16	16	17	16	17	16	16	16	15	15	15	15		15	15
30	15	15	15	15	16	20	27	18	16	17	20	17	16	15	16	16	15	14	15	15	15	15	15	15
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	28	28	28	29	28	28	28	28	28	26	25	28	27	28	27	28	28	28	29	29	28	28	29	28
MED	15	15	15	15	15	16	20	16	15	16	16	17	16	16	16	16	15	15	15	15	15	15	15	15
U Q	16	15	15	15	16	18	22	17	16	16	17	17	17	17	16	16	15	17	15	15	15	15	15	16
L Q	15	15	15	15	15	15	17	15	15	15	16	16	16	16	16	15	15	15	15	15	15	15	15	15

HOURLY VALUES OF foF2 AT KOKUBUNJI
APR. 1995
LAT. 35.7N LON. 139.5E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

D \ H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	47	59	42	35	37	36	47	70	64	68	72	77	80	72	68	84	60	60	95	71	57	47	48	47	
2	48			41	41	38	50	53	68	66	73	79	84	73	66	71	62	82	67	57	36	37			
3	44	58	43	69	N	28	45	58	94	70	77	99	97	78	66	62	58	72	94	62	33	46	44	65	
4	69		69	38	59	35	47	51	64	58	67	81	86	81	77	67		68	64	57			45	37	
5	46	58	41	36	69	34	59	59	68	58	67	83	81	86	90	72	66	64	61	47	A	A	44	42	46
6	46		59		69	69	46	58	60	74	96	80	76	82	73	71	62	70	92	66			34	47	
7	48	40	32	40		32	59	70	60	66	81	84	81	A	77	82	86	83	114	95			43	48	
8	37		57		35	64	48		A	A		A	A	A	A		52	50	47	54	44		38	35	
9	34	32	35	69		69	36		A	A	A	A	A	A	A		48	48	58	39	47	43	41	A	
10	47	33	35	A	A	32	45	48	52	55	62	77	80	78	67	60	56	61	62	68	57	58	57		
11	48		47	46	35	29	43	48	71	77	69	74	83	84	64	60	65	68	61	72	60	44	59	A	
12	40	31	56	32	30	N	44	58	61	70	61	66	73	70	80	71	76	70	93	61	53	57		59	
13	59	56	59	59	59	34	56	57	67	68	71	74	83	84	82	72	81	93	84	72		38	38	58	
14			25	38	69	59	68	60	58	67	78	87	81	72	67	66	65	66	67	58	26	48	47		
15	48	58	58	50		35	47	58	60	72	77	70	68	76	87	86	63	60	92	72	61	58	47		
16	42	44	42	35	38	47	56	58	58	56	66	85	101	96	83	83	74	76	76	92	A			36	
17	38		38	36		42	51	52	53	65	70	68	78	91	91	88	82	94	81	81	68	45	57	47	
18	47	46	46	42	47	42	95	44	57	68	75	85	73	66	76	72	73	65	76	72	66	46	55	46	
19	47	46	43	41	58	42	62	55	62	66	73	77	82	75	77	82	83	80	81	82	58	46	48	48	
20	57	45	48	47	34	46	70	58	66	66	68	72	75	75	72	79	88	93	94	92		A	A	A	
21	45	46	46	40		38	59	59	68	76	80	80	82	84	84	83	71	92	82	94	33		56	A	
22	48	46	48	43		41	68	60	67	73	69	64	69	65	69	80	83	94	A	93	69	70	57	54	
23	54	48	56	48	38	41	69	51	66		A	84	94	88	79	76	70	70	81	81	56	68	58	58	
24	51	57	57	A	48		64	56	57	A	A					70	86	71	53	56	37		A	A	
25	33	28	46	50	50	50	57	52	A	A	A	57	74	A	A			A	A		74		41	A	
26	44		44	43	41	47	69	64	55		62	68	A	85	81	78	81	A	A			47		31	
27	A	44	37	41	36	41	50	51	51	A	A	A	66	78	82	66	55	60	57	95	60	43	A	25	
28		59	A	59		35	48	44	A	A	A	A	A	A	A	55		A	A	A	A	64	37	A	A
29	37	37	69	69	32	31	48	50	A	A		52	A	A	A		66	65	59	61	60	63	70	A	A
30	32	38	35	31	25	37	47	47	51	A	A	48	54	57	59	66	60	63	74	55	67		45	A	
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	27	22	28	26	20	28	30	29	25	20	22	24	24	23	24	27	27	27	26	27	23	20	21	17	
MED	47	46	46	42	41	38	54	56	61	68	70	77	80	78	77	72	66	70	76	71	57	46	47	47	
U Q	48	57	56	50	58	44	64	58	67	71	77	83	83	84	82	82	81	82	92	82	64	57	56	56	
L Q	40	38	39	38	35	34	47	50	57	65	67	69	73	72	67	66	60	61	61	57	44	43	41	36	

HOURLY VALUES OF fEs AT KOKUBUNJI
 APR. 1995
 LAT. 35.7N LON. 139.5E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

^H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	G	G	G	G	G	G	G	28	33	31	32	30	30	30	31	31	28	G	G	24	G	G	G	G	
2	G		G	G	G	G	G	28	34	32	41	45	38	32	34	32	28	G	G	G	G	G	G	G	
3	G	G	G	G	G	G		29	27	32	29	37	44	34	30	34	29	29	27	29	60	G	G	G	G
4	G	G	G	G	G	G		38	30	44	28	30	41	39	34	29	32		31	G	G			G	G
5	G	G	G	G	G	G		38	23	30	34	33	35	38	33	34	32	32	28	28	24	41	33	34	G
6	G	G	G	G	G	G		23	28	34	36	32	35	G	47	49	48	44	44	32	42	49	53	34	29
7	26	34	30	25	24	G		38	28	34	30	34	42	55	72	53	51	44	34	35	34		G	G	G
8	23	G	G		G	26		31	35	52	48	37	43	40	72	95	34	30	25	29	G	G	G	G	
9	G	G	G	G		G		30	36	43	62	60	38	30	37	29	37	28	36	28	34	G	G	24	47
10	33	29	G	56	47	G		37	38	34	34	32	37	45	34	33	35	28	32	28	32	G	G	23	
11	G		G	G	G	G		24	22	40	31	32	40	39	37	30	29	25	29		G	G	G	G	24
12	G	G	G	G	G	G		23	30	35	47	37	36	32	36	32	32	32	122	30	26	24	28		G
13	G	G	G	G	G	G		34	29	42	45	31	G	32	25	30	30	28	34		G	G	40	28	26
14	40	29	24	G	G	G		38	48	44	39	32	32	37	G	38	31	51	41	44	54	55	G	G	
15	G	G	G	G	G	G		24	23	27	31	32	32	35	33	31	31	26	37	30	G	G	G	G	G
16	75	G	G	G	G	24	G	28	30	34	46	40	54	34	38	30	32	34	30	28	43	39	31	120	
17	G		G	G	G	G		30	26	30	38	51	53	69	43	32	34	25	24		G	G	G	G	G
18	G	G	G	G	G	G	G		30	37	30	30	33	33	40	34	31	28	23		G	G	G	G	G
19	G	G	G	G	G	G		28	28	37	32	G	25	26	40	29	50	40	29	28	28	27	G	24	G
20	G	G	G	G	G	G		29	32	36	32	31	48	40	38	32	29	28	39	29	29		33	32	37
21	34	32	28	23		24	35	34	46	53	30	G	50	48	30	48	59	122	54	58	36	35	28	34	
22	25	G	G	G		G		29	27	34	34	33	31	48	30	G	30	64	61	88	35	28	59	73	62
23	33	30	35	40	34	26	26	32	50	57	56	59	60	G	G		48	41	32	33	G	G	G	38	27
24	31	29	27	31	G			32	36	54	66	100		129	139	92	46	31	30	28	34	40		44	41
25	G	33	32	30	G	G		26	33	47	72	70	G	31	73	112		81	86	107		72		41	62
26	33	G	G	58	G	24	25	29	53	56	60	41	81	92	57	58	53	89	81	88		70	49	54	
27	44	34	26	27	38	28	34	25	44	56	65	58	48	52	37	29	29	37	38	56	80	41	56	37	
28	28	25	38	24	G	G		32	43	47	58	58	57	57	54	50	50	48	64	85	135	110	37	53	72
29	58	32	33	24	30	24	34	26	43	43	49	41	43	33	30	30	27	27	32	29	33	33	41	38	
30	35	28	26	G	G	G		26	40	31	47	50	48	37	G	30	29	38	27	G	121	46	36	34	54
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	30	27	30	29	27	29	30	30	30	30	30	29	30	30	30	29	29	30	30	29	26	27	29	28	
MED	G	G	G	G	G	G	29	29	37	37	36	40	39	36	32	32	31	33	29	29	28	G	26	26	
U Q	33	29	26	24	G	12	34	34	44	53	51	44	50	48	38	47	44	41	35	48	43	36	39	44	
L Q	G	G	G	G	G	G	24	27	34	32	32	32	33	32	30	30	28	27	G	G	G	G	G	G	

HOURLY VALUES OF fmin AT KOKUBUNJI

APR. 1995

LAT. 35.7N LON. 139.5E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

D \ H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	15	15	15	15	14	15	15	28	14	16	17	18	17	18	17	14	14	20	16	15	14	15	15	15
2	15		14	14	15	14	20	14	16	14	16	18	24	20	17	16	15	21	16	15	15	15	15	17
3	14	14	15	15	17	17	15	14	15	16	15	29	28	42	15	17	14	14	15	14	15	14	15	15
4	15	15	14	15	15	15	21	15	14	14	16	24	20	20	15	15		15	15	14			14	15
5	14	15	15	15	14	15	22	14	15	15	14	16	22	17	17	17	15	14	15	15	14	15	15	14
6	15	14	14	14	15	15	23	15	15	15	17	22	42	17	17	16	15	15	14	15	14	15	14	15
7	14	14	15	15	14	16	16	14	15	16	17	20	17	17	20	14	16	15	15	15		15	20	14
8	15	14	15		15	16	15	15	14	15	15	23	15	23	17	15	14	24	15	15	15	14	14	15
9	15	15	15	15		18	16	14	15	15	17	17	20	18	16	15	18	15	16	15	15	14	14	14
10	15	15	14	14	15	14	20	14	15	20	21	23	17	16	18	15	15	15	14	15	14	15	15	
11	14		15	15	15	15	16	14	15	16	18	44	47	26	18	16	14	16	16	14	14	15	15	14
12	14	15	15	15	15	16	16	15	16	15	16	20	47	20	21	21	16	20	15	15	14	14		15
13	14	14	14	15	14	15	15	14	15	16	20	46	20	48	16	17	18	15	15	15	15	14	14	15
14	15	15	15	15	15	15	20	15	16	17	24	26	26	48	16	15	15	14	15	15	14	15	15	
15	15	15	15	15	17	14	17	15	14	21	43	22	23	18	18	16	17	15	15	15	14	14	15	14
16	14	15	15	15	15	15	26	15	15	15	24	22	23	48	18	22	16	15	15	14	15	14	14	14
17	14		14	14	14	16	20	15	16	28	17	17	29	24	22	15	15	15	17	15	15	15	14	15
18	15	15	15	15	15	14	27	15	14	14	18	17	26	18	18	16	14	14	18	15	14	15	15	15
19	14	14	15	15	15	15	14	15	15	15	44	20	20	21	18	17	15	14	17	15	14	15	15	15
20	15	15	15	14	15	15	23	14	15	15	17	18	18	18	17	15	15	21	15	14		14	14	15
21	14	14	15	15		15	18	15	16	16	18	52	18	17	15	15	14	15	15	14	14	14	14	14
22	15	14	15	15		17	18	15	15	16	18	20	35	17	46	17	14	16	15	15	14	15	14	14
23	14	14	14	15	14	14	18	18	17	18	33	34	35	49	48	29	16	14	15	16	15	18	15	14
24	15	15	14	14	15		17	15	17	17	35		18	20	18	18	15	14	17	14	14		14	14
25	15	14	14	15	15	15	18	15	15	17	20	46	21	18	15		15	14	15		14		15	14
26	14	15	15	15	14	15	17	15	14	20	16	16	18	24	16	15	14	14	15	15		15	15	14
27	15	14	14	15	15	15	15	16	15	15	18	30	17	28	17	16	14	14	15	15	14	15	14	15
28	14	15	15	15	15	15	17	15	16	15	16	18	32	32	17	15	15	15	16	15	15	15	15	15
29	15	15	15	14	14	16	14	15	14	17	17	26	26	16	14	15	15	14	15	14	14	15	15	14
30	15	15	14	15	15	16	24	16	16	15	17	18	31	45	17	17	15	15	18	14	15	14	15	15
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	30	27	30	29	27	29	30	30	30	30	30	29	30	30	30	29	29	30	30	29	26	27	29	28
MED	15	15	15	15	15	15	18	15	15	16	17	22	22	20	17	16	15	15	15	15	14	15	15	15
U Q	15	15	15	15	15	16	20	15	16	17	20	27	29	28	18	17	15	15	16	15	15	15	15	15
L Q	14	14	14	14	14	15	16	14	15	15	16	18	18	18	16	15	14	14	15	14	14	14	14	14

HOURLY VALUES OF foF2 AT YAMAGAWA
 APR. 1995
 LAT. 31.2N LON. 130.6E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

D \ H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	58	58	49		69	28	59	58	57		67	76	81	84	A	74	62	63	68	77	49	30		69	
2	48	58		60	30	49	49	56	69	67	71	84	96	83	83	82	75	86	83	60					
3	59	69		60	69	69	56	54	67	74	74	75	90	88	85	75	63	67	81	68		31	58	60	
4			50	48	30	30	32	30	A	68	70	75	83	92	86	75	76	76	72	59	59	37	58	N	
5	59				49		59	39	57	66	A	85	94	94	93	88	72	66	69	68	69	31	59	29	
6	59	62			49	59	51	60	82	75	A		85	99	95	70	66	71	73	68	79	A		49	
7	60				30	29	31	60	58	70	84	80	85	86	84	86	102	82	82	93	69	A	59	A	
8	A			A	26	23		58	68	84	58	77	84	94	86	80	71	66	77	77	A	A	69	60	
9	32			69	24	N	28	39	A	70	A	67	A	A		90	84	66	57	63	60	31	34	32	
10	28	23	26	69	29	49	59	59	57	61	70	81	95	94	93	90	82	65	69	78	69		N	31	
11	31		69	32	49	59	29	A	68	66	62	75	91	101	82	83	82	70	67	73		58	47	58	
12	48	38	34	69	26	N	49	A	62	65		77	85	94	100	91	83	82	70	68			60	64	
13	62	56	49	24		59	59	68	A	A	74	86	98	101	98	91	91	87	85	66		60	55	28	
14	38		59	A		A	56	57	68	73	78	88	92	87	83	72	69	74	67	64	A	A	A	69	
15	69		32	30			23	58	58	70	72	76	87	104	100	83	66	71	83	85	70	31	31		
16		32			29			A	57	60	A	A	82	107	111	108	110	96	92	92	80	71		69	32
17	69	48		49	69			A	A	A		70	71	90	105	112	102	93	94	96	82	59	A	30	
18	69				49	58	56	A	A		75	82	77	88	93	94	86	86	80	94	93	74	59	58	
19	58	49	58	50	59	N		58	61	68		77	85	86	87	94	101	87	86	82					
20	61		53		53		60	59	A	67	77	77	83	83	77	84	94	98	107	100			58	59	
21	32	60	28	32	30	29	A	58	71	72	73	A	81	84	90	90	84	70	81	88	56		A		
22	59	30	60	59				62	66	71	67	66	A	71	75	80	86	76	83	81	72		37	49	
23	A		57	64	63	25	28	A	56	62	A	68	91	98	97	92	90	91	84	84	84	80	67	A	
24	59	20	59	50	59	59	61	66	67	60	A	A	A	A		78	71	87	65	67	A		A	A	
25	A		30	29	25	32	26	A	56			71	80	90	95	80	66	66	72	84	88	60	69	30	
26	30	25	25	24	A	31	59	59	A	A	66	73	82	90	94	93	88	82	80	70	A	A	A	A	
27	A	A		A		N	56	58	A	A	A	A													
28												A			75	78	76	75	A	A	60	59	A	A	
29	31	A	31		A		46	A	A	A	A	A	A		80	90	98	102	92	88	80	71	A	31	
30		30		26	26	25	39	56	A	A	A	A	A	A	A	A		68	82	88	68	74		23	32
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	22	17	18	18	21	17	21	24	18	19	19	23	23	26	27	28	29	28	28	28	17	11	17	18	
MED	58	48	49	50	30	31	56	58	62	70	71	77	87	91	90	84	82	76	81	77	70	37	58	49	
U Q	60	58	59	60	56	58	59	59	68	73	75	82	94	97	95	90	91	85	85	83	74	60	59	60	
L Q	32	30	29	30	27	28	35	56	58	66	67	75	83	84	83	78	68	66	69	68	59	31	32	31	

HOURLY VALUES OF fEs AT YAMAGAWA

APR. 1995

LAT. 31.2N LON. 130.6E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	G	G	G	G	G	G	G	32	33		31	32	32	30	80	30	28	30	29	34	25	24	G	G		
2	G	G	G	G	G	G	G	32	30	30	30	30	29	54	34	34	33	32	G	24	G	G	G	G		
3	G	G		G	G	G	G	30	30	30	32	31	30	38	31	26	28	29	32	33	24	G	G	G		
4	G	G	G	G	G	G	G	23	32	30	30	30	30	G	31	39	54	36	36	28	37	50	28	G		
5	G	G	G	G	11		11	33	32	28	31	31	31	31	G	30	28	26	27	G	25	33	28	29		
6	G	G	G	G	G	G	G	32	34	69	31	30	30	30	30	54	38	34	39	40	38	91	G	G		
7	G	G	G	32	G	24	G	27	N	30	33	30	32	30	28	27	28	29	37	33	28	34	G	30		
8	32	G		24	G	G		28	31	29	31	38	60	G	30	31	28	26	38	39	40	34	24	G		
9	G	G	G	G	G	G		25	36	32	34	38	52	72	142	38	60	35	38	G	G		24	25	G	
10	G		34	30	30	28	G	25	33	32	36	32	30	29	30	29	38	39	33	39	32	30	21	32	G	
11	G	G	G	G	G	G		24	30	38	29	29	G	G	G	31	30	28	27	30	27	G	G	G	G	
12	G		27	G	G	G		26	27	31	29	G	G	G	30	32	34	32	29	G	24	G	G	G		
13	G	G	G	G	G	G		28	28	29	29	30	G	30	28	30	30	30	26	33	33	23	G	G	G	
14	G	G		24	27	33	26	26	28	29	31	31	39	G	G	30		28	32	32	30	57	36	34	G	
15	G	G	G	G	G		G	29	30	29	30	29	G	G	G		32	29	36	38	38	36	31	24	G	
16	24	G		24	G	G	29	40	55	37	63	38	31	G	G	29	32	29	29	34	29	36	33	30	32	
17	34	28		G	G	G		36	28	30	37	32	30	G	G	54	33	30	27	32	50	38	36	G	32	
18	30	G	G	G	G	G		24	29	32	31	30	G	G	30	30	33	29	N	30	25	25	G	G	G	
19	G	G	G	G	G		G	22	26	30	28	31	32	31	30	G	33	38	36	24	G	24	G	G		
20	G	G	G	G	G		G	26	29	33	30	31	28	G	29	30	26	30	26	21	25	G	31	G	G	
21	G	G		37	38	31	27	28	30	30	30	55	110	60	G	29	30	30	35	30	28	G	25	33	32	
22	G	G	G		29	G	G	28	33	39	32	32	G	66	29	G	G	29	68	39	39	30	33	32	34	
23	45	G		26	39	G	G	34	33	50	54	G	G	G	G	29	28	32	32	G	G	G	26	34		
24	24	G	G		26	32	G	30	38	50	37	30	76	76	92	32	29	28	25	36	55	78	112	35	49	
25	37	29	38	32	24	29	35	29	50	36	38	54	54	56	66	94	60	59	62	40	39	33	32	34		
26	33	36	32	32	38	28	34	30	37	56	34	27	78	G	31	30	28	34	58	38	31	73	104	93		
27	84	33	28	60		G		29	39	60	70	92	96													
28													55		89	70	68	60	84	85	40	26	33	33	49	
29	33	69	88	35	34			28	58	28	38	32	32	57	66	76	61	50	62	52	56	28	28	36	34	
30	36	24	30	24	G	G		28	30	39	31	31	30	30	32	59	78	33	60	48	73	56	34	29	33	
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	29	29	26	29	28	26	28	29	28	28	29	30	28	29	29	29	29	28	29	29	27	29	28	28	28	
MED	G	G	G	G	G	G	26	30	32	31	31	30	30	30	30	32	30	32	33	33	28	31	26	G		
U Q	32	25	28	31	17	22	28	33	37	37	32	38	55	46	36	38	35	36	39	39	38	34	32	33		
L Q	G	G	G	G	G	G	6	28	30	30	30	28	G	G	29	29	28	27	29	25	24	G	G	G		

HOURLY VALUES OF fmin AT YAMAGAWA
 APR. 1995
 LAT. 31.2N LON. 130.6E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

D \ H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	15	14	14	14	15	15	14	15	15		21	21	18	50	50	50	16	15	15	14	15	15	14	14
2	14	14	15	14	14	14	14	17	14	15	20	21	48	46	20	17	15	15	18	15	14	14	15	15
3	14	15		14	15	17	14	17	15	17	18	21	21	26	21	16	16	17	15	14	14	15	15	14
4	15	15	14	14	14	15	14	22	15	18	18	22	21		21	20	17	16	14	14	14	14	14	14
5	14	14	14	14	14		14	18	15	16	17	22	22	23		20	16	16	15	14	15	14	14	14
6	15	15	14	15	14	14	14	14	15	15	20	23	23	22	18	20	15	15	15	14	14	14	14	15
7	14	14	15	14	14	14	14	15	14	16	21	22	23	23		20	20	16	15	14	14	14	14	14
8	14	14		15	18	14		14	15	16	18	21	44	52	21	20	48	15	14	14	14	14	15	15
9	15	15	15	15	15	16	15	16	14	17	17	21	23	23	22	18	15	14	20	15		14	15	14
10	14	14	14	14	14	14	15	14	14	16	18	50	51	50	51	21	17	14	14	14	14	14	15	14
11	15	14	14	14	14	15	15	16	15	18	21	50	50	52	23	22	16	15	15	14	14	14	14	14
12	14	14	14	14	14	16	15	24	15	16		21	53	54	50	23	18	16	14	15	14	14	14	14
13	14	15	14	14	17	15	14	15	16	16	21		23		18	22	21	15	17	14	14	14	15	15
14	15	14	14	14	15	14	16	15	17	17	22	52	58	60	50	48	21	15	15	14	14	14	14	14
15	14	14	15	14	14		17	15	16	17	22	52	54	52	49	23	46	16	14	14	14	14	14	14
16	15	14	15	14	15	14	14	15	18	20	22	21	50	55	54	22	18	15	16	14	14	14	14	15
17	14	14		14	14	14	16	15	18	20	22	50	55	53	47	24	20	15	15	14	14	15	15	15
18	15	14	14	14	15	14	16	15	16	18	22	50	59	54	22	22	18	14	15	15	14	14	15	15
19	15	15	14	14	14	15	17	15	15	20	22	21	22		21		21	16	14	15		14		
20	14	15	14	15	15	15	15	15	16	17	22	50	56	52	52	51	18	15	14	15	14	15	14	15
21	14	14	14	14	14	15	14	14	16	20	55	46	49	53	53	16	21	16	15	15	15	16	14	14
22	14	14	14	14	15	15	14	15	15	20	21	47	45	51	53	50	21	15	14	14	14	14	14	14
23	14	15	14	15	14	15	14	14	15	17	54	55	55	44	52	50	20	15	14	15	14	14	14	14
24	15	15	14	15	14	15	14	15	16	18	21	44	22	45	21	20	17	14	15	14	14	14	15	15
25	14	14	14	14	14	14	14	15	15	21	23	46	23	23	23	21	18	15	15	15	14	14	14	15
26	14	14	14	14	15	14	14	15	16	16	20	56	46	54	50	18	16	15	14	15	14	14	14	14
27	14	14	14	14		14	15	15	17	18	21	23												
28												22		46	48	46	18	16	14	15	14	14	15	14
29	14	15	14	14	14		15	14	17	18	22	21	44	44	21	18	16	14	14	14	14	15	15	14
30	14	14	14	15	14	14	14	15	16	17			23	24	21	17	16	15	14	15	14	14	14	14
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	29	29	26	29	28	26	28	29	29	28	27	28	28	26	27	28	29	29	29	29	27	29	28	28
MED	14	14	14	14	14	14	14	15	15	17	21	23	44	50	23	21	18	15	15	14	14	14	14	14
U Q	15	15	14	14	15	15	15	15	16	18	22	50	52	53	50	23	20	16	15	15	14	14	15	15
L Q	14	14	14	14	14	14	14	15	15	16	20	21	23	26	21	19	16	15	14	14	14	14	14	14

HOURLY VALUES OF fof2 AT OKINAWA

APR. 1995

LAT. 26.3N LON. 127.8E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	42		48		41	N		54	58	83	77	67	80	102	92	84	83	71	72	68	60	A		
2	47		44	32				52	95	70	57	81	94	95	95	95	92		83	66	55			
3			47		38	59	69	45	62	87	83	80	87	112	104	102	90	93	92	68	41	46	44	49
4	89	60	60	55	59		69	50	82	92		77	90	103	106	92	96	84	94	48	48	A	A	A
5	30		43	A	A			49	70		83	92	120	115	112	103	80	82	65	68	52	50		48
6	49	47	48	48	58			70	62	83	83	72	82	105	114	98	81	82	91	72	44	A		
7	54		60	48		A		48	44	66	81	83	92	94	91	101	91	113	111	80	98	58	59	59
8		A		A	A	N			59	73	93	91	83	93	115	95	91	83	91	89	86	A	A	A
9	A	A					A		54	63	81	90	94	94	102	120	134	96	83	63	68	49	48	
10	42	46	59	32		34	47	58	57	73	75	91	94	104	118	143	126	112	102	92	93			69
11	A			37				43	48	58	64	71	87	94	112	118	121	115	91	76	92	54		
12	41	44		48	26		46	57	68	61	62	85	102	116	132	118	93	92	94	72	66	59	A	A
13	48	55	62	44	69		69	60	58	70	86	92	124	117			125	105	92	82	52		69	69
14		43	46	71	A	A		59	46	67	83	87	92	92	94	104	91	81	72	61	60	A	35	A
15	A		49	50	37	A	A		42	68	73	73	114	104	121	105	110	81	84	93	82	A	A	A
16	33	56	57	48	30		A	A	A		65	77	95	124	146	151	144	128	152	105	93	A	A	A
17	A			46	57	A	A			56	63	91	87		120	148	135	126	117	104	94	81	64	A
18	53	63	57	47	44	69		58	64	80	93	97	116	141	148	118	127	133	119	122	92	60	60	59
19	64	61	67			A		44	61	80	70	66	92	95	124	115	125	133	93	93	82	60		65
20	74	70	69	68	57		48	56	57	72	84	86	91	92	94	95	105	117	124	94	64		49	47
21	52	55	57	50		A		49	62		68	82	83	86	92	94	104	124	92		82	A		A
22	A		57	52	A			48	54	67	65	62	A	85	90	91	91	94	92	93	91	A	A	A
23	57	63		60	30		50		A	A			92	103	115	105	114	113	104	93	93	83	A	A
24	54	50	A	69	48	40	50	69		A	A		82	93	94	101	91	94	95	83	72		A	A
25	47	A	A	A	A	A	A	A	A	A	A		66	84	104	104	92	81	93	91		93	58	46
26	A	A		46	42		A	A		59	94	67	78	92	54	125	123	113	93	92	95	44	A	A
27	A	31	59	38	A	A		48	43		A		75	96	115	116	114	92	95	82	95	68	A	A
28	A	A		44	59	42	A		44	71	57		68	76	94	104	104	114	107	80		43	56	89
29	37				A	A	A	A	A	A	A		68	84	105	127		144	142		123	82	68	70
30	60	55	56	56	42	69	50		57	27	54	68	68	82	81	81	83	91	93	94	81	65	58	53
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	19	18	24	21	13		15	23	23	24	23	29	29	30	29	28	30	29	28	28	23	14		11
MED	49	55	51	48	42		49	54	63	73	82	83	93	104	105	104	96	93	92	88	60	58		53
U Q	57	60	59	58	57		59	58	68	83	86	92	99	115	122	118	124	111	93	94	82	60		65
L Q	42	46	46	40	34		48	45	58	65	70	73	85	94	98	91	83	87	81	70	49	48		48

HOURLY VALUES OF fEs AT OKINAWA
 APR. 1995
 LAT. 26.3N LON. 127.8E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

D ^H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	G	G	G	G	G	G	G	48	37	34	38	49	40	G	53	38	28	25	27	41	48	40	G	G	
2	G	23	G	G	G	G	G	33	30	36	G	G	35	G	32	25	46	32	28	G	G	G	36	G	
3	G	G	G	G	G	G	G	24	32	36	36	36	G	G	G	40	43	34	31	25	23	G	G	G	
4	G	G	G	G	G	G	G	47	40	35		G	G	31	40	54	45	45	37	33	42	54	57	34	
5	G	23	26	44	21		G	41	74		40	34	G	41	30	G	32	27	G	G	G	G	G	G	
6	G	G	G	G	G		G	33	38	38	38	35	34	48	40	36	27	40	35	43	25	50	29	26	
7	61	33	26	G	G		G	G	34	36	37	38	34	33	40	46	25	36	32	29	G	G	G	G	
8	G	36	24	22	27		G	29	32	35	38	31	44	42	G	G	36	24	36	34	33	G	40	53	
9	48	26	G	21			G	44	41	98	36	39	41	66	77	63	42	61	86	34	60	27	29	26	32
10	G	42	G	G	G		G	26	99	42	39	39	49	52	66	49	48	49	35	46	27	G	G	G	
11	46	G	G	G			G	50	31	114	24		G	G	G	G	29	24	25	26	G	42	G	G	
12	G	G	G	G	G		G	33	32	35	37		G	43	49	38	32	35	59	68	41	45	38	34	
13	G	29	24	G	G		G	28	31	122			G	G			30	27	24	G	G	G	G	G	
14	G	24	G		11	30	24	34	39	39	37	35	G	G	G		42	57	70	49	36	34	47	42	74
15	71	66	40	25	29	28		46	34	38	35		G	77	G	31	30	51	82	68	71	60	35	44	
16	26	G	33	23	29		G	36	47	67	85	72	54	56	41	40	40	39	33	G	41	46	48	38	39
17	44	G	G	47	45	38			38	40	36	41		43	42	54	45	40	31	43	29	24	50	37	
18	41	G	25	G	G	G		32	34	39	36	38	55	74	63	46	40	42	36	34	33	42	25	G	
19	G	44	G	36	30	33		47	34	36	38	52	42	G	G	32	28	27	44	32	G	24	34	24	
20	G	G	G	G	G			48	28	34	39	46	42	50	42	50	51	72	68	39	26	25	22	G	G
21	G	43	44	G	39	57	44	27	36	38	36	51	40	G	44	71	81	49	114	48	68	42	G	31	
22	34	24	G	48		G		42	38	42	47	67	67	52	44	58	50	51	52	64	60	73	65	39	43
23	52	G		39	G	25	42	49	67	62	61	54	48	51	51	49	66	62	53	27	44	97	43	G	
24	G	26	50	25	G	G	G	45		70	91	64	63	85	60	59	39	25	G	66	48	55	92	126	
25	50	39	83	66	74	34	40	48	74	84	62	63	61	42	37	G	35	37	42		36	G	25	64	
26	49	44	67	48	G		40	58	58	55	48	65	62	53	32	41	52	57	49	42	69	70	45	85	
27	67	66	34	32	41	38	29	48	54	56	71	52	50	42	41	52	86	38	46	38	40	38	45	44	
28	95	85	69	78	50	42		39	47	51	67	50	57	62	57	54	56	66	64	61	67	50	44	27	
29	28				33	26	34	49	62	51	74	61	46	55	60		46	39		73	79	34	37	46	
30	64	60	39	36	34	25	G	48	34	49	52	57	G	61	58	60	54	60	44	41	55	67	48	43	
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	30	29	28	29	27	24	28	29	29	29	29	30	29	30	29	28	30	30	29	29	30	30	30	30	
MED	14	24	12	21	G	12	G	41	38	39	38	41	43	42	40	42	44	40	36	41	35	39	36	32	
U Q	49	42	36	37	33	30	38	48	60	55	61	54	53	53	57	51	54	57	49	47	48	50	43	44	
L Q	G	G	G	G	G	G	G	30	34	36	36	34	16	G	31	32	32	32	29	28	25	G	G	G	


HOURLY VALUES OF fmin AT OKINAWA

APR. 1995


LAT. 26.3N LON. 127.8E SWEEP 1MHz TO 25MHz AUTOMATIC SCALING

$\frac{H}{D}$	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	14	14	14	14	15	17	14	16	15	15	18	23	45	48	35	41	17	16	14	15	14	14	16	15
2	15	14	14	15	16	15	14	15	14	16	34		27		20	17	16	14	14	15	15	15	14	14
3	15	15	15	15	14	14	15	16	15	15	17	22	47	52	48	17	15	14	15	14	15	15	16	14
4	15	15	16	17	14	16	15	15	14	16		44	47	46	44	21	16	14	14	14	15	14	14	14
5	15	14	15	15	18		17	18	14		18	23		23	22		15	15	22	17	15	14	16	15
6	15	15	14	15	15		15	14	14	16	18	22	51	48	44	17	15	15	16	14	15	14	14	15
7	14	14	14	15	14	14	14	17	14	16	18	24	26	23	48	32	16	16	14	14	14	15	14	14
8	14	14	15	14	14	14	14	15	15	16	18	23	20	34	44	41	16	14	17	14	14	15	14	14
9	14	14	15	15		16	15	14	14	15	20	18	27	26	26	22	15	14	14	15	14	14	14	15
10	15	14	14	15	14	14	14	14	14	16	20	26	28	30	29	26	17	15	14	14	14	14	15	15
11	15	14	15	15		15	14	15	15	15	33	46	49	48	50	48	18	16	24	14	14	14	15	15
12	15	15	15	15	15		15	16	14	16	29		26	29	30	23	17	15	15	15	14	14	14	14
13	15	15	15	15	15		15	15	14	16	34	46	51	50			17	15	26	15	14	15	15	15
14	15	15	15	15	15	15	14	14	15	16	44	28	27	50	51	34	17	15	15	14	14	14	14	14
15	15	15	15	14	15	14	18	14	15	16	23	50	53	29	47	45	17	16	17	14	15	14	15	14
16	14	17	14	14	15	15	14	14	15	17	20	27	27	29	27	26	22	16	18	14	14	14	14	14
17	15	14	15	14	14	14	14		15	16	26	29		57	28	26	21	15	17	15	14	14	14	14
18	15	14	14	15	14	16		14	14	18	22	23	32	29	26	26	17	15	15	14	14	14	14	15
19	15	14	15	14	14	14	15	14	15	16	22	28	49	52	52	51	42	16	15	14	15	15	15	14
20	15	15	15	15	15		15	14	15	18	23	33	34	47	34	22	18	15	17	14	14	15	14	15
21	15	15	14	14	14	14	15	14	17	17	18	32	48	46	28	33	20	15	15	14	14	16	14	15
22	14	15	15	14		16	16	14	15	21	24	41	38	36	39	35	20	17	16	14	14	14	14	14
23	14	14		14	14	15	14	14	16	16	26	32	40	36	29	29	21	16	16	14	14	14	15	15
24	15	14	14	15	14	15	15	15		22	26	28	32	30	29	28	22	33	22	14	14	14	15	15
25	14	15	14	14	15	14	14	14	17	16	21	29	32	24	27	42	17	15	15		14	15	14	14
26	14	14	14	14	14		14	14	15	16	20	23	29	28		17	16	16	20	14	14	15	14	14
27	14	14	15	14	15	14	14	15	15	18	20	28	34		28	17	21	16	16	14	15	14	15	14
28	15	14	14	14	15	14		16	17	21	18	27	32	34	34	33	18	16	16	15	14	14	14	14
29	14				15	15	14	14	15	18	29	24	33	33	28		18	18		14	15	15	15	14
30	14	14	14	14	15	14	15	14	15	20	17	28	48	30	27	32	16	15	15	14	15	14	15	14
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	30	29	28	29	27	24	28	29	29	29	29	28	28	28	28	27	30	30	29	29	30	30	30	30
MED	15	14	15	15	15	14	14	14	15	16	21	28	34	34	30	28	17	15	16	14	14	14	14	14
U Q	15	15	15	15	15	15	15	15	15	18	26	32	47	48	44	35	20	16	17	15	15	15	15	15
L Q	14	14	14	14	14	14	14	14	14	16	18	23	27	29	27	22	16	15	15	14	14	14	14	14

SUMMARY PLOTS AT WAKKANAI




SUMMARY PLOTS AT WAKKANAI




fxe(P); PREDICTED VALUE FOR fxe
foe(P); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT WAKKANAI




f_{xE}(P); PREDICTED VALUE FOR f_{xE}
 f_{oE}(P); PREDICTED VALUE FOR f_{oE}

SUMMARY PLOTS AT WAKKANAI



f_oF(P) ; PREDICTED VALUE FOR f_oF
 h'F(P) ; PREDICTED VALUE FOR h'F


SUMMARY PLOTS AT WAKKANAI



f_xE (P); PREDICTED VALUE FOR f_xE
f_oE (P); PREDICTED VALUE FOR f_oE


JST

SUMMARY PLOTS AT WAKKANAI




$f_xE(P)$; PREDICTED VALUE FOR f_xE
 $f_oE(P)$; PREDICTED VALUE FOR f_oE

SUMMARY PLOTS AT WAKKANAI




fxe(P); PREDICTED VALUE FOR fxe
foe(P); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT WAKKANAI



f_xE(P); PREDICTED VALUE FOR f_xE
f_oE(P); PREDICTED VALUE FOR f_oE


SUMMARY PLOTS AT KOKUBUNJI TOKYO



f_{xE}(P); PREDICTED VALUE FOR f_{xE}
 f_{oE}(P); PREDICTED VALUE FOR f_{oE}


JST

SUMMARY PLOTS AT KOKUBUNJI TOKYO




foE(P); PREDICTED VALUE FOR foE
foF(P); PREDICTED VALUE FOR foF

SUMMARY PLOTS AT KOKUBUNJI TOKYO




fxe(p); PREDICTED VALUE FOR fxe
foe(p); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT KOKUBUNJI TOKYO




fxE(P); PREDICTED VALUE FOR fxE
 foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT KOKUBUNJI TOKYO




fxe(p) ; PREDICTED VALUE FOR fxe
foE(p) ; PREDICTED VALUE FOR foE

SUMMARY PLOTS AT KOKUBUNJI TOKYO




fxe(P) ; PREDICTED VALUE FOR fxe
foE(P) ; PREDICTED VALUE FOR foE

SUMMARY PLOTS AT KOKUBUNJI TOKYO




fxe(p); PREDICTED VALUE FOR fxe
foE(p); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT KOKUBUNJI TOKYO




fxe(P) ; PREDICTED VALUE FOR fxe
foe(P) ; PREDICTED VALUE FOR foe

SUMMARY PLOTS AT YAMAGAWA




f_{xe}(P); PREDICTED VALUE FOR f_{xe}
 f_{oe}(P); PREDICTED VALUE FOR f_{oe}

SUMMARY PLOTS AT YAMAGAWA



fxe(p); PREDICTED VALUE FOR fxe
foe(p); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT YAMAGAWA




fxoF2 ; PREDICTED VALUE FOR F2
 fxoE1 ; PREDICTED VALUE FOR E1


UTC

JST

SUMMARY PLOTS AT YAMAGAWA




SUMMARY PLOTS AT YAMAGAWA




f_{x E(P)}; PREDICTED VALUE FOR f_{x E}
 f_{o E(P)}; PREDICTED VALUE FOR f_{o E}

SUMMARY PLOTS AT YAMAGAWA




fxE(P) ; PREDICTED VALUE FOR fxE
foE(P) ; PREDICTED VALUE FOR foE

SUMMARY PLOTS AT YAMAGAWA




$f_xE(P)$; PREDICTED VALUE FOR f_xE
 $f_oE(P)$; PREDICTED VALUE FOR f_oE

SUMMARY PLOTS AT YAMAGAWA




fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT OKINAWA




f_{xF}(P); PREDICTED VALUE FOR f_{xF}
 h_p(P); PREDICTED VALUE FOR h_p

SUMMARY PLOTS AT OKINAWA




f_xE(P); PREDICTED VALUE FOR f_xE
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT OKINAWA




f_xe (P); PREDICTED VALUE FOR f_xe
 foe (P); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT OKINAWA




f_{xe}(P); PREDICTED VALUE FOR f_{xe}
foe(P); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT OKINAWA




fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT OKINAWA




f_xe(P); PREDICTED VALUE FOR f_xe
f_o_e(P); PREDICTED VALUE FOR f_o_e

SUMMARY PLOTS AT OKINAWA



fxE(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT OKINAWA



f_oF₂(P); PREDICTED VALUE FOR f_oF₂
F₂(P); PREDICTED VALUE FOR F₂
f_oE(P); PREDICTED VALUE FOR f_oE
E(P); PREDICTED VALUE FOR E

MONTHLY MEDIANS OF h'F AND h'Es
 APR. 1995 135E MEAN TIME (UTC+9H) AUTOMATIC SCALING

h'F STATION WAKKANAI LAT. 45.4N LON. 141.7E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT										13	12	13		15	16	17								
MED										302	296	302		306	307	304								
U Q										325	305	315		324	319	311								
L Q										287	283	291		296	295	286								

h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT							22	26	28	26	25	28	27	28	27	28	27	22	20	13	12			
MED							141	119	108	107	107	105	105	105	107	107	113	119	113	113	108			
U Q							151	147	118	119	113	107	107	107	107	109	113	131	125	113	112			
L Q							123	113	107	105	105	105	103	103	103	105	105	103	107	102	97			

h'F STATION KOKUBUNJI LAT. 35.7N LON. 139.5E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT										15	17	20	22	22	21	22	17	16	16	15				
MED										296	294	290	287	295	286	290	274	275	267	264				
U Q										312	309	313	296	310	297	314	284	292	276	270				
L Q										280	281	278	276	270	273	278	261	256	257	256				

h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	14	11	10	10			26	30	29	30	29	26	29	27	28	29	29	28	22	20	15	13	18	15
MED	105	105	104	105			142	119	115	112	111	111	111	109	107	109	111	115	113	109	111	111	111	105
U Q	111	109	113	107			151	127	124	115	113	115	113	115	111	113	121	121	117	112	115	113	113	111
L Q	103	103	103	103			133	113	109	107	107	107	107	107	105	103	101	102	101	101	107	108	105	105

h'F STATION YAMAGAWA LAT. 31.2N LON. 130.6E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT										16	15	19	23	25	26	27	24	25	24	19				
MED										285	278	304	298	294	281	278	274	272	262	254				
U Q										294	314	326	316	303	294	292	286	288	272	268				
L Q										274	264	298	284	281	270	270	268	257	254	246				

h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	11		10	13			20	29	28	28	27	25	19	18	25	27	29	27	26	25	22	21	17	13
MED	109		109	107			145	125	117	112	113	113	111	111	111	113	113	115	116	107	108	107	111	109
U Q	111		111	110			152	140	128	113	113	114	115	113	113	115	115	119	125	113	113	113	114	112
L Q	99		105	105			137	115	112	111	111	111	109	109	107	107	108	109	111	101	99	100	107	106

MONTHLY MEDIANS OF h'F AND h'Es
 APR. 1995 135E MEAN TIME (UTC+9H) AUTOMATIC SCALING

h'F STATION OKINAWA LAT. 26.3N LON. 127.8E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT										17	16	22	26	29	29	28	30	29	27	21				
MED										272	275	303	301	296	274	269	270	252	242	238				
U Q										288	301	330	326	315	300	282	278	266	256	249				
L Q										259	263	288	294	285	265	256	254	242	238	224				


h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	15	18	14	15	13	12	10	28	29	28	27	24	22	22	23	24	30	30	26	26	24	21	21	19
MED	105	103	103	101	103	103	108	119	107	106	107	107	108	110	109	107	107	107	106	106	99	101	103	105
U Q	109	107	103	105	103	105	125	137	119	113	113	112	121	115	135	119	111	113	111	107	105	105	107	109
L Q	103	99	99	97	99	101	91	112	105	105	103	104	103	103	105	101	97	103	97	93	94	97	94	95

MONTHLY MEDIANS PLOT of foF2

APR. 1995

AUTOMATIC SCALING



IONOSPHERIC DATA STATION Kokubunji

APR. 1995 f_{XI} (0.1MHz)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	X 49	X 43	X 44	X 45	X 42	X 40														X 80	X 60	X 49	X 50	X 51		
2		52	51	49	46	46	42														58	46	46	44	48	
3	X 45	X 49	X 45	X 37	X 31	X 30															X 66	X 54	X 49	X 49	X 49	
4	X 48	X 46	X 44	X 42	X 39	X 39															X 61	X 51	X 54	X 52	X 44	
5		53	50	46	46	40	37														X 54	X 49	X 49	X 50	X 50	
6	X 50	X 43	X 43	X 42	X 39	X 38															X 65	X 56	X 48	X 49	X 50	
7	X 48	X 45	X 44	X 45	X 38	X 36															X 80	X 71	X 43	X 46	X 43	
8	X 43	X 43	X 60	X 31	X 26	X 41							Y								X 62	X 50	X 45	X 47	X 42	
9	X 39	X 35	X 40	X 34	X 25	X 32															X 54	X 54	X 45	X 46	X 45	
10		44	39	38	A	X 34	X 39														X 71	X 60	X 58	X 55	X 54	
11		54	51	53	X 50	X 41	X 39														X 71	X 55	X 44	X 43	X 40	
12	X 44	X 40	X 41	X 38	X 35	X 34															X 67	X 57	X 58	X 56	X 56	
13	X 56	X 55	X 55	X 38	X 34	X 38															X 55	X 42	X 43	X 44	X 44	
14		44	42	42	43	35	39														X 68	X 54	X 49	X 50	X 48	
15	X 50	X 49	X 48	X 53	X 31																X 82	X 69	X 57	X 48	X 50	
16	X 49	X 48	X 46	X 46	X 44																X 80	X 75	X 50	X 44	X 46	
17		44	44	44	43	40															X 82	X 70	X 56	X 55	X 55	
18	X 51	X 49	X 49	X 46	X 44																X 83	X 69	X 49	X 49	X 49	
19	X 49	X 48	X 46	X 46	X 44																X 87	X 66	X 56	X 56	X 56	
20	X 55	X 53	X 51	X 51	X 43																X 98	X 70	X 44	X 44	X 48	
21		50	46	48	44	31															X 79	X 59	X 44	X 52	X 53	
22	X 52	X 50	X 50	X 48	X 35																X 84	X 75	X 68	X 63	X 61	
23		59	57	56	55	45															X 88	X 68	X 68	X 64	X 62	
24	X 60	X 58	X 56	X 52	X 54																X 58	X 54	X 41	X 51	X 47	
25		50	51	51	51	56															A	X 73	X 74	X 61	X 52	X 46
26		45	47	50	48	48															A	X 65	X 37	X 44	X 40	
27		40	40	47	49	42															X 78	X 65	X 48	A	X 36	
28	X 34	X 37	X 36	X 38	X 36																A	X 58	X 49	X 48	X 48	
29	A		44	43	40	36															X 68	X 66	X 60	X 43	X 42	
30	X 41	X 38	X 38	X 38	X 37																X 78	X 68	X 52	X 51	X 50	
31																										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	29	30	30	29	30	14															28	30	30	29	30	
MED	49	46	46	45	39	38															72	60	49	49	48	
U Q	52	50	50	48	44	39															81	69	56	52	51	
L Q	44	43	43	39	35	36															64	54	45	45	44	

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 foF2 (0.1MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	43	38	38	40	36	34	47	56	58	66	72	76	78	71	69	66	59	58	70	74	54	43	44	45	
2	R 46	F 43	F 40	F 40	F 36	F 34	48	55	66	70	72	78	83	72	69	71	68	78	66	52	41	40	38	42	
3	39	43	39	31	25	24	43	56	66	68	77	88	96	75	66	62	58	R 63	66	60	48	V 43	43	43	
4	42	40	38	36	33	33	45	50	54	54	68	79	86	80	76	68	70	63	63	55	45	F 45	F 42	F 38	
5	F 43	F 41	40	40	34	31	45	51	54	58	67	81	80	86	89	71	65	63	61	48	43	43	F 42	F 44	
6	44	37	37	36	33	32	47	54	60	73	91	80	74	82	71	71	61	65	69	59	52	42	43	F 43	
7	42	39	38	39	32	30	43	48	57	65	80	83	80	76	78	81	86	81	95	74	65	37	40	37	
8	37	37	54	27	20	34	50	47	J 50	R 48	51	50	R 46	55	A	50	F 50	48	46	57	F 40	F 36	F 39	F 35	
9	33	29	V 34	27	20	26	36	38	A	A	A 39	E 39	G 39	Y	51	50	R 50	47	48	53	48	47	39	F 37	F 39
10	F 36	F 32	F 30	A	28	32	44	48	52	53	62	76	78	80	67	60	54	56	61	64	54	52	47	F 47	
11	F 45	J 42	F 46	F 44	F 32	33	42	50	62	75	69	R 74	81	80	64	60	66	65	61	65	49	38	37	34	
12	38	34	R 35	32	28	28	43	54	59	68	66	66	74	72	79	71	76	66	66	61	51	F 50	F 50	F 50	
13	50	50	49	32	29	32	55	58	64	68	71	73	82	78	82	74	76	86	78	49	36	37	F 36	F 37	
14	F 36	36	36	37	29	33	52	58	59	66	78	87	80	73	66	64	64	65	R 70	62	48	43	44	42	
15	44	43	42	47	25	32	46	56	60	72	76	71	70	76	86	86	62	59	71	76	63	51	42	J 44	R 44
16	43	42	40	40	38	43	58	60	H 57	58	64	85	99	95	83	82	73	74	73	74	69	44	38	F 38	
17	F 37	F 37	F 36	F 35	F 32	F 41	57	55	V 54	65	70	68	78	91	93	88	82	73	80	76	64	50	50	49	
18	45	43	43	40	38	41	66	60	R 57	65	74	84	71	70	74	72	72	67	75	77	64	43	43	43	
19	43	42	40	40	38	42	51	55	61	64	72	76	83	74	76	81	82	74	80	81	60	50	50	50	
20	49	47	45	45	37	43	50	57	66	66	68	71	75	74	71	73	87	87	88	92	64	38	F 38	F 39	
21	F 41	41	42	38	24	F 36	55	60	69	76	80	78	81	84	84	82	70	64	79	73	53	39	J 42	R 46	
22	46	44	44	42	29	37	55	59	68	72	70	64	65	69	69	80	82	74	A	78	69	62	F 57	F 54	
23	F 53	F 49	F 48	F 46	F 37	40	48	57	64	A	70	84	92	86	77	76	69	69	79	82	63	62	58	56	
24	55	52	50	46	F 47	52	62	57	58	62	A	A	A	A	A	70	85	70	53	52	46	35	45	41	
25	F 40	F 41	F 42	F 43	F 49	F 44	50	54	51	A	55	63	74	71	A	78	A	A	A	A	67	F 66	F 54	F 41	F 37
26	F 38	F 38	F 41	F 42	F 41	F 43	62	63	58	56	R 64	R 68	76	84	79	76	80	73	A	A	58	F 30	F 35	F 32	
27	F 34	F 35	F 38	F 40	F 36	40	49	50	50	52	A	A	70	79	81	64	54	59	58	72	F 58	F 43	A	30	
28	29	32	30	32	30	34	47	44	A	A	A	A	54	53	56	56	53	A	A	A	53	F 43	F 38	42	
29	A	F 36	F 34	F 34	30	39	46	51	44	45	58	53	52	55	58	64	60	60	61	62	60	54	37	35	
30	35	32	F 31	F 30	F 29	36	46	53	R 50	50	54	54	54	57	60	66	60	62	73	72	62	46	F 43	F 42	
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	29	30	30	29	30	30	30	30	28	26	26	27	28	29	27	30	29	28	26	28	30	30	29	30	
MED	42	40	40	40	32	34	48	55	58	65	70	76	78	75	74	71	68	65	70	66	54	43	42	42	
U Q	45	43	43	42	37	41	55	57	63	68	74	81	82	81	81	78	78	74	78	75	63	50	44	45	
L Q	37	36	36	33	29	32	45	50	54	56	64	66	70	70	66	64	60	61	61	58	48	39	38	37	

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 foE (0.01MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT.35°42.4'N LON.139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

D	H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1								192	232	288	320	U R 344	348	R	R	320	292	264	212	B					
2								176	244	300	308	340	A	A	R	320	304	260	208	B					
3								216	264	288	304	336	U A 328	348	R R 336	A	304	268	208	B					
4								172	240	296	308	336	R	A	R	316	A	A	A	B					
5								172	252	300	316	340	S 360	A	R	A	R	A	212	B					
6								196	260	304	A	R	A	R	A	312	296	264	220	B					
7								172	244	300	R	R	A	A	A	A	A	A	224	A					
8								A	232	272	292	308	A	A	A	A	288	256	196	B					
9								184	236	272	A	A	A	R	A	308	A	A	A	B					
10								192	252	280	308	328	R	A	R	A	296	256	A	B					
11								168	252	284	308	340	R	R	R	348	340	316	288	B					
12								176	256	284	316	A	A	R	A	340	R	A	280	B					
13								192	244	296	316	332	R R 352	R	R	348	336	304	272	B					
14								200	256	296	332	340	A	R	A	A	332	308	A	B					
15							B	188	260	304	332	U R 336	R	A	R	R	R	276	B						
16							B	196	268	304	A	A	R	A	R	340	A	A	B						
17							B	208	280	308	A	A	A	A	A	R	A	280	B						
18							B	S 204	276	316	340	352	356	R U 352	R	A	R	280	B						
19							B	204	288	316	348	352	352	R	R	336	R	A	A	B					
20							B	H 224	268	308	336	344	356	360	352	336	308	288	A						
21							B	200	280	320	332	348	352	360	352	340	332	292	U A 172						
22							B	216	272	332	340	356	360	U R 356	R	R	336	292	A						
23								160	216	276	308	336	348	A U 356	R	A	R	308	U A A						
24							B	200	264	296	328	340	352	U A 356	A	A	A	280	A						
25							B	204	260	296	328	340	R	R	A	A	A	A	A	B					
26							B	192	256	284	300	A	A	A	A	324	312	284	B						
27							B	216	272	292	308	332	A	A	A	A	R	284	B						
28							B	212	256	296	320	344	A	A	A	A	A	272	B						
29							B	204	252	308	U A 324	A 328	A	A	A	320	296	276	B						
30							B	232	264	308	320	340	A	A	R	A	R	A	B						
31																									
		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT							1	29	30	30	25	23	11	12	13	15	17	23	25	4					
MED							160	200	258	298	320	340	352	354	344	320	304	276	224	160					
U Q								210	268	308	332	344	356	356	350	336	308	280	236	166					
L Q								186	252	288	308	336	352	348	340	316	294	264	214	156					

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 foEs (0.1MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

D	H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23																			
1		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	24	29	19	19	23	E	B	E	B	E	B	E	B														
2		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	24	24	14	15	14	14	14	16	15																		
3		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	24	27	22	58	E	B				E	B																
4		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	29	39	37																								
5		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	32	35																									
6		E	B			E	B	E	B	G		G	G	G	G	G	G	26	35	31	35	36	40	43	41	38	37	25	35	44	52	27	27											
7		J	A							G		G	G	G	J	A	J	A	J	A	J	A	J	A	J	A	J	A	J	A	J	A												
8		18	18	14	18	15	22	24	29	45	40	35	36	39	65	94	28	23	22	22	18	16	15	15	14																			
9		E	B	E	B	E	B	E	B	J	A		J	A	G						J	A	J	A	E	B	E	B	J	A	J	A												
10		J	A	J	A	J	A	J	A												J	A	J	A	J	A	J	A	J	A	J	A												
11		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	28	28																									
12		20	19	18	14	14	15			G		G	G	G	G	G	G	34	41	38	36	30	30	32	31	29	23	20	23	27	13	15												
13		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	19	13	14	18	20	17	27	29	36	39	31	25	36	39	31	27	22	23	39	22	24	19					
14		J	A	J	A	J	A	J	A	J	A		G	G				G	J	A	J	A	J	A	J	A	J	A	J	A	J	A	J	A	J	A	J	A	J	A				
15		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	14	14	14	15	14	13	23	28	32																		
16		E	B	E	B	E	B	E	B	G		G	J	A	G	J	A	G	34	40	32	48	33	37	34	32	30	23	20	42	33	26	23											
17		E	B	E	B	E	B	E	B	G		G	J	A	J	A	J	A	29	36	35	38	44	46	62	43	31	34	25	24	20	14	14	16	14	16								
18		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	12	14	18	13	14	15	36																				
19		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	14	13	13	13	16	12	28	31	34																		
20		E	B	E	B	E	B	E	B	G		J	A	G				13	14	14	15	14	14	19	29	30	36	38	40	40	39													
21		J	A	J	A	J	A	J	A	J	A		G					J	27	24	24	22	14	18	28	35	39	45	27	38	44	43	38	41	53	41	47	58	36	29	22	32		
22		E	B			E	B	E	B	G		G						24	12	19	18	14	13	28	31	37	37	37																
23		J	A			J	A											J	26	28	31	39	31	22	28	31	43	56	50	52	53	38	30	42	36	28	26	19	19	18	33	26		
24		J	A	J	A	J	A	J	A	J	A		J	A	J	A	J	A	J	26	28	23	28	14	12	28	35	46	60	100	149	128	140	86	38									
25		E	B			J	A	J	A	J	A		E	B				E	14	29	26	26	21	15	26	34	39	72	66															
26		J	A	J	A	J	A	J	A	J	A		J	A	J	A	J	A	J	33	19	20	53	13	18	24	28	45	50	54	36	74	89	54	57	48	83	80	89	26	65	45	47	
27		J	A	J	A	J	A	J	A	J	A		J	A	J	A	J	A	J	39	33	24	24	31	24	29	32	37	55	58	40	51	37	28	22	30	33	56	J	A	J	A	J	A
28		J	A	J	A	J	A	J	A	J	A		J	A	J	A	J	A	J	27	25	26	24	14	14	25	35	40	51	51	50	56	48	44	44	49	61	85	134	106	33	47	54	
29		J	A	J	A	J	A	J	A	J	A		J	A	J	A	J	A	J	52	25	25	22	21	17	26	29	36	36	43	39	36	35											
30		E	B	E	B	E	B	E	B	G		G	G	G	G	G	G	36	27	25	22	14	15	26	34	36	39	43	43	38														
31																																												
		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23																			
CNT		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30			
MED		19	16	18	18	14	14	24	29	36	37	37	38	38				34	30	31	28	22	28	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22			
UQ		26	25	24	23	20	18	28	32	39	45	44	41	44	43	42	41	38	32	30	48	39	33	33	37																			
LQ		15	14	14	14	14	14											15	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14		

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 fbEs (0.1MHz)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
D																														
1	16	E BE	15	BE BE	14	BE BE	13	G	26	25	28	G	37	27	25	G	22	29	17	17	E BE	15	BE BE	14	BE BE					
2	E BE	16	11	BE BE	14	BE BE	12	G	18	22	G	36	37	36	28	24	G	24	G	14	15	BE BE	14	BE BE						
3	E BE	14	14	BE BE	15	BE BE	14	G	G	32	32	37	36	G	G	32	26	18	24	20	49	14	14	14	15					
4	16	E BE	15	BE BE	14	BE BE	16	G	28	38	36	GU	33	36	31	21	30	27	23	E BE	14	12	15	15	E BE					
5	E BE	14	15	BE BE	15	BE BE	16	G	G	32	34	G	G	U	GU	Y	U	G	G	19	18	15	20	16	17	E B				
6	E BE	15	13	BE BE	15	BE BE	16	G	G	26	34	U	GU	Y	GU	Y	40	40	34	36	22	33	33	35	17	16				
7	E B	13	18	E B	13	17	16	16	G	29	24	29	32	37	38	47	51	41	39	17	25	21	15	16	E BE	15	14			
8	E BE	14	14	BE BE	14	18	E B	15	18	22	28	41	40	34	35	38	46	94	22	18	22	20	14	16	15	15	14			
9	16	E BE	14	BE BE	14	15	15	15	22	27	A	AA	AA	A	A	G	37	33	33	36	29	26	17	17	16	13	17	24		
10	E B	16	16	17	A	A	E B	20	13	28	30	32	34	G	36	38	U	G	33	33	26	18	23	18	22	17	16	17	E B	14
11	E BE	15	13	BE BE	12	BE BE	16	16	11	22	G	32	33	GU	G	31	37	26	26	G	17	14	14	16	14	16	14	19		
12	17	16	E BE	12	BE BE	14	14	15	G	G	33	38	36	36	U	G	30	30	32	30	28	21	17	14	16	16	13	15		
13	E BE	12	13	BE BE	14	BE BE	13	14	16	26	28	34	35	G	38	31	24	36	37	30	26	16	16	28	15	15	16	16		
14	15	16	E BE	13	BE BE	13	14	14	30	40	35	36	GU	G	31	36	U	Y	G	24	30	33	36	44	16	16	15	15		
15	E BE	14	14	BE BE	14	BE BE	15	14	13	22	28	32	G	GU	GU	Y	GU	GU	G	G	23	27	21	13	13	16	14	15		
16	16	E BE	14	BE BE	14	BE BE	13	17	G	30	GU	Y	U	G	34	38	32	42	33	36	34	32	25	17	17	32	24	17	E B	14
17	E BE	15	15	BE BE	13	BE BE	12	13	14	26	32	34	37	42	42	58	42	30	34	23	18	18	14	14	16	14	16	16		
18	E BE	12	14	BE BE	13	BE BE	14	15	G	G	35	G	G	GU	G	31	33	34	28	21	17	18	16	15	15	16	16	14		
19	E BE	14	13	BE BE	13	BE BE	13	16	12	27	30	33	G	G	38	36	40	30	26	18	17	17	15	14	14	14	14			
20	E BE	13	14	BE BE	14	BE BE	15	14	14	16	28	26	36	37	39	U	Y	40	38	G	G	31	28	21	21	14	18	16	21	
21	16	12	15	17	E BE	14	14	27	34	36	39	26	38	43	42	37	38	48	30	44	35	29	18	16	18	18	18			
22	E BE	16	12	BE BE	14	BE BE	15	14	13	27	30	36	35	37	G	40	24	42	G	55	40	88	32	27	33	18	24			
23	E BE	14	14	21	26	24	19	25	31	42	56	49	51	52	37	30	38	35	25	21	17	17	18	21	18	21	13	E B	13	
24	22	18	E B	13	19	E BE	14	12	24	34	43	58	100	149	128	140	86	37	G	G	17	19	20	18	26	21	21			
25	E B	14	16	16	17	E BE	12	15	23	33	38	72	52	G	G	65	105	62	A	AA	AA	AA	AA	24	44	26	17	24		
26	26	E B	14	16	13	13	14	23	28	44	43	39	36	40	41	37	U	Y	56	35	64	80	89	16	20	17	20			
27	23	22	16	17	18	15	26	31	35	48	A	AA	AA	U	Y	40	45	36	28	18	26	31	46	38	33	55	19	A	A	
28	16	E BE	14	BE BE	14	BE BE	14	23	34	40	51	51	50	52	44	42	41	40	A	AA	AA	AA	AA	45	19	24	37	37		
29	A	A	18	18	14	14	15	24	28	35	35	42	38	36	34	U	Y	G	G	30	26	22	18	19	18	20	18	18		
30	19	E BE	14	BE BE	14	BE BE	15	25	33	33	38	42	43	36	GU	Y	G	32	G	17	17	28	24	18	23	23	23			
31																														
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
CNT	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
MED	16	14	14	14	14	14	22	28	34	36	36	36	36	36	34	32	G	30	26	20	17	16	16	16	16	16	16	16	16	
U Q	16	16	15	17	16	16	26	31	37	40	42	38	40	42	37	38	34	28	25	32	28	19	17	20	20	20	20	20	20	
L Q	14	14	13	14	14	13	G	26	32	33	G	G	G	33	G	28	24	G	17	15	14	15	15	14	14	14	14	14	14	

APR. 1995 fbEs (0.1MHz)

COMMUNICATIONS RESEARCH LABORATORY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 fmin (0.1MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	13	15	14	14	14	13	14	14	15	15	16	16	16	18	16	14	14	14	14	15	14	16	14	14
2	16	11	14	14	16	12	13	14	17	15	18	21	16	18	17	16	16	15	14	15	14	14	16	15
3	14	14	15	15	13	14	14	14	14	14	15	22	17	16	14	16	13	13	15	14	14	14	14	15
4	13	15	14	14	14	16	13	16	14	14	15	15	18	22	16	16	16	14	14	12	15	13	16	14
5	14	15	15	14	16	16	15	14	14	16	15	20	20	15	18	16	16	14	14	15	14	15	13	12
6	15	13	15	14	13	16	13	14	18	14	17	16	20	16	15	15	14	13	13	14	12	14	14	14
7	13	15	13	14	14	12	14	14	15	16	14	17	17	17	16	14	16	14	15	15	15	14	15	14
8	14	14	13	15	15	14	13	14	14	15	16	19	16	15	14	15	14	15	13	14	16	15	15	14
9	14	14	14	15	15	15	14	14	15	15	15	16	22	17	14	16	15	14	15	15	16	13	15	14
10	16	14	15	12	14	13	13	14	15	18	18	20	16	16	17	16	14	15	14	13	15	14	14	14
11	15	13	12	16	16	11	13	13	16	15	18	20	21	22	16	15	14	13	17	14	14	16	14	13
12	12	14	12	14	14	15	13	15	18	15	15	17	18	21	22	18	17	15	14	14	14	13	13	15
13	12	13	14	13	14	15	15	14	14	14	16	23	18	17	16	15	16	13	13	14	14	15	15	14
14	14	14	13	13	14	14	16	15	15	17	16	22	20	20	17	16	18	13	14	16	14	14	15	15
15	14	14	14	15	14	13	15	16	15	19	22	21	24	19	20	16	16	14	15	13	13	16	14	15
16	13	14	14	14	13	15	15	14	15	15	21	17	23	27	19	19	15	15	14	14	16	15	14	14
17	15	15	13	12	13	14	16	15	16	16	16	16	24	22	19	16	15	14	18	14	14	16	14	16
18	12	14	13	13	14	15	15	14	15	14	17	16	26	20	16	16	14	14	14	14	15	15	16	14
19	14	13	13	13	16	12	14	15	16	15	14	18	20	16	20	17	14	15	12	13	15	15	14	14
20	13	14	14	15	14	14	15	15	15	15	18	18	18	16	15	15	16	14	13	14	14	14	14	15
21	14	12	12	14	14	14	14	14	18	16	15	18	14	18	16	15	15	14	14	14	14	14	12	16
22	16	12	14	15	14	13	14	16	15	16	19	19	20	15	42	17	15	15	16	14	13	15	14	14
23	14	14	14	15	13	13	16	16	15	17	23	21	30	34	19	16	15	15	13	15	14	13	14	13
24	14	14	13	13	14	12	16	14	15	15	18	19	18	15	16	17	15	14	14	12	15	14	16	14
25	14	14	14	16	12	15	15	15	14	17	16	21	17	16	14	16	14	15	15	15	15	14	15	14
26	16	14	13	13	13	14	15	15	14	16	15	16	17	23	18	16	13	15	15	14	15	14	15	13
27	14	14	14	14	14	13	14	16	17	15	18	15	15	17	17	16	14	13	14	15	14	15	14	14
28	15	14	13	14	14	14	15	14	15	14	15	18	18	18	16	16	15	14	14	15	14	14	14	14
29	14	15	14	14	14	15	14	15	15	16	20	19	14	15	16	16	16	14	16	15	16	16	15	15
30	16	14	16	14	14	15	15	14	17	15	16	18	29	20	17	16	14	16	14	14	14	15	14	15
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
MED	14	14	14	14	14	14	14	14	15	15	16	18	18	18	16	16	15	14	14	14	14	14	14	14
U Q	15	14	14	15	14	15	15	15	16	16	18	20	21	20	18	16	16	15	15	15	15	15	15	15
L Q	13	14	13	13	14	13	14	14	15	15	15	16	17	16	16	15	14	14	14	14	14	14	14	14

APR. 1995 fmin (0.1MHz)

COMMUNICATIONS RESEARCH LABORATORY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 M(3000)F2 (0.01) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	325	320	318	317	311	329	353	362	339	356	326	339	335	350	334	353	351	330	329	341	357	304	306	309	
2	321	307	323	336	336	290	340	311	319	325	297	301	317	333	327	329	318	344	355	340	308	272	275	281	
3	288	297	346	323	332	292	343	333	328	327	322	334	340	340	352	344	344	329	340	332	314	309	298	291	
4	302	307	315	322	335	337	382	376	335	327	319	315	324	331	337	328	345	349	349	340	311	297	300	316	
5	316	325	307	332	369	350	374	358	350	307	316	322	307	309	336	360	347	353	356	311	303	285	295	311	
6	323	304	314	325	332	331	321	354	313	324	344	335	317	330	332	338	333	334	352	322	326	287	289	307	
7	313	316	311	326	353	335	378	365	314	324	324	332	326	314	308	302	326	307	350	329	384	276	284	286	
8	292	271	354	274	393	330	362	311	278	280	276	278	256	304		309	304	307	321	335	323	315	289	275	
9	295	297	323	364	289	311	346	296						280	319	294	334	343	346	308	309	297	295	298	
10	334	322	320		306	318	368	341	351	320	303	313	311	344	341	348	339	320	325	324	306	311	300	320	
11	306	291	338	342	347	329	362	317	314	342	319	307	316	334	323	326	330	345	330	327	337	316	301	297	
12	316	305	335	314	366	322	341	347	348	337	319	309	323	309	329	333	336	343	337	325	302	293	301	287	
13	297	315	357	336	294	305	358	342	345	320	332	294	325	317	329	328	325	348	362	342	307	302	298	305	
14	314	312	322	360	341	330	353	361	326	317	310	332	330	320	329	348	334	344	348	346	316	297	289	306	
15	299	309	326	376	321	338	353	336	318	328	335	327	305	310	328	345	356	328	320	346	356	337	303	304	
16	298	304	310	324	313	336	374	360	348	328	310	301	324	325	309	320	324	329	326	335	356	307	307	311	
17	314	323	325	329	316	348	373	373	345	322	324	303	294	301	316	317	338	322	333	338	346	293	299	313	
18	296	296	299	311	301	313	366	364	334	333	324	337	307	312	308	325	324	318	329	334	357	305	290	296	
19	304	296	305	330	355	345	374	358	332	334	323	332	320	305	308	316	327	320	324	334	329	287	288	295	
20	294	293	306	324	321	350	366	335	341	330	323	323	323	318	302	296	317	328	324	348	365	304	285	287	
21	298	305	339	338	360	337	351	345	325	336	321	307	309	312	314	326	340	324	331	342	325	300	289	304	
22	302	313	334	349	331	325	355	345	338	334	334	330	323	313	306	309	330	328		324	317	323	300	299	
23	288	296	293	318	342	340	373	344	369		286	300	314	326	328	334	316	312	309	314	329	296	287	289	
24	288	297	300	283	289	307	352	316	333	331						296	335	350	333	315	321	309	301	288	
25	309	313	321	322	344	319	346	343	354		291	306	308	304		350				313	322	340	297	297	
26	311	313	324	326	299	335	343	351	321	320	324	313	288	294	318	326	331	332			336	329	313	303	
27	294	313	301	310	296	328	366	342	338	311			277	299	335	325	324	314	295	316	353	312		282	
28	278	314	293	327	347	356	364	343						310	320	321	308				328	315	307	329	
29		298	316	362	329	343	330	360	354	249	322	324	297	301	305	313	303	325	326	327	327	342	317	311	
30	309	315	336	319	298	344	370	370	333	316	302	321	311	319	310	334	316	313	314	335	338	319	302	314	
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	29	30	30	29	30	30	30	30	28	26	26	27	27	29	27	30	29	28	26	28	30	30	29	30	
MED	302	307	320	326	332	330	360	345	334	326	322	315	316	313	323	326	330	328	330	333	326	304	298	301	
U Q	314	314	334	337	347	340	370	360	346	333	324	332	324	328	332	338	338	344	348	340	346	315	302	311	
L Q	294	297	307	318	306	319	346	336	323	320	310	303	307	304	309	316	321	320	324	323	314	296	289	289	

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 h'F2 (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

D \ H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1									262	264	290	266	274	268	284	262	254	266 ^L						
2								260	274	282	314	294	278	284	288	282	280	238						
3								284	272	272	286	272	272	258	256	266	266	258						
4								244	260	264 ^L	298	288	284	274	270	276	248	240						
5								230	254	330	312	290	300	304	270	246	260	244						
6								280	310	296	260	270	292	270	270	264	266	260						
7									298	300	280	278	278	322	306	306	266	282						
8									414	432	440	440	528	378		334	322	308						
9								404		A	A		G	Y										
10									284	322	326	302	294	272	276	274	270							
11								312	302	264	294	316	290	276	300	294	276	262						
12									268	282	278	330	286	318	274	278	262	240						
13								258	262	286	286	324	282	304	288	288	268	244						
14									302	296	306	284	286	294	288	274	284	260						
15								282	308	280	274	292	320	320	290	260	246							
16								240	244	288	322	320	278	276	280	282	276	266						
17									264	306	300	304	342	314	282	276	260	270						
18								236	280	290	302	270	288	320	302	296	282	264						
19								236	280	284	296	286	298	298	306	300	268	264	254					
20								236	268	288	292	296	292	300	306	322	282	260						
21								256	290	276	284	312	304	300	300	270	266	276						
22								254	280	280	278	294	302	312	324	300	268	276		A				
23									248		A	342	312	298	286	288	280	292	288	262				
24								280	290	322		A	A	A	A		336	260	240	238				
25							250	270	268		A	A			A	A	A	A		A				
26							260	246	278	342	302	322	346	312	288	300	278		A	A				
27								266	304	350		A	A	362	308	278	280	314	290	314				
28								276		A	A	A	A		358	336	316	328		A	A			
29									L	Y														
30								248	276	514	320	330	390	370	348	304	320	278	262					
31								244	312	324	368	342	342	332	328	282	302	298	268					
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT							2	22	28	26	25	27	27	28	27	30	29	25	6					
MED							255	257	279	289	298	302	294	304	288	282	270	264	262					
U Q							280	300	322	317	322	320	320	306	300	288	277	268						
L Q							244	266	280	285	286	284	280	278	274	264	251	254						

APR. 1995 h'F2 (KM)

COMMUNICATIONS RESEARCH LABORATORY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 h'F (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
1	242	258	266	244	248	234	218	236	230	218	200	H	H	208	220	224	236	240	H	248	222	202	266	280	276		
2	260	254	266	246	240	246	228	242	216	206	224	200	238	218	216	214	228	242	218	218	234	304	336	316			
3	314	274	222	232	252	308	244	248	238	226	212	212	226	202	H	224	220	218	242	240	A	224	286	296	296		
4	280	276	260	236	234	236	210	212	A	A	228	196	186	H	H	H	H	232	232	230	220	236	284	294	294		
5	270	266	270	248	214	220	212	178	216	196	208	230	194	196	222	216	220	236	228	222	270	306	310	274			
6	248	262	254	232	240	246	218	196	H	224	216	206	234	210	246	A	A	240	A	238	256	256	A	306	278		
7	268	284	270	242	224	244	212	228	H	182	218	218	198	A	A	A	A	A	238	230	234	198	342	312	318		
8	308	356	244	350	218	242	224	248	A	A	204	240	Y	A	A	244	234	250	274	236	238	294	308	320			
9	314	292	244	220	E	B	262	250	A	A	A	208	Y	Y	244	234	224	A	246	242	240	232	290	314	328		
10	250	282	282	A	312	258	230	240	A	230	206	192	226	A	250	194	208	226	220	244	262	250	226	246	260	272	
11	282	290	262	230	234	244	238	222	224	H	H	H	232	216	216	214	218	244	248	238	204	264	268	328			
12	266	276	244	258	220	254	230	242	230	E	A	266	220	226	234	208	210	190	242	238	232	238	248	274	292	296	
13	294	254	218	216	290	272	242	238	238	218	198	212	244	212	220	258	244	240	224	208	A	306	300	302			
14	292	270	258	218	226	242	234	244	226	226	210	208	190	H	Y	H	186	220	222	A	240	244	238	280	310	308	
15	288	278	254	208	E	B	218	228	224	230	220	214	212	184	H	196	218	206	224	232	240	256	226	212	232	252	286
16	284	276	268	240	260	244	220	224	212	196	196	180	244	A	204	224	204	220	240	246	238	230	234	276	302		
17	288	262	260	242	236	230	226	220	216	228	A	A	A	E	A	E	Y	228	224	232	248	220	218	248	272	258	
18	288	294	278	250	276	258	234	210	214	202	196	206	188	H	182	204	224	226	246	248	228	212	222	298	284		
19	288	290	276	240	224	216	216	226	226	204	214	214	230	240	212	A	236	232	256	234	224	256	290	264			
20	288	288	270	242	224	230	218	218	224	226	228	216	Y	204	208	224	234	242	254	226	204	262	338	344			
21	304	268	244	232	240	252	234	242	230	230	200	212	E	A	A	256	246	218	266	A	A	A	240	270	312	300	
22	286	272	242	218	220	248	232	234	226	212	216	206	H	A	238	208	B	228	A	A	A	242	232	268	278	298	
23	308	322	310	280	230	236	232	244	A	A	A	A	A	A	Y	230	A	A	A	A	A	226	276	290	276		
24	296	282	266	310	296	268	240	248	A	A	A	A	Y	A	A	A	260	220	232	256	256	246	286	314	332		
25	278	292	280	246	234	242	238	254	A	A	A	Y	242	214	A	A	A	A	A	A	A	E	A	280	258	256	342
26	320	278	266	244	272	258	232	218	A	A	A	H	246	190	220	254	226	A	A	A	A	222	262	244	342		
27	342	304	280	280	304	246	228	248	A	A	A	A	Y	A	A	236	234	220	H	A	A	276	306	A	338		
28	312	292	288	262	232	226	246	A	A	A	A	A	A	A	A	A	A	A	A	A	A	E	A	A	A		
29	A	308	254	216	250	258	224	224	A	A	210	A	218	220	210	214	240	242	A	258	244	240	236	246	292		
30	296	290	260	278	296	230	238	A	222	E	A	A	A	216	214	196	204	234	228	246	228	230	252	284	302		
31																											
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
CNT	29	30	30	29	30	30	30	28	22	22	21	23	22	21	23	23	24	24	25	28	29	29	29	29			
MED	288	280	264	242	236	244	230	235	224	215	208	208	220	213	216	224	230	241	248	238	231	268	294	300			
U Q	306	292	270	254	272	258	238	244	230	226	217	226	238	230	224	234	238	244	256	246	242	288	311	324			
L Q	274	270	254	231	224	234	220	221	216	206	197	198	208	204	208	214	220	234	235	226	220	250	274	281			

APR. 1995 h'F (KM)

COMMUNICATIONS RESEARCH LABORATORY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 h'E (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							152	114	138 ^A	128 ^A	110	112	120	120	116	118 ^A	110	110		B				
2							136	132	116	110	112		^A	^A	122	114	124	118		B				
3							152	118	110	110	110	112	116	112	114	124	120	128 ^A		B				
4							166	118	112	108	112	116		^A	^A	118		^A	^A	B				
5							164	116	122	140 ^A	114	112	112	128		^A	^A	^A		B				
6							132	116	130 ^A		^A	^A	138	110	118	118	118	122		B				
7							156 ^B	114	120		^A	^A	^A	^A	^A	^A	^A	^A	^A	^A	^A			
8								122	122	110	110		^A	^A	^A	^A	132	120	118		B			
9							128	118	120	108	108		^A	^A	^A	128		110	118		B			
10							132	116	110	114	112		^A	^A	^A	^A	130	118		^A	B			
11							136	116	112	116	116		^A	118	116	122	120	114	118		B			
12							142	114	110	108	112				114		^A	^A	130	130		B		
13							154	112	110	110	112	116		^A	116	118	108	112	118		B			
14							140	128 ^A	114	108	112		^A	^A	^A	114	120		^A	^A	B			
15						B	136	116	112	114	118		^A	^A		^A	^A	128	120		B			
16						B	136	114	110		^A	^A	^A	^A	116	116	124		^A	B				
17						B	126	116	116		114		^A	^A	^A	^A		120	124		B			
18						B	128	114	116	110	112	112		^A	^A	^A	^A	120	120	128				
19						B	122	116	112	110	110	110	110	116		^A	^A		124	116				
20						B	130	136	136 ^A	122	122	118	122	114	114	112	114	132		^A	B			
21						B	126	116	110	112	118	112	110	112	112	122	112	120	128		^A			
22						B	122	114	108	110	112	114		^A	116		112	114	124		^A			
23						B	150	132	114	116	112	116	114	120		^A	^A	114	116	118				
24						B	126	114	112	112	116	112	112	110	110	112	114	118	130		^A			
25						B	112	116	112	114	112	118	112	110	112		^A	^A		^A	B			
26						B	130	116	110	112	112		^A	^A	114	112	114	114	118		B			
27						B	124	114	114	110	114	112	110		112		120	126		^A	B			
28						B	134	114	112	110	112	112	114	114	110	112	110	114		^A	B			
29						B	122	114	110	112	110		^A	^A	^A	114	118	124	120		^A	B		
30						B	132	116	112	110	112	110		^A	116	112	114		^A	B				
31																								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT						1	29	30	30	26	27	16	15	18	19	19	23	25	4					
MED						150	132	116	112	110	112	112	116	115	114	116	118	120	128					
U Q							141	116	116	114	114	115	122	116	118	120	120	124	129					
L Q							126	114	110	110	112	112	112	112	112	112	114	118	122					

APR. 1995 h'E (KM)

COMMUNICATIONS RESEARCH LABORATORY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 h'Es (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	100	B	B	B	B	B	G	156	112	112	G	166	106	108	G	98	148	100	102	116	B	B	B	B		
2	B	B	B	B	B	B	G	112	110	G	120	114	114	112	110	G	114	G	B	B	B	B	B	B		
3	B	B	B	B	B	B	G	G	150	144	124	118	G	G	110	110	102	138	120	112	B	116	114	B		
4	108	B	B	B	B	B	G	156	142	138	G	118	168	108	108	116	118	106	B	110	104	116	B	B		
5	116	B	B	B	B	B	G	G	172	146	G	G	114	112	114	114	110	114	120	118	114	114	112	132		
6	B	102	102	100	B	B	G	G	112	118	110	110	118	116	110	130	122	120	118	116	112	112	114	110		
7	106	104	106	106	108	114	G	G	176	110	110	108	110	108	106	108	100	100	100	98	96	98	102	118		
8	134	156	140	114	B	152	144	136	118	116	126	118	112	108	102	102	102	134	122	104	B	B	B	B		
9	110	B	B	B	B	166	136	128	124	110	108	110	110	110	156	108	150	118	118	110	B	B	116	106		
10	104	122	106	106	110	180	142	134	126	120	G	116	112	110	106	106	106	102	102	98	96	100	114	124		
11	118	B	B	B	B	B	144	G	134	128	G	114	172	G	112	110	G	G	B	B	B	B	B	108		
12	108	106	106	B	B	B	G	G	146	124	116	114	112	G	108	116	152	138	98	102	120	124	B	B		
13	116	B	B	116	112	150	142	156	136	122	G	190	108	106	180	146	144	134	124	124	112	118	134	146		
14	124	120	114	B	122	114	134	120	122	122	G	114	112	116	G	102	100	98	96	114	124	108	B	B		
15	B	B	B	B	B	B	156	178	154	G	112	106	110	110	114	114	120	114	120	B	B	B	B	B		
16	104	B	B	104	114	112	G	132	G	116	110	110	106	112	124	124	126	116	118	118	B	B	B	B		
17	B	B	B	B	B	B	152	138	132	114	112	108	104	108	104	104	104	104	104	B	B	B	B	B		
18	B	B	112	B	B	B	G	G	144	G	G	G	108	104	104	104	102	106	140	102	B	B	B	B		
19	B	B	B	B	B	B	154	174	162	G	168	130	134	170	102	G	102	156	124	104	122	104	126	B		
20	B	B	B	B	B	B	112	182	110	134	132	132	128	126	G	G	174	136	122	114	B	118	116	116		
21	114	116	110	112	B	172	152	138	132	122	110	128	130	122	130	152	126	128	124	118	118	124	138	118		
22	120	B	118	118	B	B	152	144	136	128	140	G	132	106	B	G	124	120	116	112	112	112	112	112		
23	110	102	98	104	108	176	150	158	132	122	120	118	116	124	112	120	124	126	116	106	104	100	114	110		
24	102	102	110	106	B	B	144	134	122	118	118	112	110	112	112	120	G	G	132	116	112	116	108	106		
25	B	140	116	120	118	B	138	132	128	118	116	G	G	108	104	104	102	104	114	112	116	112	108	108		
26	110	110	132	108	B	144	130	126	112	110	108	114	112	112	116	132	128	114	114	110	116	114	112	108		
27	106	106	100	98	108	98	140	128	130	122	114	112	116	112	118	110	100	122	120	114	118	116	108	110		
28	108	108	106	114	B	B	140	130	124	118	116	114	116	114	116	112	112	126	114	108	112	114	116	110		
29	106	108	106	108	114	138	140	134	124	120	112	116	108	108	G	106	E	G	200	142	118	114	108	110	108	106
30	110	108	104	116	B	B	170	130	130	122	120	116	122	G	124	G	108	G	124	110	108	102	106	112		
31																										
CNT	21	15	17	16	9	12	20	24	29	26	21	26	27	26	25	26	28	26	27	27	20	22	19	19		
MED	110	108	106	108	112	147	143	134	130	121	116	114	112	111	111	110	114	120	118	112	112	114	114	110		
U Q	116	120	115	115	116	169	152	156	139	124	122	118	118	114	121	120	127	134	122	116	117	116	116	118		
L Q	106	104	105	105	108	114	139	130	120	116	110	112	108	108	108	104	102	106	114	106	108	108	108	108		

IONOSPHERIC DATA STATION Kokubunji

APR. 1995 TYPES OF Es





135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 25.0MHz IN 24.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	F1							H1	L1	L1		H1	L1	L1		L1	HL12	L1	L1	FF11					
2								L1	L1		C1	C1	C1	L1	L1		L1								
3								H1	H1	C1	C1			CL11	L1	L1	HL22	CL22	FF51		F1	F2			
4	F1							H1	H1	H1		L1	HL11	L1	L1	C1	L2	L2		F1	F1	F1			
5	F1							HL11	HL11				C1	L1	L1	L1	L2	L1	L1	F1	F2	F2	F2	FF11	
6		F1	F2	F2				L1	C1	L1	L1	L1	L1	C1	CL11	CL11	CL21	C3	CL32	FF32	F4	F5	F2	F2	
7	F2	F2	F2	F2	F1	F1		H1	L1	L1	L1	L1	LH11	L2	L2	L3	L3	L2	L3	F3	F1	F1		F2	
8	F2	F1	F1	F1		FF11	C1	CL11	CL31	C2	C1	C1	L1	C2	L2	L2	L3	HL11	C2	F1					
9	F1					F1	C2	C1	CL21	C2	C2	C1	L1	L1	HL11	L2	H1	C2	C2	F3			F1	F3	
10	F2	FF11	F1	F3	F3	F1	C2	C2	C2	C1		C1	C2	L1	L1	L1	L2	L2	F3	F1	F1	F2	F1		
11	F1					H2		H1	CL11		L1	H1		L1	L1									F4	
12	F2	F2	F1					H1	C2	C1	C1	C1	L1	L1	L1	HL11	HL21	L2	F2	F1	F2				
13	F1			F1	F1	F1	C2	H1	H1	C1		H1	L1	L1	HL11	HL11	H1	C1	C1	F1	F3	F2	F1	F1	
14	F2	F1	F2		F1	F1	C2	CL21	C2	C1		L1	L1	L1	L1	L2	L3	L2	FF33	FF21					
15						H1	H1	H1				L1	L1	L1	L1	L1	L2	L2	F1						
16	F1			F1	F1	L2		H1		C1	L1	L1	L1	L1	C1	C1	CL11	C1	L1	F2	F3	FF13	F2	F2	
17						H1	H1	H2	C1	C1	C2	L2	L1	L1	L2	L2	L2	L2	L1						
18			F1					H1					L1	L1	L1	L2	L2	L1	F1						
19						H1	H1	H1		H1	H1		H1	HL11	L2	L2	HL12	C1	F2	FF11	F1	FF11			
20						L1	HL11	L1	CL11	CL11	CL11	CL11	CL11					HL12	C1	F4		F3	F2	F3	
21	F4	F2	F2	F2		H1	C1	C1	C1	C1	L1	C1	C1	C1	C1	HL11	CL21	C2	FF23	FF61	FF31	FF11	FF42		
22	F1		F1	F1			H1	H1	H1	H1			CL11	L1			C2	CL21	F4	F2	F3	F3	F3		
23	F2	F3	F3	F5	F2	H1	C1	H1	C1	C1	C1	C1	C1	C1	L2	C2	C2	C1	F1	F1	F1	FF22	F2		
24	F2	F2	F1	F3			C1	C1	C2	C2	C2	C3	C3	C2	C2			L1	F2	F3	FF23	F3	F2		
25		FF21	F2	F3	FF11		H1	H1	C1	C2	C2			C2	C3	C3	L2	L3	CL35	FF33	F6	FF22	FF21	F5	
26	F3	F1	FF11	F1		C1	C1	C1	C2	C2	C1	L1	L1	L2	C1	H2	C2	C4	C4	F4	F1	F5	F3	F4	
27	F5	F4	F2	F1	F3	LC11	C1	C1	C1	C2	C2	C2	C2	C1	C1	L1	L1	CL12	CL22	FF32	FF21	F5	F3	F3	
28	F2	F1	F2	F1			C1	C1	C1	C2	C2	C2	C2	C1	C2	C3	C4	C3	LC31	F4	F3	F3	FF31	F3	
29	F5	FF22	F2	F1	F2	C1	H1	C1	C1	C1	C1	C1	L1	L1		L1	HL11	H1	C2	F3	F3	F3	F3	F3	
30	F3	F2	F2	F1			H1	C1	C1	C2	C1	C1	C1		C1		L1		L1	F2	F3	F4	F2	FF22	
31																									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT																									
MED																									
U Q																									
L Q																									

f-PLOTS OF IONOSPHERIC DATA

KEY OF f-PLOT	
	SPREAD
◇	f_oF2, f_oF1, f_oE
×	f_xF2
✱	DOUBTFUL f_oF2, f_oF1, f_oE
⊗	f_bE_s
└	ESTIMATED f_oF1
†, ‡	f_{min}
^	GREATER THAN
∨	LESS THAN




f-PLOT DATA

SCALER :

STATION : Kokubunji

DATE : 1995/ 4/ 5

135°E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji

DATE : 1995/ 4/ 7

135°E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji

DATE : 1995/ 4/ 6

135°E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji

DATE : 1995/ 4/ 8

135°E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/13

135 °E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/15

135 °E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/14

135 °E MEAN TIME








f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/16

135 °E MEAN TIME






f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/21

135°E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/23

135°E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/22

135°E MEAN TIME








f-PLOT DATA

SCALER :

STATION : Kokubunji DATE : 1995/ 4/24

135°E MEAN TIME






f-PLOT DATA

SCALER :

STATION : Kokubunji

DATE : 1995/ 4/29

135°E MEAN TIME




f-PLOT DATA

SCALER :

STATION : Kokubunji

DATE : 1995/ 4/30

135°E MEAN TIME



B. Solar Radio Emission

B1. Daily Data at Hiraiso

200 MHz

Not available until system improvement is completed.

B. Solar Radio Emission

B1. Daily Data at Hiraiso

500 MHz

Hiraiso

April 1995

Single-frequency total flux observations at 500 MHz					
Flux density: $10^{-22} \text{Wm}^{-2} \text{Hz}^{-1}$					
UT	00-03	03-06	06-09	21-24	Day
Date					
1	27	26	27	28	27
2	27	27	27	27	27
3	26	26	26	28	26
4	27	26	26	27	27
5	27	26	26	27	26
6	26	26	26	25	26
7	25	25	25	27	25
8	26	26	26	27	26
9	26	26	26	26	26
10	26	26	27	27	26
11	27	27	27	27	27
12	27	27	26	28	27
13	27	27	27	29	27
14	28	28	30	29	29
15	29	29	29	29	29
16	29	29	29	29	29
17	29	28	27	29	28
18	28	27	28	29	28
19	29	27	27	28	28
20	28	28	27	29	28
21	29	28	27	28	28
22	29	28	28	29	28
23	28	27	26	-	27
24	28	27	26	27	27
25	27	26	27	27	27
26	27	26	26	27	26
27	26	25	25	26	26
28	25	25	25	26	25
29	25	24	24	25	25
30	25	25	25	25	25

Note: No observations during the following periods.

23rd 0810 - 24th 0008


B. Solar Radio Emission
B2. Outstanding Occurrences at Hiraiso

Hiraiso

April 1995

Single-frequency observations								
Normal observing period: 2040 - 0900 U.T. (sunrise to sunset)								
APR. 1995	FREQ. (MHz)	TYPE	START TIME (U. T.)	TIME OF MAXIMUM (U. T.)	DUR. (MIN.)	FLUX DENSITY ($10^{-22} \text{Wm}^{-2} \text{Hz}^{-1}$)		POLARIZATION
						PEAK	MEAN	REMARKS
1	500	46 C	0046.4	0047.6	2.0	9	4	0
	500	46 C	0337.7	0339.1	3.0	4	2	0
	500	42 SER	0718.2	0718.2	2.5	9	-	0
4	500	8 S	0142.6	0142.6	0.1	5	-	WL
	500	8 S	0157.4	0157.4	0.1	11	-	WL
13	2800	20 GRF	0200.9	0203.5	33	3	2	0
	2800	20 GRF	0004.7	0005.6	22.5	3	1	0
	500	8 S	0005.5	0005.7	0.5	3	-	0
14	2800	42 SER	0039.6	0040.1	6.0	5	-	SL
	500	8 S	0330.8	0331.4	0.8	4	-	0
18	2800	1 S	0542.5	0544.0	8.5	5	2	0
	500	8 S	0551.3	0551.5	0.2	3	-	0
	500	8 S	2100.5	2100.8	0.7	13	-	0
	2800	1 S	2101.0	2101.2	1.0	7	4	0
	500	6 S	0038.7	0039.3	1.5	4	2	0
19	2800	8 S	0039.0	0039.3	0.7	8	-	WL
	500	8 S	0337.7	0337.7	0.1	9	-	0
	2800	1 S	0339.4	0340.8	6.5	5	2	0
	2800	8 S	0405.7	0405.8	0.2	10	-	0
22	500	46 C	0624.4	0624.7	1.0	21	15	0
	2800	1 S	0208.3	0210.4	7.5	5	3	0

B. Solar Radio Emission

B3. Summary Plots of $F_{10.7}$ at Hiraiso

Note: A vertical grid space corresponds to a 100 sfu.
Elevation angle range $\geq 6^\circ$.

C. Radio Propagation

C2. Radio Propagation Quality Figures at Hiraíso

Hiraíso		Time in U.T.															
APR. 1995	Whole Day Figure	<u>W W V</u>				<u>W W V H</u>				<u>Condition</u>				<u>Principal Geomagnetic</u>		<u>Storms</u>	
		00	06	12	18	00	06	12	18	00	06	12	18	Start	End	Range	
		06	12	18	24	06	12	18	24	06	12	18	24	h	m	h	nT
1	4+ U	5U	-	-	5	4	3U	-	5	N	N	N	N				
2	4+ U	5U	-	-	4U	4	4U	-	5	N	N	N	N				
3	4+ U	5U	-	-	5U	4	4	-	4	N	N	N	N				
4	4o U	-	-	-	5	4	3U	-	4	N	N	N	N				
5	4o U	5U	-	-	4U	4	3U	-	4	N	N	N	N				
6	4- U	-	-	-	5	4	3U	-	3	N	N	N	N				
7	4+ U	5U	-	-	4U	4	5	-	3	N	N	N	N	02.8	--		169
8	4- U	-	-	-	4U	4	3U	-	4	N	N	N	N	--	18		
9	4- U	-	-	-	4U	4	3U	-	4	U	U	U	U				
10	4- U	-	-	-	4U	4	4	-	3	U	U	U	U				
11	4o U	-	-	-	4U	4	4	-	4	U	N	N	N				
12	4- U	-	-	-	4U	4	3U	-	4	N	N	N	N				
13	4- U	-	-	-	4U	4	4	-	3	N	N	N	N				
14	4o U	-	-	-	5U	4	3U	-	4	N	N	N	N				
15	5- U	-	-	-	5	5	5U	5U	4	N	N	N	N				
16	4+ U	5U	-	-	5U	4	4	-	4	N	N	N	N				
17	4+ U	5U	-	-	5U	4	3U	-	4	N	N	N	N				
18	5- U	5U	-	-	5	5	4U	-	4	N	N	N	N				
19	4+ U	5U	-	-	5	4	4U	-	3	N	N	N	N				
20	4+ U	5U	-	-	5U	4	4U	5U	4	N	N	N	N				
21	4+ U	5U	-	-	5	4	4	-	3	N	N	N	N				
22	4+ U	5U	-	-	4U	4	5	5U	4	N	N	N	N				
23	4+ U	-	-	-	4U	4	5	5U	4	N	N	N	N				
24	4- U	-	-	-	4U	4U	3U	5U	3	N	N	N	N				
25	4- U	-	-	-	4U	4	3U	-	4	N	U	U	U				
26	4o U	-	-	-	4U	4	5	-	3U	U	U	U	U				
27	4o U	-	-	-	4U	4	5	-	3	U	N	N	N				
28	4o U	-	-	-	4U	3	5	-	4	N	U	U	U				
29	4o U	-	-	-	4U	4	5	-	3	U	U	U	U				
30	5- U	-	-	-	5U	4	5	5U	4	U	N	N	N				

C. Radio Propagation

C4. Sudden Ionospheric Disturbance

(a) Short Wave Fade-out (SWF) at Hiraíso

Hiraíso

Time in U. T.

APR. 1995	S W F								Correspondence		
	Drop-out Intensities(dB)					Start	Dur.	Type	Imp.	Solar * Flare	Solar Burst
	CO	HA	AUS	MOS	BBC						
21					15	1332	18	SL	1	x	C
22		<u>10</u>	10			0426	36	SL	1+	x	C
22				x	>60	1146	19	S	3+	x	C
23		>37	<u>40</u>			0205	37	SL	3	x	C

NOTE CO:Colorado(WWV) HA:Hawaii(WWVH) AUS:Australia MOS:Moscow BBC:London
* Optical and X-ray Flares

C. RADIO PROPAGATION

C1. H.F. FIELD STRENGTH (UPPER SIDE-BAND OF WWV)

SEP 1994	FREQUENCY 15 MHZ																				BANDWIDTH 80 HZ			RECEIVING ANTENNA ROD 4.5 M			MEASURED AT HIRAI SO		
UT DAY	00H 17M	01H 17M	02H 17M	03H 17M	04H 17M	05H 17M	06H 17M	07H 17M	08H 17M	09H 17M	10H 17M	11H 17M	12H 17M	13H 17M	14H 17M	15H 17M	16H 17M	17H 17M	18H 17M	19H 17M	20H 17M	21H 17M	22H 17M	23H 17M					
1	-6	-11	-13	-29	-11	-11	-29	-13	-13	-3	-29	-3	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29				
2	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29				
3	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29				
4	-12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
5	-15	-9	-12	-28	-28	-28	-28	-28	-28	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
6	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
7	-28	-28	-28	-28	-28	-12	-10	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
8	-28	-28	-28	-28	-28	-28	-28	-28	-28	-18	-18	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
9	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-10	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
10	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
11	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
13	-28	-28	-28	-9	-12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
14	-28	-28	-28	-12	-28	-28	-28	-28	-28	-12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
15	-12	-3	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
16	-11	-13	-10	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
17	-12	-9	-12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-29	-29	-29	-15	-13	-13	-13	-29	-23	-9	-9	-6				
18	-9	-2	-6	-27	-27	-27	-9	-9	-27	-27	-27	-27	-28	-28	-28	-28	-28	-28	-12	-8	-3	-13	-7	-8	-8				
19	-9	-4	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-18	-12	-7	-7	-7	-7	-7	-8	-28	-12	-10				
20	-10	-3	-5	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-10	-7	-10	-2	-4	-4	-2			
21	-4	-4	-18	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
22	-5	-7	-12	-28	-18	-28	-28	-28	-18	-28	-28	-28	-28	-28	-28	-28	-12	-22	-8	-7	-28	-5	-5	0	-2				
23	6	-9	6	2	-28	-28	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
24	-9	-18	-28	-28	-28	-28	-28	-18	-27	-27	-27	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
25	0	-12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
26	-2	-4	-7	-28	-28	-12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
27	-10	-10	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
28	-2				-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
29	-4	-1	-12	-28	-28	-8	-7	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
30	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
CNT	30	29	29	29	30	30	30	30	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30				
MED	-12	-13	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28				
UD	-2	-3	-6	-12	-18	-12	-10	-18	-27	-18	-27	-27	-28	-28	-28	-15	-22	-10	-7	-10	-5	-5	-4	-3					
LD	-28	-28	-28	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-28	-28	-28				


C. RADIO PROPAGATION


C1. H.F. FIELD STRENGTH (UPPER SIDE-BAND OF WWVH)

SEP 1994	FREQUENCY 15 MHZ																				BANDWIDTH 80 HZ			RECEIVING ANTENNA			ROD 4.5 M			MEASURED AT HIRAI SO					
UT DAY	00H 46M	01H 46M	02H 46M	03H 46M	04H 46M	05H 46M	06H 46M	07H 46M	08H 46M	09H 46M	10H 46M	11H 46M	12H 46M	13H 46M	14H 46M	15H 46M	16H 46M	17H 46M	18H 46M	19H 46M	20H 46M	21H 46M	22H 46M	23H 46M											
1	-3	-3	-3	3	7	11	9	-1	5	7	-3	7	7	-29	-29	-29	-29	-10	-7	-2	-3	-7	-3	2											
2	-8	-6	-7	-7	9	3	7	-8	-6	-6	7	-9	-29	-29	-29	-29	-29	-6	-19	-19	-6	-3	1	-1											
3	-7	-10	-6	1	2	2	8	3	-16	-11	-29	-29	-29	-29	-29	-29	-29	-29	-29	-29	-5	2	-6	-7											
4	-12	-12	-2	-8	3	4	14	-18	-28	-28	4	-15	0	4	-12	-28	-28	-15	-28	-10	4	7	-7	-12											
5	-9	-7	-6	-4	2	3	5	10	-3	7	-18	-10	-28	7	-28	-28	-28	-28	8	-3	-2	5	0												
6	-8	-6	1	12	7	8	8	11	7	6	-3	-5	-9	-6	-28	-28	-28	-28	-28	-28	-9	-9	-4	-5											
7	-7	-7	-2	-2	-2	6	2	2	-4	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-9	-9	-28	-4											
8	-28	-13	-9	-8	-2	-7	3	6	0	-12	-18	-18	-28	-28	-28	-28	-28	-28	-28	-5	1	-7	-5	-5											
9	-2	-5	-2	6	0	-10	2	-7	-8	-12	-8	-8	-18	-28	-28	-28	-28	-28	-28	-8	-13	-8	-11	-7											
10	-7	-12	-7	-3	12	-3	8	-10	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-7	0	0	2	2											
11	-3	-7	4	-5	-2	0	5	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	0	0	1	-4	-12											
12	-7	-2	3	2	2	11	8	5	1	1	5	-9	-8	-28	-28	-28	-28	-28	-28	-5	-7	-6	-4												
13	-2	0	0	1	5	2	1	-9	12	0	-28	-28	-28	-28	-28	-28	-28	-28	-9	5	-7	-7	3	-8											
14	0	7	-2	-4	-4	5	6	-12	-12	-3	-5	-12	-28	-28	-28	-28	-28	-28	-28	3	-4	-4	-4	-2											
15	-3	-3	9	7	12	11	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	3	2	3	3	3	-4											
16	-6	-3	7	6	5	1	-19	-29	-29	-29	-29	-29	-28	-28	-28	-28	-28	-28	-28	-18	5	6	3	2											
17	-2	-4	5	0	8	-7	-28	-28	-28	-28	-28	-28	-29	-29	-29	-29	-29	-29	-29	6	-4	-3	-3	-5											
18	-11	3	0	3	13	-3	-17	-21	-27	-27	-27	-27	-28	-28	-28	-28	-28	-28	-2	-12	2	2	-12	-2	-4										
19	8	2	6	-4	6	8	-12	-12	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	8	12	-3	8	-28	-18	-2										
20	2	-2	-2	10	16	12	-4	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-5	-3	7	-4	6	2	-2										
21	0	0	10	12	0	13	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	0	5	-2	-4	-7											
22	4	4	3	10	2	7	-8	-28	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-3	2	2	-6	6											
23	0	4	8	12	2	5	0	-4	-8	-7	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	2	0	-8											
24	-4	-2	5	2	8	8	3	0	-5	-27	-7	-12	-28	-28	-28	-28	-28	-28	-28	-12	10	6	6	2											
25	-4	-3	3	8	3	-2	-2	-18	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-7	7	6	6											
26	2	-7	9	10	10	-7	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	2	2	2	3	3											
27	3	6	7	10	10	-1	-9	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-7	-11	8	2	7	1											
28	4	C	C	18	7	-7	-7	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	2	3	2	4												
29	4	2	2	8	1	7	-7	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	2	2	-1	2												
30	8	8	-2	8	10	6	3	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-12	-7	3	6	3	3											
CNT	30	29	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30										
MED	-3	-3	1	3	5	4	2	-15	-22	-28	-28	-28	-28	-28	-28	-28	-28	-28	-28	-7	0	0	-2	-2											
UD	4	6	9	12	12	11	8	6	5	6	4	-8	-8	-6	-28	-28	-28	-5	-3	6	8	6	6	4											
LD	-11	-12	-7	-7	-2	-7	-28	-28	-28	-28	-28	-28	-29	-29	-29	-29	-29	-28	-28	-28	-9	-9	-11	-8											

C. Radio Propagation

C3. Phase Variation in OMEGA Radio Waves at Inubo





Polar Cap Phase Anomaly (PCPA) on Norway-Inubo Circuit

NONE

(b) Sudden Phase Anomaly (SPA) at Inubo

Inubo

Mar. 1995	S P A						A		
	Phase Advance (degrees)						Time (U. T.)		
Date	Ω/N	Ω/L	Ω/LR	Ω/AU	Ω/H	Ω/ND	Start	End	Maximum
6		<u>59</u>	42				0822	0930	0846
7			6	<u>8</u>	6		0343	0404	0350
15			<u>7</u>	<u>7</u>			0355	0416	0404
16		34*					1416	1519	1428
22				<u>11</u>	11		0140	0210	0150
22		49					1406	1448	1419
22		<u>54</u>				34	1620	1654	1641
28			5	<u>22</u>	17	20	0124	0201	0131
28			18				0606	0659	0620
29				8	7	<u>20</u>	0129	0153	0139
29			21			-	0647	0728	0654
30				<u>11</u>	11		0009	0026	0014

IONOSPHERIC DATA IN JAPAN FOR APRIL 1995

F-556 Vol.47 No.4 (Not for Sale)

電離層月報 (1995年4月)

第47卷 第4号 (非売品)

1995年8月25日 印刷

1995年8月31日 発行

編集兼 郵政省通信総合研究所

発行所 〒184 東京都小金井市貫井北町4丁目2-1

☎ (0423) (21) 1211 (代)

Queries about "Ionospheric Data in Japan" should be forwarded to
Communications Research Laboratory, Ministry of Posts and Telecommunications,
2-1 Nukui-Kitamachi 4-chome, Koganei-shi, Tokyo 184 JAPAN.