

IONOSPHERIC DATA IN JAPAN

FOR OCTOBER 2005

VOL.57 NO.10

CONTENTS

Preface	
Introduction	1
A. Ionosphere	
A1. Automatic Scaling	
Hourly Values at Wakkanai (f_oF2 , fEs and $fmin$)	4
Hourly Values at Kokubunji (f_oF2 , fEs and $fmin$)	7
Hourly Values at Yamagawa (f_oF2 , fEs and $fmin$)	10
Hourly Values at Okinawa (f_oF2 , fEs and $fmin$)	13
Summary Plots at Wakkanai	16
Summary Plots at Kokubunji	24
Summary Plots at Yamagawa	32
Summary Plots at Okinawa	40
Monthly Medians $h'F$ and $h'Es$	48
Monthly Medians Plot of f_oF2	50
A2. Manual Scaling	
Hourly Values at Kokubunji	51
<i>f</i> -plot at Kokubunji	65
B. Solar Radio Emission	
B1. Daily Data at Hiraiso	74
B2. Outstanding Occurrences at Hiraiso	75
B3. Summary Plots of $F_{10.7}$ at Hiraiso	76
« Real time Ionograms on the Web	http://wdc.nict.go.jp/index-eng.html »



NATIONAL INSTITUTE OF INFORMATION
AND COMMUNICATIONS TECHNOLOGY
TOKYO, JAPAN

INTRODUCTION

This Series contains data on ionosphere (I) and solar radio emission (S) obtained at the following stations under the

National Institute of Information and Communications Technology, Independent Administrative Institution in Japan.

Station	Geographic		Geomagnetic (IGRF2000)		Technical Method
	Latitude	Longitude	Latitude	Longitude	
Wakkanai	45°23.6'N	141°41.1'E	36.4°N	208.6°	Vertical Sounding (I)
Kokubunji	35°42.4'N	139°29.3'E	26.6°N	207.9°	Vertical Sounding (I)
Yamagawa	31°12.1'N	130°37.1'E	21.4°N	199.8°	Vertical Sounding (I)
Okinawa	26°40.5'N	128°09.2'E	16.8°N	198.4°	Vertical Sounding (I)
Hiraiso	36°22.0'N	140°37.5'E	27.4°N	209.2°	Solar Radio Emission (S)

A. IONOSPHERE

Ionospheric observations are carried out at the above four stations in Japan by means of vertical sounding using ionosondes. The ionosonde produces ionograms, which are recorded digitally on computer storage medium. The digitally-recorded ionograms are collected from each station by the central computer and reduced to numerical values and Summary Plots by the automatic processing system. The ionograms obtained at Kokubunji are manually scaled as well by experienced specialists to supplement automatically-scaled parameters.

A1. Automatic Scaling

Digital ionograms are automatically scaled by the pattern recognition method. The following five factors of ionospheric characteristics are published for the present. The reliability of these factors has been ascertained by comparison of the automatically-scaled parameters with the manually-scaled values of large amounts of test ionograms.

The published data consist of tabulations of hourly values of three factors (f_oF2 , fEs , $fmin$) and monthly medians of two factors ($h'Es$, $h'F$), daily Summary Plots and monthly medians plot of f_oF2 .

a. Characteristics of Ionosphere

f_oF2	Ordinary wave critical frequency for the $F2$ layer
fEs	Highest frequency of the Es layer whether it may be ordinary or extraordinary
$fmin$	Lowest frequency which shows vertical ionospheric reflections
$h'Es$ $h'F$	Minimum virtual height on the ordinary wave for the Es and F layers, respectively

b. Descriptive Letters

The following descriptive letters are used in the tables.

A Impossible measurement because of the presence of a lower thin layer, for example Es (for f_oF2).

C Impossible measurement because of any failure in observation.

G Impossible automatic scaling because of too small ionization density of the layer (for fEs).

N Impossible automatic scaling because of complex echoes.

Blank No digital record because of trouble in the automatic data processing system, but existence of film record.

c. Definitions of the CNT, MED, UQ and LQ

Median count (CNT) is the number of numerical values from which the median has been computed. In addition to numerical values, the count may include a descriptive letter G.

Median (MED) is defined as the middle value when the numerical values are arranged in order of magnitude, or the average of the two middle values if there is an even number

of values.

Upper quartile (UQ) is the median value of the upper half of the values when they are ranked according to magnitude; the **lower quartile (LQ)** is the median value of the lower half.

If CNT is less than 10, there are blank spaces left.

d. Reliability of Automatic Scaling

The results of the comparison between automatically-scaled values and manually-scaled ones showed that hourly values of f_oF2 , fEs and $fmin$ were scaled within a difference of 1 MHz from about 90, 90 and 99%, respectively of the test ionograms.

e. Summary Plot

Daily Summary Plots which are made from quarter-hourly digital ionograms are published to present general ionosphere conditions. The upper and middle parts of a Summary Plot show the diurnal variation of the frequency range of the echoes reflected from the F and E regions, respectively. The two solid arcing lines indicate the predicted values of f_xE and f_oE calculated by the method described in the CCIR report 340. The lower part shows the diurnal variation of the virtual height where the echo traces become horizontal.

A2. Manual Scaling

The published data consist of tabulations of hourly values of the ionospheric characteristics and figures of daily f -plot.

All symbols and terminology in the tables or figures of ionospheric data are used in accordance with the "URSI Hand-book of Ionogram Interpretation and Reduction (Second Edition) 1972" and its revision of chapters I-4, published in July 1978.

a. Characteristics of Ionosphere

fxI	Top frequency of spread F trace
f_oF2 f_oF1 f_oE f_oEs	Ordinary wave critical frequency for the $F2$, $F1$, E and Es including particle E layers, respectively
$fbEs$	Blanketing frequency of the Es layer, e.g. the lowest ordinary wave frequency visible through Es
$fmin$	Lowest frequency which shows vertical ionospheric reflections
$M(3000)F2$ $M(3000)F1$	Maximum usable frequency factor for a path of 3000 km for transmission by $F2$ and $F1$ layers, respectively
$h'F2$ $h'F$ $h'E$ $h'Es$	Minimum virtual height on the ordinary wave for the $F2$, whole F , E and Es layers, respectively
Types of Es	See below b. (iii)

b. Symbols

(i) Descriptive Letters

The following letters are entered after, or used to replace a numerical value on the monthly tabulation sheets, if necessary.

- A** Measurement influenced by, or impossible because of, the presence of a lower thin layer, for example *Es*.
B Measurement influenced by, or impossible because of, absorption in the vicinity of *fmin*.
C Measurement influenced by, or impossible because of, any non-ionospheric reason.
D Measurement influenced by, or impossible because of, the upper limit of the normal frequency range in use.
E Measurement influenced by, or impossible because of, the lower limit of the normal frequency range in use.
F Measurement influenced by, or impossible because of, the presence of spread echoes.
G Measurement influenced by, or impossible because the ionization density of the layer is too small to enable it to be made accurately.
H Measurement influenced by, or impossible because of, the presence of a stratification.
K Presence of particle *E* layer.
L Measurement influenced or impossible because the trace has no sufficiently definite cusp between layers.
M Interpretation of measurement questionable because the ordinary and extraordinary components are not distinguishable.
N Conditions are such that the measurement cannot be interpreted.
O Measurement refers to the ordinary component.
P Man-made perturbations of the observed parameter; or spur type spread *F* present.
Q Range spread present.
R Measurement influenced by, or impossible because of, attenuation in the vicinity of a critical frequency.
S Measurement influenced by, or impossible because of, interference or atmospheric.
T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful.
V Forked trace which may influence the measurement.
W Measurement influenced or impossible because the echo lies outside the height range recorded.
X Measurement refers to the extraordinary component.
Y Lacuna phenomena, severe layer tilt.
Z Third magneto-electronic component present.

(ii) Qualifying Letters

The following letters are entered in the first column before a numerical value on the monthly tabulation sheets, if necessary.

- A** Less than. Used only when *fbEs* is deduced from *foEs* because total blanketing of higher layer is present.
D Greater than.
E Less than.
I Missing value has been replaced by an interpolated value.
J Ordinary component characteristic deduced from the

extraordinary component.

- M** Mode interpretation uncertain.
O Extraordinary component characteristic deduced from the ordinary component. (Used for x-characteristics only.)
T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful.
U Uncertain or doubtful numerical value.
X Measurement deduced from the third magneto-electronic component.

(iii) Description of Types of *Es*

When more than one type of *Es* trace are present on the ionogram, the type for the trace used to determine *foEs* must be written first. The number of multiple trace is indicated after the type letter.

The types are:

- f** An *Es* trace which shows no appreciable increase of height with frequency.
l A flat *Es* trace at or below the normal *E* layer minimum virtual height or below the part *E* layer minimum virtual height.
c An *Es* trace showing a relatively symmetrical cusp at or below *foE*. (Usually a daytime type.)
h An *Es* trace showing a discontinuity in height with the normal *E* layer trace at or above *foE*. The cusp is not symmetrical, the low frequency end of the *Es* trace lying clearly above the high frequency end of the normal *E* trace. (Usually a daytime type.)
q An *Es* trace which is diffuse and non-blanketing over a wide frequency range.
r An *Es* trace showing an increase in virtual height at the high frequency end similar to group retardation.
a An *Es* trace having a well-defined flat or gradually rising lower edge with stratified and diffuse traces present above it.
s A diffuse *Es* trace which rises steadily with frequency and usually emerges from another type *Es* trace.
d A weak diffuse trace at heights below 95 km associated with high absorption and large *fmin*.
n The designation 'n' is used to denote an *Es* trace which cannot be classified into one of the standard types.
k The designation 'k' is used to show the presence of particle *E*. When *foEs* > *foE* (particle *E*) the *Es* type precedes k.

c. Definitions of the CNT, MED, UQ and LQ

Median count (CND) is the number of values from which the median has been computed. In addition to numerical values, the count may include certain descriptive letters.

Median (MED) is the middle value when the numerical values are arranged in order of magnitude, or the average of the two middle values if there is an even number of values.

Upper quartile (UQ) is the median value of the upper half of the values when they are ranked according to magnitude; the **lower quartile (LQ)** is the median value of the lower half.

B. SOLAR RADIO EMISSION

Solar radio observations at 200, 500 and 2800 MHz are carried out at Hiraiso. The observation equipment consists of three parabolic antennas, one with 10-meter diameter for 200 MHz Measurement, one with 6-meter diameter for 500 MHz measurements and one with 2-meter diameter for 2800 MHz measurements, each being equipped with a pair of crossed doublet antennas as a primary radiator, and three appropriate receivers. Each pair of the crossed doublet antennas is used as a polarimeter. Observations are continuously carried out almost from sunrise to sunset.

B1. Daily Data at Hiraiso

The three-hourly mean and daily mean values of the solar radio emission intensities are tabulated for 500 MHz measurements. The intensities are expressed by the flux

density in $10^{-22} \text{ Wm}^{-2} \text{ Hz}^{-1}$ unit.

The following symbols are used in the tables, when interference or radio bursts prevented measuring the base-level flux densities or determining the variability indices:

* Measurement impossible because of interference.

B Measurement impossible because of bursts.

Daily data within parentheses mean that the observation time does not exceed one third of the period.

B2. Outstanding Occurrences at Hiraiso

The table is a list of outstanding occurrences of solar radio emission bursts observed at 200, 500 and 2800 MHz during a month.

Listed in the table are the date, frequencies, the type of event, the start time and the time of maximum, both in U.T.

expressed in hours, minutes and tenths of a minute, the duration in minutes, the peak and mean flux densities in 10^{-22} $Wm^{-2} Hz^{-1}$ unit, and the polarization.

The type of event is expressed by a combination of a numerical code and a letter symbol in accordance with the "Descriptive Text of Solar Geophysical Data, NOAA" as defined by H. Tanaka in the "Instruction Manual for Monthly Report of Solar Radio Emission, WDC-C2" in January 1975:

SGD Code	Letter Symbol	Morphological Classification
1	S	Simple 1
2	S/F	Simple 1F
3	S	Simple 2
4	S/F	Simple 2F
5	S	Simple
6	S	Minor
7	C	Minor+
8	S	Spike
20	GRF	Simple 3
21	GRF	Simple 3A
22	GRF	Simple 3F
23	GRF	Simple 3AF
24	R	Rise
25	R	Rise A
26	FAL	Fall
27	RF	Rise and Fall
28	PRE	Precursor
29	PBI	Post Burst Increase
30	PBI	Post Burst Increase A
31	ABS	Post Burst Decrease
32	ABS	Absorption
40	F	Fluctuations
41	F	Group of Bursts
42	SER	Series of Bursts

SGD Code	Letter Symbol	Morphological Classification
43	NS	Onset of Noise Storm
44	NS	Noise Storm in progress
45	C	Complex
46	C	Complex F
47	GB	Great Burst
48	C	Major
49	GB	Major+

The polarization is expressed by the polarization degree and sense as follows:

R or L	right or left-handed polarization,
W, M or S	weak, moderate or strong polarization,
0	almost zero or unable to detect polarization due to small increase of flux,
00	polarization degree of less than 1

One of the following symbols may be attached after numerical values, if necessary.

D	greater than, or later than,
E	less than or earlier than,
U	approximate, or uncertain.

B3. Summary Plots of F10.7 at Hiraiso

The 10.7 cm solar radio flux at Hiraiso is plotted over a one month period. The 10.7 cm flux ($F_{10.7}$) is determined by adjusting the 10.7 cm radio flux measured at Hiraiso to the Pentincton 10.7 cm radio flux. The figure on the right-hand side shows the $F_{10.7}$ index estimated at Hiraiso.

The following symbols are used in the $F_{10.7}$ index:

*	Measurement made not at 3h U.T..
B	Measurement affected by bursts.

HOURLY VALUES OF foF2 AT Wakkanai

OCT. 2005

LAT. 45° 23.5' N LON. 141° 41.2' E SWEEP 1.0MHz TO 30.0MHz AUTOMATIC SCALING

$\frac{H}{D}$	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	36	38	36	34	34	30	50	60	58	74	77	75	72	62	59	53	58	54	54	55	54	54	45	34	
2	34	36	36	32	40	41	43	52	60	68	63	72	67	60	58	60	62	60	53	53	39	44	47	39	
3	43	23	41	43	44	38	45	46	58	77	82	74	67	61	61	62	62		49	55	53	47	46	40	
4	40	41	42	42	43	38	43	57	66	72	61	65	62	63	62	67	63	52	45	40	47	45		40	
5	40	40	40	40	37	36	47	54	59	69	68	73	81	67	67	62	66	49	53	53	52	54	43	42	
6	45	44	43	43	43	43	54	62	65	72	64	70	77	67	61	58	63	62	45	45	42	40	40	45	
7	44	43	46	45	46	36	60	60	62		76	72	77	62	62	61	66	63	52	45	42	47	54	53	
8	46	45	41	40	36	36	54	59	76	70	83	72	70	68	70	75	75	75	72	63	51	54	48	51	
9	50	50	46	39	47	47		57	A	A	A		A	A		68	70	64	55	34	45	36	40	42	44
10	42	41	38	29	37	36		54	55	58	74	78	72	64	66	68	62		A	61	55			40	37
11	41	40	42	43	40	37	47		62	68	82	77	84	75	66		67	62	52	55	53	51	43	44	
12	44	47	45	44	41	41	52	65	60	63	76	78	83	77	66	65	61	66	48	53	32	48	47	47	
13	48	47	45	46	46	46	55	65	54	72	84	79	71	71	67	61	66	60	62	59	54	47	54	53	
14	42	51	45	46	39	45	54	61	A	A			70	75	72	61	58	64	50	51	57	46	41	47	
15	54	51	48	46	45	45	42	63				70	75	72	61	58	64	50	51	57	46	41		47	
16	46	38	44	46	48	38	45	57	60	66	77	75	71	68	61	61	68	70	54	50	53	53	53	54	
17	53	54	54	54	44	52	55	65	81	76	96	76	81	71	59	66	61	66	44		A		45	45	44
18	41	44	34	39	43	34	51	54	67	75	70	87	82	72	63	64	67	57	34	46		A	46	45	43
19	34	42	45	46	41	36	45	57	74	71	75	84	82		62	74	78	59	38	36	43	38	41	42	
20	41	43	38	41	42	37	42	71	69	A		82	91	82	64	70	67	68	53	44	41	47	46	44	45
21	45	47	45	45	45	36	45	54	60	63	65		83	62	66	68	61	45	36	36	38	37		36	
22	32		36	37	32	37	41	60	68	68	75	77	82	77	77	67	61	47	45	36	A			A	
23	A	36	37	38	40	38	42	62	62	71	80	84	77	72	61	57	72	72	46	43				40	
24	42	42	45	46	42	37	41	55	65		71	71	72	75	63	53	61	63	52	46	46	45	42	42	
25	40	42	44	46	51	48	47	77	84	87	92	84	83	76	62	71	84	70		40	33	40	42	32	
26	42	40	40	41	38	35	40	52	68	78	77	77		68	60	65	68	63	57	44	44	29		40	
27	A	37	38	36	37	36	42	63	73	79	75	75	80	67	51	61	66	50		A	32		34	40	40
28	40	A	37	36	36	35	41	54	52	68	85	76	77	68	70	73	57	45		A		37	38	41	33
29	40	42	41	41	44	38	36		55	62	74	85	71	58	61	61	64	46	36	32	40	40	40	36	
30	36	34	32	32	39	34	28	58	62	67	70	76	75		A	A	61	62	51	43	A	40	42	45	48
31	48	39	42	A	40	36	38	54	58	62	64	81	77	62	61	65	74	29		A	A		34	36	37
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	29	29	31	30	31	31	29	29	29	26	29	30	29	28	30	30	31	29	27	27	24	28	25	30	
MED	42	42	42	42	41	37	45	58	62	70	76	76	77	68	62	64	64	59	49	46	45	44	44	42	
U Q	45	46	45	46	44	41	51	62	68	74	82	81	82	72	67	67	68	63	54	55	51	47	47	47	
L Q	40	38	38	38	38	36	41	54	58	67	70	72	71	62	61	61	62	50	44	40	39	40	41	39	

HOURLY VALUES OF fEs AT Wakkanai

OCT. 2005

LAT. 45°23.5'N LON. 141°41.2'E SWEEP 1.0MHz TO 30.0MHz AUTOMATIC SCALING

D	H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1		G	G	G	G	G	G	G	35	G	G	G	G	G	G	G	G	34	G	G	G	G	G	G	G	
2		G	G	G	G	G	G	G	G	38	41	G	G	G	G	G	G	G	G	25	27	G	G	26	G	
3		G	29	G	30	30	29	G	38	45	46	43	52	48	42	G	38	38	G	53	36	29	G	G	G	
4		G	G	G	G	G	G	G	G	40	G	39	39	G	G	G	G	G	32	30	26	G	41	44	33	
5		38	G	G	G	G	G	G	G	G	40	G	G	G	G	G	G	32	34	G	G	G	39	G	26	
6		26	G	G	G	G	G	G	G	35	G	G	G	40	G	G	G	G	G	G	G	G	G	G	G	
7		G	G	G	G	G	24	28	G	36	G	40	38	G	G	G	G	G	G	G	G	32	G	G	32	
8		28	G	G	G	G	G	G	31	G	G	G	44	G	G	G	G	G	G	G	G	27	26	28	31	28
9		33	36	32	24	G	32	G	52	50	78	131	74	78	76	39	37	32	G	37	G	42	33	29	39	
10		33	G	G	G	G	G	G	G	G	43	46	G	50	47	50	40	38	72	44	27	52	32	27	28	
11		24	G	G	G	G	G	28	38	39	48	50	39	42	41	39	34	G	28	41	G	G	23	32	G	
12		G	33	G	26	G	G	G	39	47	48	58	G	G	55	G	G	36	30	35	33	44	39	40	38	
13		G	33	G	G	G	G	G	G	G	G	39	G	G	G	G	G	39	39	42	31	30	33	28	28	
14		33	33	G	26	27	30	35	G	G	47	57	G	44	44	52	48	39	43	G	28	G	34	55	30	
15		26	G	G	G	G	G	G	35	77	89	G	67	48	39	G	G	40	37	32	37	G	G	38	32	
16		32	37	32	29	25	27	30	38	38	48	47	G	53	G	G	G	31	G	G	G	29	33	37	38	
17		26	G	27	G	G	G	G	32	40	50	46	67	40	G	G	G	G	G	40	42	60	44	32	28	
18		32	G	G	G	G	G	G	G	39	46	67	64	70	72	G	G	G	40	43	40	49	39	G	11	
19		G	G	G	G	G	G	30	39	40	G	40	43	G	45	G	G	G	G	G	G	36	36	G	28	
20		G	31	G	G	G	G	G	31	40	70	G	G	40	G	G	35	27	G	27	35	40	64	40	39	
21		25	G	G	G	G	G	G	29	78	G	97	46	G	G	G	G	G	G	G	G	30	G	35	25	
22		G	G	26	G	24	G	G	30	G	41	42	38	40	G	48	37	35	37	26	36	45	34	58	40	
23		60	37	28	G	G	30	28	38	38	48	59	G	G	39	G	G	G	G	26	G	36	36	37	29	
24		29	32	G	G	32	G	G	38	G	G	39	46	43	40	G	40	41	38	62	34	38	25	G	G	
25		G	G	G	G	G	G	G	29	G	43	G	G	G	G	G	G	G	33	40	32	32	26	G	G	
26		33	33	27	29	26	G	26	32	38	39	49	42	G	G	G	45	31	27	32	36	39	28	36	26	
27		39	G	28	29	G	G	G	30	46	65	79	57	50	45	G	G	37	37	39	28	39	28	32	G	
28		30	43	33	26	28	27	28	G	32	39	40	50	38	G	43	37	30	37	42	35	34	33	G	G	
29		30	27	22	G	G	G	G	G	42	G	45	44	G	G	37	33	30	28	37	G	G	30	29	28	
30		28	30	G	G	26	28	34	38	36	35	37	G	G	97	98	47	30	27	34	58	35	29	34	29	
31		G	G	40	40	30	26	29	G	34	69	42	45	49	48	56	49	40	35	59	44	30	26	29	G	
		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT		31	30	31	31	31	31	29	26	31	29	30	30	30	30	31	31	30	31	31	31	31	31	31	31	
MED		26	G	G	G	G	G	G	32	38	43	42	39	39	G	G	G	30	28	32	28	32	30	29	28	
U Q		32	33	27	26	25	26	28	38	40	48	50	46	48	45	39	37	37	37	41	36	39	36	37	32	
L Q		G	G	G	G	G	G	G	G	G	G	37	G	G	G	G	G	G	G	G	G	G	23	G	G	

HOURLY VALUES OF fmin AT Wakkanai

OCT. 2005

LAT. 45° 23.5' N LON. 141° 41.2' E SWEEP 1.0MHz TO 30.0MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	20	15	18	15	15	15	18	17	15	18	18	18	21	18	16	15	14	18	15	15	15	15	15	16
2	15	17	15	17	16	14	18	22	16	14	18	14	18	20	15	17	22	17	16	18	16	15	16	16
3	18	16	16	14	14	15	18	18	18	20	18	17	18	18	17	14	15	18	14	14	14	15	18	16
4	18	16	18	15	16	15	20	15	15	16	15	17	15	16	28	14	15	15	14	15	18	14	14	15
5	14	14	15	14	15	15	17	14	15	16	16	18	17	15	16	15	15	14	15	18	15	14	17	15
6	15	16	17	16	18	15	20	14	14	21	20	20	18	32	21	18	21	17	17	16	18	15	21	20
7	17	15	20	15	15	14	18	15	14	16	18	16	18	16	20	18	23	16	15	15	15	18	15	14
8	15	14	14	14	17	15	18	14	16	15	16	18	18	18	16	16	21	18	16	15	15	16	14	16
9	15	15	14	16	18	14		18	15	16	20	20	17	18	17	17	14	15	14	14	17	16	15	15
10	15	14	15	17	14	14	17	16	15	16	18	20	18	17	15	14	14	14	14	17	14	15	18	18
11	15	17	14	14	15	15	18	15	15	16	14	16	14	16	15	14	14	14	14	16	15	15	14	14
12	15	15	14	14	15	14	14	17	15	16	15	16	20	18	14	15	14	14	14	15	16	15	15	15
13	15	14	15	18	16	14	20	14	18	15	18	20	17	15	16	14	14	15	14	15	17	15	18	14
14	14	14	15	15	15	16	14	15	15	18	16	20	14	15	14	14	14	14	17	15	14	14	14	15
15	15	15	15	16	14	15	20	14	17	17		18	18	14	14	14	14	15	15	15	17	20	14	14
16	14	15	14	15	14	17	14	14	14	14	18	15	17	16	15	14	21	14	16	17	16	15	14	14
17	17	15	16	14	14	14	17	14	14	16	16	20	14	14	17	14	21	14	14	14	15	14	15	15
18	15	14	18	21	14	15	15	14	15	14	17	18	15	15	15	15	20	14	14	14	14	15	14	20
19	15	20	15	17	17	17	15	14	15	16	15	17	15	14	18	24	15	15	14	15	14	15	15	15
20	16	15	15	17	15	15	16	14	14	15	15	20	15	18	14	14	16	15	18	15	14	14	15	14
21	15	14	15	15	14	14	15	14	14	15	14	16	14	14	14	24	18	15	16	15	15	15	14	14
22	15		15	14	15	15	14	14	14	18	16	16	17	16	14	14	14	14	15	15	14	14	15	15
23	14	15	15	14	15	17	15	16	14	16	21	18	16	20	14	15	20	15	14	14	14	14	15	15
24	15	15	15	14	14	15	15	18	14		14	15	15	14	14	14	14	14	15	14	15	15	15	15
25	16	14	15	14	14	15	15	17	15	15	15	16	16	14	14	15	18	14	15	17	15	15	15	17
26	14	15	16	14	15	16	17	16	14	14	17	18	15	16	14	14	15	14	14	14	15	16	14	15
27	15	15	15	16	14	15	17	14	14	16	17	17	18	14	14	15	14	14	14	18	14	14	14	15
28	15	14	14	14	14	14	16	15	15	14	15	18	15	17	15	14	14	15	15	14	14	15	15	14
29	15	15	14	15	15	15	18		14	16	14	15	15	14	14	15	14	15	14	18	18	14	14	15
30	14	14	14	20	15	14	14	14	14	15	15	14	15	14	14	14	14	15	15	15	15	17	15	16
31	14	14	15	14	14	14	14	17	14	14	15	15	14	14	15	15	15	15	14	14	15	15	15	15
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	31	30	31	31	31	31	30	30	31	30	30	31	31	31	31	31	31	31	31	31	31	31	31	31
MEB	15	15	15	15	15	15	17	15	15	16	16	17	16	16	15	15	15	15	15	15	15	15	15	15
U Q	15	15	16	16	15	15	18	17	15	16	18	18	18	18	16	15	20	15	15	16	16	15	15	16
L Q	15	14	14	14	14	14	15	14	14	15	15	16	15	14	14	14	14	14	14	14	14	14	14	14

HOURLY VALUES OF fof2 AT Kokubunji

OCT. 2005

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHZ TO 30.0MHZ AUTOMATIC SCALING

D ^H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	36	34	34	34	41		43	66	87	81	86	81	77	66	58	59	59	65	A		46	37	38	38
2	36	34	32	34	28	30	51	68	74	64	67	76	82	80	66	64	69	75	65	52	A	44	46	
3		37	37	38	32	35	47	61	67	71	77	75	74		61	68	69	71	55	A	39	39	A	A
4	A	38	41	39	36	32	52	68	71	71	66	72	71	66	75	62	67	71	65	48		43	39	36
5		37		38		28	47	60	61	75	76	74	74	71	64	63	61	71	66	51	53	51		43
6		39	41		37		59	64	67	69	72	76	69	67	67	66	64	66	62		44	44	41	42
7	39	37	36	36	34	32	58	74	73	66	69	71	61	69	64	62	63	66	55	44	39	42	39	34
8	39	36	37	46			49	73	74	80	81	72	72	72	80	74	80	78	84	73	52	45		
9	47	46	46	44	44	48	40	64	84	71	77	91	82	68	69	72	76	72	52	44	42		39	30
10	39	36		34	37	34	48	60	76	67	75	84	80	71	76	75	77	71	55	52	A	38	34	
11	36	34	37	40	33	24	45	67	69	82	71		88	76	75	71	66	66	55	43	A	36	37	37
12	A	36	39	41	37	28	46	68	78	60	76	91	82	81	81	84	69	61	49		44		42	
13				42	A		47	64	69	77	82	87	86	75	66	65	68	68	63	51	46	44	43	42
14	41	39		36		34	55	80	81	71	68	77	87	84	68	72	66	66	59	42	43	44	44	44
15	44	45		46	44	35	48	63	72	74	77	82	81	62	65	70	65	62	54		48	34		36
16	32			37	28		47	59	65	70	63	75	71	66	67	72	59	59	57	39			42	42
17				43	27	39	49	50	67	78	71	100	105	67	63	62	66	65	52	47	44	44	44	
18	39	39	37	42		35	51	65	82	86	83	90	105	74	66	64	67	71	52	44	A	A	45	42
19	42	42	42	36		30	44	64	91	82	98	82	85	80	86	67	81	69	42	A		34	34	A
20	36	31		34		30	45	64	90	94	77	88	86	80	72	74	65	55	44	45			44	42
21	42	A	43	39	27		45	66	73	69	74	85	81	76	72	71	68	55	A	A	A	36	36	36
22	34	32		37	27	42	68	72	80	68	81	80	81	83	74	63	55	42			38	36	A	A
23	36	37	37	37	41		39		74	87		84	81	72	71	68	63	58	44	A	30	28	A	31
24	34	A		34	42		43	54	72	65	72	88	65	65	71	69	59	47	A	A	36	A	36	36
25	A	36	37	37	39	28	41	65	99	104		95	90	86	82	71	77	60	32			36	42	
26	36	27				28	44	59	85	84	92	84	81	77	76	72	69	45	A	A	A	A		36
27		A	A	A		36	44	61	82	72	87	92		72	67	71	57	60	39	36	A	37		A
28		34	36		34	28	41	59	63	78	67	74	85	71	68	71	59	46		43				34
29	32	25	A	A	A	A	A		65	67	64	C	C	C	C	C	C	A	A	A				
30				28	32		39	35	59	64	69	80	77	78	61	67	61	59					32	
31	28	36	42	27	30		42	56	72	80	61	76	73	74	77	86	69	A		A	A			30
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	20	24	17	25	21	20	30	30	31	31	28	29	29	29	30	30	30	29	23	16	15	19	20	20
MRD	36	36	37	37	36	31	46	64	73	74	74	82	81	72	68	70	66	65	55	44	44	39	39	36
U Q	40	38	41	41	40	35	49	67	82	81	79	88	85	79	76	72	69	71	62	51	46	44	43	42
L Q	35	34	36	34	31	28	43	60	67	69	68	75	73	67	66	65	63	58	44	43	39	36	36	35

HOURLY VALUES OF fEs AT Kokubunji

OCT. 2005

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz To 30.0MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	G	G	G	G	G	G	G	G	G	G	G	G	G	51	50	G	G	35	55	34	G	G	26	G	
2	G	G	G	G	G	G	G	40	49	43	40	40	43	64	50	G	33	34	G	23	32	59	26	30	
3		G	G	G	G	G	G	38	43	49	53	56	73	72	67	60	73	61	36	42	32	31	70	82	
4	48	26	29	G	26	25	G	35	42	47	G	G	G	45	G	G	G	30	28	59	35	G	30	32	
5	G	27		G		G	G	41	44	53	G	G	G	G	G	G	G	G	G	G	G	G		G	
6		G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	29		G	G	G	G	
7	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		23	G	G	G
8	G	G	G	G	G		G	G	G	G	G	42	G	G	G	40		G	G	G	G	G	G	G	
9	G	G	G	G	G	G	26	36	G	G	52	G	G	64	51	40	35	G	29	G	26	26		G	
10	G	27	29	G	G	G	G	38	52	44	47	45	45	G	40	49	34	31	G	49	68	33	32	36	
11	29	G	G	G	G	G	G	43	50	50	52		45	44	52	48	43	41	G	32	77	40	29	25	
12	31	G	G	G	G	G	G	35	G	G	G		42	40	G	G	G	26	G		42	41	41	33	
13	35	39	G	34	43		G	39	49	50	50		G	G	G	G	G	G	G	30		26	26	33	
14	G	G		G	G	G	G		35		G	G	G	G	G	G	G	29	G	G	G	G	G	G	
15	G	G		G	G	G	G	33	37	43	G	G	G	G	G	G	G	G	G		G	G		G	
16	G	G		G	G		G	33	G	G	G	G	G	G	G	G	G	G	G		60	44	46	G	
17				G	G	G	G	39	G	G	G	G	G	G	G	G	G	G	26	G	32	43	39	40	
18	35	G	G	G		G	G	G	G	G	G		42	43	G	G	G	G	33	40	50	50	29	33	
19	34	G	G	G	27	G	G	34	G	G	G	44	G	G	G	G	33	32	G	58		G	G	50	
20	G	G	28	G		G	G	34	G	G	43	45	G	G	G	G	G	G	G	G	G		G	G	
21	G	46	G	G	G	26	G	35	G	50	G	G	G	G	G	G	G	31	39	49	41	35	27	31	
22	27	G			G	G	G	G	47	39	42	43	41	47	60	59	G	G	G	G		32	43	35	
23	G	G	G	G	G		G	G	35	43	61	45	43	48	G	G	40	35	29	60	36	30	39	28	
24	29	35	29	26	26		G	G	41	43	51	62	G	G	49	34	32	G	104	92	36	40		G	
25	57	31	27	G	G	G	G	31	38	52		46	G	39	49	G	G	11	G	29			G	G	
26	G	G	26	29	28		G	G	40	42	55	39	G	57	55	52	34	78	114	81	57	35	38	35	
27	39	40	48	40	29	26	30	30	G	G	G	40		G	G	G	45	41	G	31	39	27		50	
28	28	G	G		G	G	G	G	G	G	G	G	G	G	G	G	G	32		28	G	G	29	G	
29	G	29	59	42	52	58	58	32	G	G	C	C	C	C	C	C	C	60	59	52	34		31	34	
30	G	29	33	29	35	30	G	G	G	G	39	G	G	G	G	62	40	34	27			26	41		
31	27	G	G	G	G	G	G		34	G	51	G	61	G	G	35	53	65		68	59	30	27	G	
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	28	30	25	29	27	26	31	31	31	31	29	29	29	30	30	30	30	31	29	27	28	28	28	30	
MED	G	G	G	G	G	G	G	32	34	G	G	G	G	G	G	G	G	29	G	32	32	28	27	26	
UQ	30	27	28	G	26	G	G	36	42	47	48	43	41	45	49	40	34	35	31	58	41	37	35	34	
LQ	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	

HOURLY VALUES OF fmin AT Kokubunji

OCT. 2005

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz AUTOMATIC SCALING

^H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	15	17	14	15	13	17	18	25	15	40	22	41	41	29	23	29	13	13	14	14	18	18	15	14	
2	15	14	14	15	15	17	15	14	13	29	31	41	26	25	22	15	14	13	15	14	14	14	14	14	
3		15	13	18	18	15	20	22	26	26	24	33	26	29	29	26	14	21	13	17	13	13	14	13	
4	13	14	15	13	14	14	18	15	22	30	40	40	45	30	40	33	15	13	13	14	13	21	14	14	
5	18	18		17		18	21	14	18	20	40	43	52	42	34	29	25	20	14	14	15	21		26	
6		20	21	22	17	15	21	15	14	39	40	42	42	39	39	18	13	21	14		23	15	14	14	
7	14	14	15	14	14	21	20	14	14	17	40	39	41	40	33	20	13	20	13	14	21	14	14	20	
8	15	14	14	14	17		20	24	14	34	23	29	40	36	39	21	13	21	15	14	14	14	18	13	
9	17	15	20	23	14	15	17	14	30	37	33	40	40	30	28	18	13	21	14	13	17	14	17	18	
10	15	14	14	15	13	17	21	14	24	14	29	33	33	20	15	15	13	14	34	14	15	13	13	14	
11	14	14	18	22	13	17	18	15	15	28	24		29	18	29	22	14	20	14	13	13	14	15	17	
12	13	17	17	15	23	14	17	14	23	18	21	21	23	21	17	18	13	17	22		20	14	14	14	
13	15	14	28	14	14		18	14	15	25	26	21	15	14	39	17	25	18	15	13	22	15	14	14	
14	15	17		18		13	18	13	14	21	40	40	40	42	33	29	13	14	15	17	23	14	21	18	
15	20	18		18	13	14	17	15	14	15	21	17	40	39	31	35	26	21	17		22	15		23	
16	25	21		21	15		18	14	15	37	40	42	39	37	22	29	24	21	21	18	21	26	24	23	
17				14	15	14	18	13	13	18	40	45	42	14	35	29	13	18	17	13	14	13	14	13	
18	15	20	14	14		17	20	13	14	22	23	24	26	25	17	37	13	14	13	15	14	13	14	13	
19	14	15	14	13	15	14	18	13	14	24	42	23	39	40	33	17	15	14	18	14		15	17	13	
20	18	20	14	18		17	15	13	13	22	17	18	37	37	34	34	24	23	23	18	21		20	18	
21	15	14	20	13	14	14	15	13	34	24	23	23	21	20	39	39	39	17	15	15	13	15	15	14	
22	14	17			14	18	14	15	13	23	21	23	23	23	21	17	14	14	14	23	15	17	14	14	
23	17	15	14	13	14		15	14	15	15	21	29	26	24	36	30	13	14	13	13	14	13	13	15	
24	14	13	14	13	14		13	13	13	17	21	23	35	21	22	18	14	13	14	13	13	14	13	15	
25	14	14	15	14	14	21	15	14	14	18		22	23	21	23	14	13	13	18	14			13	14	
26	14	17	14	14	13	21	14	13	15	15	36	21	39	23	20	17	13	13	14	13	13	13	14	13	
27	13	13	14	13	13	15	15	14	17	36	23	22		38	29	14	13	13	17	13	14	14		13	
28	15	18	18		13	14	14	25	14	34	21	37	38	13	20	25	13	14		13	23	24	14	14	
29	14	14	14	13	13	13	14	14	15	17	C	C	C	C	C	C	C		13	14	14	15		22	17
30	24	13	13	13	13	14	14	13	13	18	20	18	39	39	18	17	13	14	15			14	14		
31	15	15	15	17	13	13	14	22	13	17	21	40	24	23	20	15	13	13		13	13	14	17	13	
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	28	30	25	29	27	26	31	31	31	31	29	29	29	30	30	30	30	31	29	27	28	28	28	30	
MED	15	15	14	14	14	15	17	14	14	22	24	29	38	27	29	20	13	14	15	14	15	14	14	14	
U Q	16	17	17	18	15	17	18	15	17	30	40	40	40	38	34	29	15	20	17	15	21	15	17	17	
L Q	14	14	14	13	13	14	15	13	14	17	21	22	26	21	21	17	13	13	14	13	13	14	14	13	

HOURLY VALUES OF foF2 AT Yamagawa

OCT. 2005

LAT. 31°12.1'N LON. 130°37.1'E SWEEP 1.0MHz TO 30.0MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1			32		30		28	64	80		78	73	74	78	67	66		72	72	66			26	28
2	32		32				32	66	72	72	68		80	84		72	75	77	67		33	A	A	
3		32		32	34		32	60	66	75	72	76	82		83	76	77	77	57			32	32	A
4	A	32	32		34	31	32	64	74			78	81	78	78	72	68	75	80	65		A	A	A
5							32	51	52	67	77	77	74	77	66		71	72	76	53			34	
6		32		38	29	34	36	54	52	74	75	75	68		68	64	70	71	53		37			34
7	34		31	36	32	28	32		66	68	70		68		76	70	65	66	67	52	32		34	
8		32	36	39			32	63	60	74	72	72	71	78	80	82	80	80	78	67	49			
9	28	34	36	36	50	39	37	77	71	72	77	80	79	86	82	78	82	77	67	36	A		35	26
10	37	32	34	34	30	28	24	56	67	75	74		80	78	80	85	85	79	65				36	32
11	A	32	34	36	36			54	62	82	85	86		79		77	71	77	67	36			26	
12	28	33	36	36	42			47	61	78		80	77		81	83	86	72	51			37	32	34
13	34		36	37	34	26	30	47	62	76	80		77	77	76	74	76	68		A		37		36
14			36		30		30	63	73	71	73	77	81		81	77	77	64	51	44	36	34		
15								65	66	73	84	80	81		81	77	80	66	52			34		29
16	34		29	34	34		29	58	66	73	75	76	78	77	75	78	65	63				32	A	36
17				34			36		71	80	74	86	85	84	64	61	78	76	64					34
18	32	32	32	34			32	64	77	76				69	78	71	71	67	49	47	37	32	37	
19	A	34	34		30	30		57	73	78	86	79	78			85	73	72	49	34			A	34
20	32		32	37	36	28	C	C	C	C	C	C	C	C	C		75	66	52			C	C	C
21		34	32	34	C	C		61	76	71	80	87	76	78		78	C	C	C	C	C	C	A	C
22	C	34	C	C		C	C	54	75	62	68		78	C		C	C	A	A	C	C	C	C	C
23	C			34	37			53	73	81	67		80		85	84	71	61	66		34	A	A	
24	A			30	23		30	52	67	62	75	76	67		A	74	80	71	57	39	C	C	C	A
25	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
26	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
27	C	C	C	C	C	C	C	C	C	C	C		78	C	C	C	C	C						32
28	32				32			C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
29	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
30	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
31	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C		77	53	37		36		A
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	10	12	16	16	17	8	16	21	23	21	20	17	21	13	18	21	22	23	21	11	8	8	8	11
MED	32	32	33	35	34	29	32	58	67	74	75	78	78	78	78	77	75	72	64	47	36	34	33	34
U Q	34	34	36	36	36	32	32	64	73	77	79	80	80	81	81	81	78	77	67	65	37	35	35	34
L Q	32	32	32	34	30	28	30	53	62	71	72	76	74	77	74	71	71	66	51	36	33	32	29	29

HOURLY VALUES OF fEs AT Yamagawa

OCT. 2005

LAT. 31°12.1'N LON. 130°37.1'E SWEEP 1.0MHz to 30.0MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1		G	G		G		G	33	G	G	G	G	G	G	G	55	52	57	71	69	25		G	G		
2	G	G	G	G			G	29	40	54	G	G	44	70	87	58	55	44	49	34	30	32	38			
3		G		G	G		G	G	39	43	G	G	53	58	41	51	72	37	G		31	34	28	34	39	
4	40	33	27	30	G	G	G	G	39	71	G	G	49	G	G	G	G		38	38	29	G	59	40	34	
5		G					G	40	G	44	G	G	G	G	G	G	G	G	G	G	G	G	G	G		
6	G	G	G	G	G	G	G	33	43	G	G	G	G		G	G	G		29	G	34	G		G		
7	G	G	G	G	G	G	G		G	38	41	G	G	G	G	G		49	40		29	G		G		
8	28	G	G	G	G		G	G	G	G	G	G	G	G	G		56	G	G	G	G	G		G		
9	G	G	G	G	G	G	G	G	G		40	42	G	G	56	G	G		40	G	G		29	34	G	G
10	G	G	G		G	G	G	G	G		44	41	42	G	56	G	40	G	G	G		39	36	40	31	24
11	37	G	30	G	23		G	G	39	58	58	G	60	G		52	46	44	30	30			G	33	G	
12	G	26	G	G	G			G	34	41		G	G		43	84	36	42	29		27	G	25	G		
13	G		G	G	G	G	G	G	G	43	G		44	40	G	G		39	49	71	40	40	G	G		
14			G		G		G	G	G	G	G	G	G		G	G		G	G	G	G		30	G		
15	30	G					G	G	G	G	G	G	G		G		40	36	36	G		28	G	G		
16	G		G	G	G		G	31	G	G	G	G	G	G	40	G	G		38	34	28		G	38	G	
17				G			G	41	G	39	G	G	G	G	G	G	G		36	G	G		G	39	28	
18	28	G	G	G			G	33	40	G	C	G	G	G	G	46	G	G	G	G	G		27	32	36	
19	48	G	G		G	G	G	30	38	G	41	G	G	G	G	G	G		G		40	28		48	G	
20	G	33	34	G	G	G	C	C	C	C	C	C	C	C	C	C	G		33	34	40	36	C	C	C	
21		G	G		C	C	G	G	G	G		40	40	G	G		G	C	C	C	C	C	C	C	C	
22	C	G	C	C		C	C	G	G		41	70	C		40	C	C		82	84		C	C	C	C	
23	C	33	32	28	G		G	G	G		41	46	52	62	64	G	G		35		26	29	G		58	
24	43	34		G	G		G	27	38	50	40	50	62	89	G	G	G		29	30	C	C	C	C	58	
25	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
26	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
27	C	C	C	C	C	C	C	C	C	C	C	G	C	C	C	C	C	C	C	G	G				G	
28	G	30		C	G		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
29	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
30	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
31	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	G	G	G			34	34		32	
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	17	21	18	19	18	8	20	22	23	23	21	22	23	18	21	22	23	24	25	22	17	12	18	17		
MBD	G	G	G	G	G	G	G	G	G	40	G	G	G	G	G	G	G	34	G	29	27	G	32	G		
U Q	33	28	G	25	G	G	G	31	39	44	41	G	49	56	20	51	40	41	36	34	34	30	38	33		
L Q	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G		

HOURLY VALUES OF fmin AT Yamagawa

OCT. 2005

LAT. 31°12.1'N LON. 130°37.1'E SWEEP 1.0MHz to 30.0MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1		22	18		20		15	18	18	42	46	46	49		44	38	20	21	16	18	17		17	18
2	18	18	20	18			17	16	18	18	23	48	34	30	27	23	21	16	20	18	15	17	17	
3		27		21	20		17	18	18	18	45	30	33	32	30	26	20	17	18	15	17	17	16	17
4	17	16	16	18	16	18	18	22	18	23	28	28	28	47	29	34	29	18	16	17	18	18	17	17
5		21					17	23	30	21	51	55	52		44	45	34	22	20	17	21	21	21	
6	20	17	26	21	18	22	17	18	24	39	50	50	45		48	52	20	15	18	17	17			17
7	17	18	18	18	17	18	21	23	30	30	34		56	46	59	45	28	21	18	15	18		22	
8	17	22	20	20	20		22	20	29	33	45	44	48		48	23	28	21	18	20	20		18	17
9	23	21	18	17	18	17	20	22	28	29	33	49	44	32	44	30	18	23	18	16	17		18	20
10	18	20	21	17	18	17	17	22	18	21	33	32	56	34	43	22	18	23	17	16	16	22	17	18
11	16	18	18	17	17		18	21	17	28	30	49	33	58		24	17	15	16	16			20	17
12	18	17	18	18	17			17	23	22		53	45		33	28	20	14	15		18	17	18	17
13	18		20	22	17	17	21	21	21	28	28		29	27	24	21	17	16	17	18	17	15		20
14			21		23		20	21	20	21	44	34	49		46	45	20	22	18	21	17	23		
15	18	20						23	17	20	22	52	22		17	17	16	18	22	20		20		18
16	20		20	22	18		18	18	39	24	44	44	54	45	21	38	28	18	18	18		16	18	27
17				23			18	17	33	26	27	45	46	48	50	48	28	20	20	28		23	18	18
18	16	16	21	17			20	17	23	40	^C	46	50	44	43	18	17	23	18	22	18	20	17	16
19	17	15	21	17	22	22	18	15	16	21	24	45	45	48	44	45	18	18	20	18			17	18
20	17	17	18	18	18	17	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	32	15	17	21	18	^C	^C	
21		16	20	18	^C	^C	18	22	17	20	21	22	24	44		20	^C	^C	^C	^C	^C	^C	16	^C
22	^C	22	^C	^C		^C	^C		22	18	21	28	^C	20		26			27	24		^C	^C	^C
23	^C	17	17	17	17		18	21	17	24	20	22	28	28	29	31	18	21	17	16	17	17	17	18
24	15	17		20	18		17	20	15	17	22	27	27	26	21	18	28	17	15		^C	^C	^C	17
25	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C
26	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C
27	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	53	^C	^C	^C	^C	^C	^C	24	21			18	20
28	18	17		^C	17		^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C
29	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C
30	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C
31	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C								17
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	17	21	18	19	18	8	20	23	23	23	21	21	23	15	21	22	23	24	25	22	17	13	18	19
MED	18	18	20	18	18	18	18	21	18	23	30	45	45	44	43	29	20	19	18	18	17	18	18	18
U Q	18	21	21	21	20	20	20	22	28	29	44	49	49	47	45	45	28	22	20	20	18	21	18	18
L Q	17	17	18	17	17	17	17	18	17	21	23	31	28	30	26	22	18	16	17	16	17	17	17	17

HOURLY VALUES OF foF2 AT Okinawa

OCT. 2005

LAT. 26°40.5'N LON. 128°09.2'E SWEEP 1.0MHz TO 30.0MHz AUTOMATIC SCALING

D \ H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	32	34	35	39				62	78	91	88	72	77	100	101	90	86	88	77	A		A		A	
2	32		39	26			26	65	65	72	82	66	77	92	98	90	76	88	78	65	A	A	A		
3			31	32	37		28	61	71	71	74	80	101	116	131	131	108	100	88	62	A		40	42	44
4	43	40	37	38	32	28	30	66	72	66	75	102	107	117	126	111	99	98	88	64	52	47		38	
5	34	32	34	32	31			57	60	62	76	75	87	80	76	75	74	82	80	54	52	53	43	38	
6		38	37	41	44		31	60	94	70	86	90	80	86	88	81	76	75	66	64	50	A		38	38
7	32	40	36	34	30	30	30	71	63	65	80	70	74	86	106	104	90	82	76	A	60	43	36		
8	48	43	46	53			30	63	68	66	77	76	72	86	110	97	101	102	99	83	54	32	31	32	
9	38	40	34	47	50		31	66	70	77	97	97	112	118	130	128	130	124	87	53	46	50	45	42	
10	44	30	40	38	34	29	28	58	75	75	78	81	81	86	96	108	110	102	88	60	38	A		40	38
11	40	38	38	54				54	62	76	100	112	122	131	139	124	107	105	82	45	37	37	32	35	
12	A	41	41	51	30			51	71	81	97	100	88	91	106	108	114	89	60	51	42	40	41	37	
13	38	34	34	42	32			50	67	76	87	101	88	82	95	92	91	80	59	54	51	52	42	37	
14	30		37		34	31	30	52	81	92	81	104	108	131	130	108	90	70	58	44	42	42	41	40	
15		34	43	38		28	31	59	61	68	90	110	106	97	105	111	100	80	70	53	43	41	38	30	
16		37	34	41	31			52	67	76	86	97	96	101	111	97	87	68	60	50	41		42	34	
17	37	A	A		44	48		32	62	76	90	98	106	127	142	131	108	108	104	91	52	54	51	51	44
18	A	38	41	54	35		30	58	75	85	78	94	113	112	130	108	77	74	67	47	41	47	34	40	
19	36	38	37	34	32	28		54	76	85	102	108	113	131	150	144	105	90	77	58	52	44	30	A	
20		44		59	41		30	58	81	77	95	114	88	102	115	98	83	75	65	49	46	52	44		
21	38	31	32	30	29			54	67	80	81	97	100	105	125	112	120	100	77	A		A	60	54	
22	51	47	45	34	39		30	59	74	70	74	84	94	97	108	119	106	92	61	66	60	40	30	38	
23	42	48	44	44	48	30	30	51	66	74	78	67	82	108	126	115	97	85	72	54		36	32		
24	A	31	36	31	30			48	63	71	75	76	72	82	98	100	92	75	51		36	36	A	A	
25		37	30	30	30			49	86	86	84	105	114	128	131	137	85	84	63	61	52	52		64	
26	A	34	30	30	31	26	29	58	72	72	98	90	82	100	114	102	80	68	65		43	43	26	30	
27	28	28		32	40	29	30	66	73	64	72	88	92	116	127	115	65	61	60	58	41	34	37	34	
28	34	32	29	30				51	66	67	75	98	90	75	81	100	97	90	80	52		40	36		
29		30	29	30	41			47	73	56	62	75	81	98	116	100	86	76	76	66	50	44	30		
30	28					30	28	51	54	60	64	87	90	92	107	88	84	76	47	47	43	42	32	34	
31	36		32	29	28	29		46	64	66	70	76	52	86	111	98	85	76	64	47	51	A	A		
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	20	25	27	29	24	11	18	31	31	31	31	31	31	31	31	31	31	31	31	26	26	24	26	21	
MEQ	36	37	36	38	33	29	30	58	71	72	81	90	90	100	111	108	91	84	72	54	46	42	38	38	
UQ	41	40	40	44	40	30	30	62	75	80	90	102	107	116	130	115	106	98	80	62	52	48	42	41	
LQ	32	32	32	30	30	28	29	51	65	66	75	76	81	86	101	97	84	75	61	50	42	40	32	34	

HOURLY VALUES OF fEs AT Okinawa

OCT. 2005

LAT. 26°40.5'N LON. 128°09.2'E SWEEP 1.0MHz to 30.0MHz AUTOMATIC SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	G	G	G	G			G	34	39	45	45	44	G	48	47	49	57	54	54	80		69	26	46		
2	G	45	G	G	G	G	G	35	46	G	G	50	68	76	77	68	73		48	68	84	70	43	38		
3	27	27	G	G	G		G	30	40	42	49	50	76	57	48	49	40	45	39	42	81	36	34	G		
4	G	27	G	G	G	G	G	29	36	G	G	83	45	70	46	55	46	37	39	78	28	G	G	G		
5	G	25	29	G	G		25	29	G	G	G	43	52	43			G	G	G	G	G	G		36		
6		G	G	G	G		G	34	40	43	48	G	G	42	40	46	36	36	59	54	55	65	G	G		
7	G	G	G	G	G	G	G	30	G	46	49	55	55	54	G	G	40	40	44	54	41	28	G	G		
8	G	G	G	G			G	30	38	42	46	G	G	G	G		51	38	24	65		G		25		
9	27	G	G	G	G		G	G	G	G	G	48	G	93	50	44	G	35	26	27	26	28	39	G		
10	G	G	G	G	G	G	G	27	36	41	46	80	41	G	G	53	38		G	G	24		58	33	26	
11	26	28	25	G	26		G	28	35	47	59	62	48	45	58	77	50	39	36	32		G	G	G	G	
12	58	35	G	G	11			29	41	59	50	G	G	56		51	42		40	28		G	G	G	G	
13	G	G	G	G	G			G	34	G	G	G	41	45	48	G	70	59	37	42	33	44	34	27		
14	G		26		G	G	G	28	37	40		G	G	G	46		37		32	29		G	G	G	G	
15	25	26	G	G		G	G	50	G	39		G	42	G	G	40	40	34	28		G	G	G	G	G	
16	G	G	G	G	G	G		38	42	G	G	G	G	G	G	G		46	50		G	34	37	34	G	
17	G	41	46	G	G		G	26	37	G	G	G	G	G	40		36	62	46		G	G	G	G	G	
18	36	G	G	G	G		G	36	44	48	45	G	G	G	G		36		26	29	25	23	G	G	G	
19	G	G	G	G	G	G		29	42	38	G	G	50	49	68	G	40	G	32	26		G	G	G	48	
20	50	36	39	30	G	G	G	30	G	40	43	42	G	G	G	G	G	G		31	37	33		G	G	26
21	G	G	G	G	G			G	G	G	42	59	83	59	40	43	48	52	78	70	51	58	35	34	G	
22	29	35	30	G	G	27	G	38	40	43		53	G	43	61	66	38	58	59	34	33	24		G	G	
23	34	29	35	G	25		G		44	52	54	66	62	82	52	36	59	30	38				28	34	G	
24	69	50	36	G	G		G	38	48	70	53	43	G	G		49	51	44	35	40	28	32	47	40	G	
25	47	34	28	26	G	G		27	35	45	40	57	66	58	49	58	41	36	37	35	36	26		49	G	
26	50	32	G	G	G	G	G	G	G	G	51	53	53	57	G	41	44	36	31	43		G	G	G	G	
27	G	G		G	G	G	G	34	45	44	46	45	G	41		G	G	G	G		26		G	G	G	
28	G	G	G	G		G	G	37	G	47	G	46	54	52	77		G	G		11		28	G	G	34	
29		26	G	G	G	G		27	G	G	G	G	G	G	43	44	61	35	G	22		G	G	G	G	
30	G	G		G	G	G	25	27	32	36		G	G	G	49	53	G	G	34	11	G	G	40	G	G	
31	G	33	G	G	G	G	G	36	43	46	46	49	G	G	G		37	34	32	26	52	37	33	28	G	
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
CNT	29	30	29	30	27	18	24	27	31	31	31	31	31	31	31	31	31	30	31	31	27	31	30	31		
MED	G	26	G	G	G	G	G	27	36	40	43	44	43	45	41	43	40	36	32	32	28	23	G	G		
UQ	31	33	27	G	G	G	G	30	38	44	48	53	53	57	49	52	50	44	44	54	36	37	34	34		
LQ	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	36	G	26	24	G	G	G	G		


HOURLY VALUES OF fmin AT Okinawa

OCT. 2005

LAT. 26°40.5'N LON. 128°09.2'E SWEEP 1.0MHz to 30.0MHz AUTOMATIC SCALING


H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	15	14	15	14			15	14	14	15	20	23	23	21	21	18	17	14	14	14	14	14	15	14	14
2	15	15	15	17	14	14	15	14	14	16	22	23	24	26	22	22	14	14	14	14	14	14	14	14	15
3	15	14	15	20	15		15	14	14	20	22	23	28	29	22	21	21	14	14	14	14	14	14	14	14
4	15	15	17	14	15	14	15	14	14	15	22	28	23	29	16	21	21	15	14	14	14	14	14		16
5	16	14	15	14	14		14	14	14	16	21	20	21	21	18	20	20	14	15	17	14	18	14	15	
6		14	17	15	17		15	14	14	20	21	23	21	18	33	14	14	14	14	14	14	14	14	15	14
7	17	16	15	15	15	15	15	17	14	21	20	20	39	33	33	21	18	14	14	14	14	14	15	15	18
8	22	16	15	15			18	14	14	14	15	22	22	23	21	20	14	15	16	15	15	15	14	15	
9	14	15	15	14	14		14	21	18	14	17	22	37	33	17	22	16	14	14	14	14	14	14	15	
10	15	16	16	18	14	15	16	14	15	14	20	20	33	23	23	22	21	14	17	15	15	14	15	14	
11	15	14	15	14	14		18	14	14	18	21	30	30	24	23	21	22	14	14	14	14	17	17	20	15
12	14	15	17	15	15			14	14	14	30	24	29	33	43	21	18	14	14	15	17	20	14	15	
13	15	18	17	14	14			14	15	15	17	17	32	29	27	20	15	14	14	14	14	14	14	15	14
14	16		17		18	15	15	14	14	14	20	21	23	44	15	15	14	15	14	14	15	15	15	15	15
15	16	14	17	22		20	15	20	15	18	21	21	22	18	16	14	14	14	14	16	15	15	15	15	15
16	17	18	15	14	15	15		14	16	21	23	29	38	20	20	16	17	15	14	15	14	14	14	15	15
17	15	14	14	15	15		14	14	14	15	17	21	26	14	14	14	14	20	14	15	15	15	16	15	15
18	14	15	14	15	17		15	14	14	14	16	16	36	17	17	17	14	14	14	15	15	15	14	15	15
19	15	14	14	14	16	16		14	14	14	15	18	18	15	15	14	14	16	14	14	16	15	14	14	14
20	14	14	15	14	21	15	16	14	14	14	20	20	18	15	17	20	17	14	14	14	14	14	15	17	16
21	16	16	16	22	14			14	14	14	16	17	18	22	22	17	15	14	14	14	14	14	14	14	15
22	15	15	15	17	15	14	15	14	14	15	15	20	22	20	18	21	16	14	16	14	14	14	14	16	16
23	15	14	14	15	15	15	16	20	14	14	15	18	20	21	20	22	14	14	14	14		20	15	16	16
24	15	15	14	17	17		15	14	14	15	15	21	21	21	20	15	14	14	14	14	14	14	14	14	14
25	14	14	15	15	15	15		14	14	14	14	18	14	21	23	20	15	14	14	15	14	14	14	14	14
26	14	14	15	14	15	16	15	15	14	14	18	29	28	20	21	18	14	14	14	15	20	15	17	16	16
27	15	18		17	16	15	15	16	14	17	18	22	23	22	21	16	15	22	15	14	16	15	18	15	15
28	15	15	15	14		15	15	20	18	14	17	22	22	23	21	18	15	22	15	20	14	15	14	15	15
29		14	17	20	14	15		14	14	14	21	20	21	18	20	17	15	14	17	14	15	15	15	15	15
30	15	15		17	17	14	14	14	14	14	16	15	36	14	23	17	14	14	14	18	20	15	18	14	14
31	17	14	14	17	15	17	15	20	14	14	16	21	21	21	18	16	15	14	15	14	14	14	15	15	15
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	29	30	29	30	27	18	24	31	31	31	31	31	31	31	31	31	31	31	31	31	30	31	30	31	31
MEB	15	15	15	15	15	15	15	14	14	14	18	21	23	21	21	18	15	14	14	14	14	14	15	15	15
U Q	16	15	16	17	16	15	15	15	14	16	21	23	30	26	23	21	17	15	15	15	15	15	15	15	15
L Q	15	14	15	14	14	15	15	14	14	14	16	20	21	18	17	16	14	14	14	14	14	14	14	14	14

SUMMARY PLOTS AT Wakkanai




fxe(p); PREDICTED VALUE FOR fxe
 foe(p); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT Wakkanai



fxE(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE


SUMMARY PLOTS AT Wakkanai



fxe(P); PREDICTED VALUE FOR fxe
 foE(P); PREDICTED VALUE FOR foE

JST


SUMMARY PLOTS AT Wakkanai



fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE


JST

SUMMARY PLOTS AT Wakkanai



f_xE(P); PREDICTED VALUE FOR f_xE
f_oE(P); PREDICTED VALUE FOR f_oE

SUMMARY PLOTS AT Wakkanai



fxe(P); PREDICTED VALUE FOR fxe
foe(P); PREDICTED VALUE FOR foe

24 OCT. 2005


23 OCT. 2005

22 OCT. 2005

21 OCT. 2005

JST


SUMMARY PLOTS AT Wakkanai



fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE


JST

SUMMARY PLOTS AT Wakkanai




$f_xE(P)$; PREDICTED VALUE FOR f_xE
 $f_oE(P)$; PREDICTED VALUE FOR f_oE

SUMMARY PLOTS AT Kokubunji




f_xE(P); PREDICTED VALUE FOR f_xE
f_oE(P); PREDICTED VALUE FOR f_oE

SUMMARY PLOTS AT Kokubunji



fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE


SUMMARY PLOTS AT Kokubunji



fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE


JST

SUMMARY PLOTS AT Kokubunji




fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT Kokubunji




fxE(p); PREDICTED VALUE FOR fxe
foE(p); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT Kokubunji




fxe(p); PREDICTED VALUE FOR fxe
foe(p); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT Kokubunji




fXoF2(P); PREDICTED VALUE FOR fXoF2
foF2(P); PREDICTED VALUE FOR foF2

SUMMARY PLOTS AT Kokubunji




f_xE(P); PREDICTED VALUE FOR f_xE
f_oE(P); PREDICTED VALUE FOR f_oE

SUMMARY PLOTS AT Yamagawa




fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT Yamagawa



f_xE(p); PREDICTED VALUE FOR f_xE
foE(p); PREDICTED VALUE FOR foE


SUMMARY PLOTS AT Yamagawa



JST
9 OCT.2005
10 OCT.2005
11 OCT.2005
12 OCT.2005


fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT Yamagawa



f_oF₂(P); PREDICTED VALUE FOR f_oF₂
 F₂(P); PREDICTED VALUE FOR F₂
 f_oE(P); PREDICTED VALUE FOR f_oE
 E(P); PREDICTED VALUE FOR E


SUMMARY PLOTS AT Yamagawa



fxe(P); PREDICTED VALUE FOR fxe
foE(P); PREDICTED VALUE FOR foE


JST

SUMMARY PLOTS AT Yamagawa



f_oF(P); PREDICTED VALUE FOR f_oF
 h_pF(P); PREDICTED VALUE FOR h_pF


SUMMARY PLOTS AT Yamagawa



f_{xE}(P); PREDICTED VALUE FOR f_{xE}
 foE(P); PREDICTED VALUE FOR foE


JST

SUMMARY PLOTS AT Yamagawa



fxe(p); PREDICTED VALUE FOR fxe
foe(p); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT Okinawa



fXE(P); PREDICTED VALUE FOR fXE
foE(P); PREDICTED VALUE FOR foE

UTC

1 OCT. 2005

2 OCT. 2005

3 OCT. 2005

4 OCT. 2005

UTC


1 OCT. 2005

2 OCT. 2005

3 OCT. 2005

4 OCT. 2005

SUMMARY PLOTS AT Okinawa




UTC
 5 OCT. 2005
 6 OCT. 2005
 7 OCT. 2005
 8 OCT. 2005

F-LAYER
 E-LAYER
 fxe(P) foe(P)
 fxe(P) foe(P)
 fxe(P) foe(P)
 fxe(P) foe(P)

JST
 5 OCT. 2005
 6 OCT. 2005
 7 OCT. 2005
 8 OCT. 2005


fxe(P); PREDICTED VALUE FOR fxe
 foe(P); PREDICTED VALUE FOR foe

SUMMARY PLOTS AT Okinawa




$f_xE(P)$; PREDICTED VALUE FOR f_xE
 $foE(P)$; PREDICTED VALUE FOR foE

SUMMARY PLOTS AT Okinawa



$f_{x E}(P)$; PREDICTED VALUE FOR $f_{x E}$
 $f_{o E}(P)$; PREDICTED VALUE FOR $f_{o E}$


SUMMARY PLOTS AT Okinawa



f_{xe}(P); PREDICTED VALUE FOR f_{xe}
f_{oF}(P); PREDICTED VALUE FOR f_{oF}

JST

SUMMARY PLOTS AT Okinawa



fxe(p); PREDICTED VALUE FOR fxe
foE(p); PREDICTED VALUE FOR foE

24 OCT. 2005


23 OCT. 2005

22 OCT. 2005

21 OCT. 2005


JST

SUMMARY PLOTS AT Okinawa



f_{xe}(P); PREDICTED VALUE FOR f_{xe}
foE(P); PREDICTED VALUE FOR foE

SUMMARY PLOTS AT Okinawa



fxe(p); PREDICTED VALUE FOR fxe
foE(p); PREDICTED VALUE FOR foE

MONTHLY MEDIANS OF h'F AND h'Es
 OCT. 2005 135E MEAN TIME (UTC+9H) AUTOMATIC SCALING

h'F STATION Wakkanai LAT. 45°23.5'N LON. 141°41.2'E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT								13	17	14	4			8	22	19	23	12	1					
MED								234	232	236	238			233	249	248	238	238	256					
U Q								238	244	252	246			236	256	252	248	240	128					
L Q								222	223	226	222			230	248	238	224	231	128					

h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	19	13	10	9	9	9	10	19	22	21	23	18	16	14	9	13	19	18	22	20	22	24	21	21
MED	95	95	95	97	95	97	103	111	109	105	103	98	93	95	95	93	95	93	97	97	97	98	97	97
U Q	97	97	95	99	97	101	121	131	113	107	107	103	95	95	99	95	105	101	103	103	101	103	99	102
L Q	93	91	93	95	92	90	97	109	105	100	99	95	90	91	95	91	93	87	91	89	95	94	95	95

h'F STATION Kokubunji LAT. 35°42.4'N LON. 139°29.3'E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT							1	21	28	14					13	28	20	16	4	1				
MED							230	228	230	230					246	245	238	238	234	240				
U Q							115	242	235	244					254	265	249	246	241	120				
L Q							115	216	220	224					235	238	226	228	230	120				

h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	12	10	9	6	8	5	3	18	16	14	12	13	9	11	10	10	12	17	13	19	18	18	18	16
MED	97	98	97	94	94	97	95	112	110	106	104	103	103	103	103	103	104	97	103	99	101	99	99	97
U Q	99	99	100	95	96	137	123	123	113	111	108	107	107	105	105	107	109	108	107	103	107	103	103	103
L Q	95	95	95	93	90	94	95	107	104	103	98	96	103	95	97	97	99	91	96	97	97	97	97	95

h'F STATION Yamagawa LAT. 31°12.1'N LON. 130°37.1'E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT								9	16	21						15	20	17	5	1				
MED								230	231	248						258	248	242	244	254				
U Q								236	241	256						268	265	250	271	127				
L Q								216	222	236						238	238	232	236	127				

h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	7	6	4	5	1			9	9	14	9	4	8	7	5	9	10	15	12	16	10	5	12	8
MED	95	97	95	97	99			127	113	107	105	103	104	107	105	103	106	101	99	101	96	103	98	97
U Q	97	97	96	97	49			131	117	111	110	108	105	107	107	106	111	117	101	105	99	103	100	103
L Q	89	97	95	92	49			122	108	103	101	98	101	103	96	95	97	95	97	97	95	92	97	95

MONTHLY MEDIANS OF h'F AND h'Es
 OCT. 2005 135E MEAN TIME (UTC+9H) AUTOMATIC SCALING

h'F STATION Okinawa LAT. 26°40.5'N LON. 128°09.2'E

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT								6	23	26						17	31	30	18	4				
MED								221	230	250						238	234	230	223	254				
U Q								230	238	258						257	246	240	230	268				
L Q								212	224	244						227	222	216	218	233				


h'Es

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	12	16	9	2	2	1	2	18	23	20	21	18	19	18	19	18	24	21	25	25	16	16	14	12
MED	96	95	95	94	95	95	96	121	113	107	107	105	107	103	103	105	103	103	97	97	95	96	95	93
U Q	99	100	96	101	95	47	97	125	125	109	114	109	111	107	111	111	107	112	102	99	99	102	95	95
L Q	91	89	89	87	95	47	95	113	105	103	102	101	103	103	103	99	95	97	95	93	91	94	91	90

MONTHLY MEDIANS PLOT OF foF2

OCT. 2005

AUTOMATIC SCALING



IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 f_{XI} (0.1MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	X	X	X	X	X	X													X	X	X	X	X	X
2	X	X	X	X	X	X													X	X	X	X	X	X
3	X	X	X	X	X	X													X	X	X	X	X	X
4	X	X	X	X	X	X													X	X	X	X	X	X
5	X	X	X	X	X	X													X	X	X	X	X	X
6	X	X	X	X	X	X													X	X	X	X	X	X
7	X	X	X	X	X	X													X	X	X	X	X	X
8	X	X	X	X	X	X													X	X	X	X	X	X
9	X	X	X	X	X	X													X	X	X	X	X	X
10	X	X	X	X	X	X													X	X	X	X	X	X
11	X	X	X	X	X	X													X	X	X	X	X	X
12	X	X	X	X	X	X													X	X	X	X	X	X
13	X	X	X	X	X	X													X	X	X	X	X	X
14	X	X	X	X	X	X													X	X	X	X	X	X
15	X	X	X	X	X	X													X	X	X	X	X	X
16	X	X	X	X	X	X													X	X	X	X	X	X
17	X	X	X	X	X	X													X	X	X	X	X	X
18	X	X	X	X	X	X													X	X	X	X	X	X
19	X	X	X	X	X	X													X	X	X	X	X	X
20	X	X	X	X	X	X													X	X	X	X	X	X
21	X	X	X	X	X	X													X	X	X	X	X	X
22	X	X	X	X	X	X													X	X	X	X	X	X
23	X	X	X	X	X	X													X	X	X	X	X	X
24	X	X	X	X	X	X													X	X	X	X	X	X
25	X	X	X	X	X	X													X	X	X	X	X	X
26	X	X	X	X	X	X													X	X	X	X	X	X
27	X	X	X	X	X	X													X	X	X	X	X	X
28	X	X	X	X	X	X													X	X	X	X	X	X
29	X	X	X	X	X	X													X	X	X	X	X	X
30	X	X	X	X	X	X													X	X	X	X	X	X
31	X	X	X	X	X	X													X	X	X	X	X	X
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	31	31	31	31	30	30	1											12	29	26	30	31	30	31
MED	43	43	43	43	41	36	51											62	62	50	48	46	46	46
U Q	X	X	X	X	X	X												X	X	X	X	X	X	X
L Q	47	46	47	45	45	40												66	66	56	51	50	50	48
	X	X	X	X	X	X												X	X	X	X	X	X	X
	42	40	42	40	38	34												54	48	48	44	41	41	42

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 foF2 (0.1MHz)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	37	36	36	34	40	25	43	67	87	81	86	81	78	65	61	59	59	64	61	58	48	41	39	38	
2	36	34	34	36	32	31	54	68	74	64	67	75	82	79	66	64	68	74	66	52	44	44		42	
3	42	37	F	38	33	34	49	60	66	72	76	75	73	75	70	68	70	71	55	A	40		A	F	
4	38	F	37	38	F	30	50	65	72	72	66	73	72	66	75	62	68	70	65	48	38	43	40	38	
5	39	37	36	37	30	29	47	57	61	77	76	74	74	72	64	64	61	71	68	53	54	50	46	42	
6	43	42	41	38	39	39	60	64	66	69	73	76	69	68	67	66	65	66	63	43	45	44	41	42	
7	40	39	36	37	34	33	57	72	73	66	69	71	61	70	65	62	63	67	55	44	40	42	40	40	
8	40	39	40	45	32	29	50	74	74	80	82	78	72	75	79	75	80	79	85	73	52	45		F	
9	47	46	46	47	46	48	63	66	84	70	79	91	82	68	70	73	77	72	52	44	41	40	40	42	
10	40	37	36	36	36	32	49	58	75	69	75	84	80	71	75	75	77	72	56	52	49	37	34	34	
11	35	33	36	40	36	28	47	60	68	80	71	C	90	76	74	70	66	68	56	44	40	37	F	F	
12	37	38	40	38	38	30	46	64	78	63	76	90	82	81	82	84	68	60	50	42	43	42		40	
13	40	41	42	41	42	34	48	63	70	78	82	87	90	74	66	68	68	68	64	52	48	45	44	42	
14	43	40	39	39	36	35	54	78	82	71	69	79	88	85	69	72	65	67	60	47	43	43	43	F	
15	44	44	43	45	43	32	48	65	74	75	76	83	82	69	66	70	65	62	55	47	48	36	35	36	
16	37	37	37	38	32	28	46	59	65	71	65	76	72	66	67	72	60	60	58	40	44	44	43	42	
17	41	40	42	42	38	38	50	64	67	81	72	100	104	68	63	63	66	67	52	48	F	45	43	40	
18	40	40	40	41	34	36	50	70	86	87	82	90	106	73	66	64	68	71	52	44		45	F	F	
19	F	41	42	34	34	30	43	64	72	82	98	82	86	79	86	65	81	70	42	A	32	35	35	35	
20	36	36	37	34	32	30	46	65	88	92	76	88	90	79	73	74	66	56	46	A	A	44	45	40	
21	41	40	43	39	34	27	45	70	73	68	73	84	80	76	72	71	69	57			35	36	36	36	
22	35	33	33	33	36	27	42	64	71	79	67	82	79	80	87	74	62	55	41	42	40	34	34	F	
23	36	36	36	37	39	27	40	61	75	86	68	84	82	72	70	68	63	61	57	40	31	29	30	F	
24	33	34	35	34	42	28	42	54	71	64	72	88	67	66	71	69	56	48	A	A	F	35	35	F	
25	35	36	38	37	41	30	40	70	98	104		94	90	85	82	70	78	63	35	32	34	36	37	42	
26	36	34	31	33	32	30	44	62	85	84	92	84	80	78	76	72	70	65	59	50	40	33	33	35	
27	36	35	34	34	34	36	46	66	81	73	86	92	99	74	66	70	58	59	43	36	38	38	41	36	
28	37	34	35	34	33	28	41	54	63	78	67	79	85	72	68	72	62	45	37	42	36	34	35	35	
29	32	34	36	31	A	A	A	65	67	66	C	C	C	C	C	C		48	41	36	34	30	34	31	
30	31	32	32	30	32	25	39	55	63	63	68	80	78	79	60	66	60	58	40	29	A	26	28	31	36
31	34	36	36	28	31	F	42	56	70	80	61	76	75	74	78	87	69	47	33		A	28	32	32	
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	30	30	30	31	29	29	30	31	31	31	29	29	30	30	30	30	30	31	29	26	28	30	25	23	
MEP	37	37	36	37	34	30	46	64	73	75	73	82	81	74	70	70	66	65	55	44	40	39	37	38	
U Q	40	40	40	39	39	34	50	67	81	81	80	88	88	79	75	72	69	70	60	50	45	44	42	42	
L Q	36	34	36	34	32	28	43	60	67	69	68	76	74	69	66	65	62	58	42	42	37	35	34	35	

OCT. 2005 foF2 (0.1MHz)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 foF1 (0.01MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1								L	L	L	L	L	L	L	A									
2									L	L	L	L	L	A	L	L								
3									L	A	A	A	A	A	A	L	A							
4									L	L	L	L	L	L	L	L								
5									L	A	L	L	L	L	L	L								
6								L	L	L	L	L	L	L	L	L								
7									L	L	L	L	L	L	L									
8									L	L	L	L	L	L	L									
9									L	L	L	L	L	A	L	L								
10									A	L	L	L	L	L	L	L								
11								A	L	L	L	C	L	A	A	A								
12								L	L	L	L	U	L	A	L	L	L							
13										L	L	L	L	L	L	L								
14										L	L	L	U	L	U	L	L							
15									L	L	L	L	L	L	L	L								
16										L	L	L	L	L	L	L								
17									L	L	L	L	L	L	L	L								
18									L	L	L	L	L	L	L	L								
19										L	L	L	L	L	L	L								
20										L	L	L	L	L	L									
21									L	L	L	L	L	L	L	L								
22									L	L	L	A	L	A	A									
23									L	L	A	L	L	L	L	L								
24									L	L	A	A	L	L	A									
25									L	L	L	L	L	L	L	L								
26										L	L	L	L	A	A	A								
27										L	L	L	L	L	L									
28										L	L	L	L	U	L	L								
29							A		L		C	C	C	C	C	C	C							
30										L	L	L	L	L	L	A								
31										L	A	L	L	L	L	L								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT											7	7	6	3	1									
MED											L	L	L	U	L	L								
U Q											448	448	448	440	428									
L Q											L	L	L	L	L									
											452	460	452	452										
											L	L	L	L										
											440	432	436	424										

OCT. 2005 foF1 (0.01MHz)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 foE (0.01MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1							U R U A 184 244	A U R 316	A A	A R	A A	R A	A A	U R 268	U R 236			B							
2							U A 164	A A	A A	A A	A A	A A	A A	U A 268	U A 268		A	B							
3							B U A 244	U A 288	A A	A A	A A	A A	A A	A A	A A	A A	A A	B							
4							B A	A A	A A	A R	A R	A R	A R	U R 288	U A 236			B							
5							A A	A A	A R	R R	R R	R R	R R	U R 276	U R 244			B							
6							B U R 252	R R	R R	R R	R R	R R	U R 312	R R	R R	284	236		B						
7							B 236	284	U R 308	A R	A R	A R	R R	U A 304	U A 228			B							
8							U R U R 184 244	288	U R U R 312 336	A A	A R	A R	A R	A R	U R 232			B							
9							B U A 232	A A	A U A 316	A U A 324	A A	A A	A A	A A	A A	A A	A A	B							
10							B 252	A A	A A	A A	A A	A A	A A	A A	A A	A A	A A	B							
11							B A	A A	A A	A C	A A	A A	A A	U A 276	U A 276		A	B							
12							B A	A U R 300	A A	A A	A A	A A	A R	A A	A A	A R		B							
13							B A	A A	A A	A R	A R	A R	A R	U R 276	U R 228			B							
14							B U A 244	A A	A A	A R	A R	A R	A R	U R 276	U R 232			B							
15							B A	A A	A A	A R	A R	A R	A R	U R 300	U R 196			B							
16							B A	A A	A R	A R	A R	A R	A R	A R	U A 224			B							
17							B U R 232	A A	308	312	A A	A A	A A	U R 308	R R	276	212		B						
18							B 224	268	A A	A A	A A	A A	A A	U R 300	U R 272	U R 228		B							
19							B A	A A	A U R 344	A A	A R	A R	A R	U R 312	U R 264	U A 216		B							
20							B 236	U R 292	A A	A A	A A	A A	A A	U R 312	U R 300	260	196								
21							 228	A A	A A	A A	A A	A A	A A	U R 312	R R	264									
22							B U A 212	A A	A A	A A	A A	A A	A A	A A	A A	A R									
23							B U A 224	A A	A A	A A	A A	A A	A A	U R 324	U R 268	U A 196									
24							B U R 224	U A 272	A A	A A	A A	A A	A A	316	A A	A A									
25							B A	A A	A A	A A	A A	A A	A A	A A	A A	A A									
26							B 204	276	A A	A R	A R	A R	A R	A R	A A	A A									
27							B A	R R	A A	A A	A A	A A	U R 324	U R 308	U R 284										
28							B 208	R R	A A	A A	A A	A A	A A	A A	A R	A A									
29							B A	A A	A C	C C	C C	C C	C C	C C	C C										
30							B U R 216	R R	A A	A A	A A	A A	U R 304	U A 284	A A	A A									
31							B 268	U A 268	A A	A A	A A	A A	A A	A A	A A	A A									
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT							3	18	8	5	4	1	2	6	8	14	15								
MED							U R U 184 232	U R U 280	U R U 308 326	U A 324	U A 320	U A 310	U R U 300	U R U 274	U R U 228										
U Q							U R U 184 244	U R U 288	U R U R 314 340					U R U R 312 308	U R U R 276 236										
L Q							U A 164	U A 224	U A 270	304	314			U R 308	U R 292	268	212								

OCT. 2005 foE (0.01MHz)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 foEs (0.1MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

D	H	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23									
1	E	16	15	15	16	16	18		G	30	23	25	33	J	A	26	51	47	25	J	A	28	31	50	33	E	16	14	20	15				
2	E	16	15	15	15	15	18	20	35	J	A	46	42	44	40	38	58	54	31	J	A	29	29	15	17	J	A	30	59	23	26			
3	J	A	23	22	14	18	15	14	20	32	36	43	48	50	72	67	60	56	74	57	34	40	28	25	66	79	J	A	23	26				
4	J	A	43	21	29	18	22	16	20	30	35	43	34	28	35	39	30	24	27	23	23	56	44	14	29	26	J	A	43	26				
5	J	A	24	24	23	16	15	16	24	36	42	47	26	25	26	27	27	23	20	17	15	16	15	19	22	21	J	A	24	21				
6	E	B	15	19	15	15	15	14	19		G	23	24	28	25		G	22		33	27	21	24	15	15	23	21	21						
7	J	A	20	15	15	15	15	14	19	27	32	28	38	29	29	26	34	31	28	E	B	18	15	15	22	21	15	15						
8	E	B	15	15	15	14	15	15		G	20	32	22	28	38	30	24	32	42	21	21	E	B	15	15	18	15	21	14					
9	E	B	16	15	15	15	14	15	20	31	32	34	47	39	40	60	46	34	30	22	24	20	22	24	21	23	J	A	16	23				
10	J	A	20	21	23	16	14	14	18	32	J	A	46	37	J	A	42	41	40	35	44	46	34	26	28	42	66	32	36	44				
11	J	A	26	18	15	15	15	20	39	44	44	53		J	A	39	40	47	42	38	41	22	26	76	38	26	20	J	A	26	20			
12	J	A	26	17	15	15	15	18	29	31	28	34	35	J	A	49	30	34	30	28	25	20	41	37	37	34	31	J	A	26	31			
13	J	A	31	33	26	30	44	22	19	32	42	45	46	28	25	36	23	20	26	18	16	26	23	20	22	28	J	A	31	28				
14	18	20	J	A	20	15	15	15	16	28	36	34	27	23	26		G	22	22	22	22	J	A	15	18	14	15	16	21					
15	E	B	16	22	18	15	14	16	16	27	30	42	34	25	26	21		G	20	24	19	16	15	15	15	15	15	15	15					
16	E	B	16	14	15	14	15	15	15	26	31	27	34	29	28		G	28	23	27	23	19	62	46	53	25	16	J	A	16	16			
17	E	B	15	16	15	15	15	16	16	21	40	33	34	23	25	26	20	30		19	20	20	26	39	33	35	J	A	17	35				
18	J	A	30	18	18	18	15	14	16	25	30	32	36	36	40	43	27	21	20	J	A	23	30	43	52	54	29	29	J	A	30			
19	J	A	29	15	14	14	21	15	19	28	33	34	31	41	27	24	23	31	26	J	A	26	40	62	15	20	19	44	J	A	29			
20	J	A	17	15	24	14	15	15	22	27	21	32	38	42	30	26	20	29	25	J	A	24	19	15	14	18	15	15	J	A	20			
21	J	A	21	44	14	21	J	A	22	30	34	44	36	38	39	26	20	33	31	35	43	51	44	29	24	30	J	A	21	30				
22	J	A	22	16	20	18	E	B	16	28	40	34	37	42	39	43	54	54	22	15	16	20	20	30	39	33	J	A	22	33				
23	19	E	B	16	16	14	E	B	15	26	31	J	A	39	56	38	37	J	A	35	30	23	68	53	28	44	22	J	A	23				
24	J	A	25	30	24	20	20	19	15		34	39	47	57	36	28	43	34	26	J	A	23	110	100	32	42	16	19	J	A	24			
25	J	A	52	30	34	18	21	20	19	26	32	46		J	A	52	33	40	45	29	23	14	21	24	18	18	15	15	J	A	25			
26	E	B	15	20	20	26	22	20	14	26	35	50	34	32	30	51	50	47	28	J	A	73	111	79	57	46	36	37	J	A	26			
27	J	A	33	36	44	38	26	23	26	26	26	26	37	41	26	23	21	23	G	J	A	37	15	25	38	25	23	54	J	A	27			
28	J	A	24	18	20	15	15	19	16	24	20	24	34	34	34	34	31	20	26	J	A	26	28	21	23	20	15	31	17	J	A	28		
29	E	B	15	26	61	45	48	74	68	26	30	34		C	C	C	C	C	C	J	A	66	63	56	38	28	33	30	J	A	29			
30	J	A	19	25	28	23	33	28	19	19	21	25	33	36	21	34	33	61	J	A	39	35	29	20	22	24	41	18	J	A	30			
31	J	A	21	15	15	14	14	14	14		32	34	46	37	58	35	32	29	J	A	47	74	24	77	60	25	23	20	J	A	31			
		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23									
CNT		31	31	31	31	31	31	31	31	31	31	29	29	30	30	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31	31			
MED	J	A	20	18	18	E	B	E	B	E	B	19	27	32	34	36	37		G	34	32	30	27	J	A	25	22	26	26	25	23	22		
UQ	J	A	26	24	24	18	21	20	20	30	36	43	45	41	39	43	45	34	31	35	30	56	44	37	33	31	J	A	26	24	24	24	24	
LQ	E	B	16	15	15	15	15	15	16	25	30	28	34	28	26	26	23	23	24	21	16	18	18	18	18	20	17	J	A	16	15	15	15	15

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 fBES (0.1MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
2	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
3	17	17	14	16	15	14	19	30	34	40	43	46	44	64	43	36	36	50	26	40	19	21	66	18
4	20	15	15	15	16	16	18	27	34	37	32	28	35	38	30	23	26	20	16	16	18	14	15	19
5	20	20	15	16	15	16	20	34	31	40	25	24	26	27	26	23	19	17	15	16	15	15	18	18
6	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
7	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
8	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
9	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
10	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
11	18	15	15	15	15	15	16	33	30	35	35		34	38	44	38	34	34	16	21	34	16	19	16
12	23	16	15	15	15	15	17	28	29	25	34	31	42	28	32	29	26	20	17	30	24	22	26	19
13	16	24	17	22	27	20	17	29	35	36	40	28	24	33	21	20	26	18	16	22	20	18	18	20
14	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
15	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
16	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
17	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
18	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
19	18	15	14	14	16	15	18	26	30	32	30	35	26	24	23	29	25	24	20	62	15	15	15	25
20	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
21	17	27	14	15	14	19	16	28	32	37	35	34	35	24	20	30	27	31	43	51	25	20	15	18
22	16	16	16	15	16	16	16	24	32	33	36	39	36	40	49	42	19	15	16	15	17	25	22	17
23	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
24	18	27	17	17	14	19	15		32	32	42	43	34	24	37	30	25	15	110	100	16	18	15	16
25	29	15	16	15	15	16	15	24	29	38		36	32	32	30	25	21	14	15	20	17	15	15	15
26	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
27	22	24	17	21	18	15	23	22	26	25	32	36	26	23	20	23	35	23	15	18	22	20	17	16
28	17	15	16	15	15	15	16	23	19	22	34	32	32	31	28	19	22	15	18	18	16	15	15	16
29	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
30	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
31	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	31	31	31	31	31	31	31	31	31	31	29	29	30	30	30	30	30	31	31	31	31	31	31	31
MFD	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
UQ	18	18	16	16	16	16	18	28	32	36	37	36	35	36	34	31	26	27	24	30	25	20	19	18
LQ	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B	E	B
	15	15	15	15	15	15	15	23	28	26	32	28	26	24	23	23	22	18	16	15	15	15	15	16

OCT. 2005 fBES (0.1MHz)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 fmin (0.1MHz) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	16	15	15	16	16	15	15	14	14	15	16	14	17	15	15	15	14	15	14	15	16	14	15	15
2	16	15	15	15	15	15	14	14	13	16	16	19	16	16	16	15	16	15	15	15	14	15	16	15
3	15	15	14	14	15	14	15	15	14	16	16	17	24	19	18	18	14	15	13	15	14	14	14	15
4	15	15	15	15	13	16	15	16	14	15	16	20	23	18	23	14	14	15	12	14	15	14	15	14
5	15	14	15	16	15	16	14	15	14	19	15	15	19	18	16	17	15	17	15	16	15	16	15	14
6	15	15	15	15	15	14	19	15	15	15	16	15	16	14	18	15	16	16	14	15	15	15	15	16
7	16	15	15	15	15	14	14	14	14	15	14	17	19	16	18	14	14	18	15	15	15	15	15	15
8	15	15	15	14	15	15	16	16	14	14	15	16	17	16	16	14	14	14	15	15	14	15	15	14
9	16	15	15	15	14	15	14	14	12	15	17	15	18	15	14	11	15	16	15	15	14	15	15	16
10	15	14	14	15	14	14	18	14	15	12	16	14	15	14	14	15	14	15	14	15	15	14	15	16
11	14	15	15	15	15	15	15	14	13	16	20	C	15	14	14	13	15	17	16	15	15	15	14	15
12	15	16	15	15	15	15	15	14	15	15	15	17	21	18	15	16	16	15	17	14	15	15	15	15
13	14	14	16	14	14	13	15	15	14	16	14	17	16	15	15	15	15	18	16	14	14	16	15	14
14	16	16	15	15	15	15	16	14	14	14	16	18	16	24	17	15	13	14	15	16	14	15	16	15
15	16	15	15	15	14	16	16	15	15	13	14	16	15	16	16	14	16	16	16	15	15	15	15	15
16	16	14	15	14	15	15	15	14	14	15	15	17	17	24	21	16	14	16	15	15	16	15	15	16
17	15	16	15	15	15	16	16	14	15	14	15	16	14	14	15	16	15	14	15	15	14	15	15	14
18	16	15	16	14	15	14	16	14	14	16	16	18	17	19	16	13	14	16	14	16	15	15	16	15
19	15	15	14	14	14	15	13	14	14	17	14	15	15	14	16	14	14	15	15	16	15	15	15	15
20	15	15	15	14	15	15	16	14	14	14	13	14	14	16	14	16	17	15	15	15	14	14	15	15
21	16	14	14	15	14	15	16	14	13	14	14	16	15	15	14	14	14	15	16	15	14	15	16	15
22	15	16	16	15	16	16	16	15	13	14	15	16	16	16	14	13	15	15	16	15	15	15	14	15
23	15	16	16	14	15	17	15	14	15	15	14	16	20	16	16	14	14	14	14	15	15	15	15	15
24	15	14	15	14	14	19	15	15	12	14	16	15	15	14	14	14	14	15	15	15	16	15	15	16
25	15	15	16	15	15	15	15	14	14	15		15	19	17	13	14	15	14	15	15	15	15	15	15
26	15	16	14	14	14	16	14	13	16	16	16	14	18	16	16	15	15	14	15	15	15	16	15	16
27	14	15	15	15	14	15	16	14	12	17	18	15	17	14	14	14	15	14	15	14	15	15	15	14
28	16	15	16	15	15	15	16	14	15	16	16	14	18	14	14	16	15	15	14	15	16	15	15	16
29	15	15	15	15	14	14	15	14	13	14		C	C	C	C	C	C		15	16	15	16	15	15
30	16	14	15	14	14	15	16	15	12	15	15	16	13	15	14	16	15	15	15	15	14	15	15	16
31	15	15	15	14	14	14	14	13	14	14	15	23	15	16	15	16	14	14	15	15	14	15	15	16
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	31	31	31	31	31	31	31	31	31	31	29	29	30	30	30	30	30	31	31	31	31	31	31	31
MED	15	15	15	15	15	15	15	14	14	15	15	16	16	16	15	15	15	15	15	15	15	15	15	15
U Q	16	15	15	15	15	16	16	15	15	16	16	17	18	17	16	16	15	16	15	15	15	15	15	16
L Q	15	15	15	14	14	14	15	14	13	14	14	15	15	14	14	14	14	14	14	15	14	15	15	15

OCT. 2005 fmin (0.1MHz)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 M(3000)F2 (0.01) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	318	302	310	303	369	336	361	347	361	373	362	369	354	353	359	353	362	360	330	351	313	296	280	320
2	311	319	305	329	325	329	370	376	385	360	371	339	344	351	355	358	354	358	356	341	318	289	F	319
3	307	291	F	319	300	334	364	360	355	348	346	343	335	330	354	346	357	363	351	A	296	F	A	F
4	301	F	335	316	F	346	363	364	377	363	358	339	339	346	351	344	350	353	366	357	307	322	312	320
5	296	320	320	340	342	321	368	377	357	381	364	348	355	361	340	347	343	349	363	322	329	323	338	309
6	315	323	317	317	313	331	384	391	370	384	363	371	354	345	349	353	345	348	361	325	322	313	310	306
7	310	324	313	330	317	303	365	403	385	373	366	374	328	358	349	350	349	351	368	350	304	310	307	288
8	293	289	319	352	322	301	338	388	369	367	340	353	356	337	346	331	330	328	329	352	335	282	F	F
9	298	299	296	290	312	361	377	357	384	363	319	358	358	337	350	339	349	372	346	336	303	305	311	309
10	307	303	310	321	348	369	365	371	370	354	361	341	352	333	344	354	365	360	342	333	351	332	299	283
11	307	303	317	359	357	358	373	387	341	369	322	C	347	339	343	358	355	357	357	340	326	302	F	F
12	308	308	331	348	345	380	383	362	363	372	348	346	344	339	350	359	379	355	354	314	305	320	F	321
13	317	311	328	321	346	339	365	384	359	357	352	349	351	358	352	351	366	356	343	334	322	313	315	312
14	319	306	313	325	323	314	359	380	368	383	345	320	335	349	338	365	356	362	350	356	334	304	307	F
15	294	320	310	326	361	330	368	379	386	348	345	356	362	323	333	358	349	338	356	328	345	339	294	309
16	309	304	308	327	367	337	378	382	373	378	344	336	350	329	342	357	354	352	357	334	318	309	294	301
17	286	301	321	324	304	323	399	374	334	348	298	338	362	370	342	342	353	341	324	326	F	316	318	307
18	291	296	306	332	316	333	342	372	350	356	353	328	359	342	354	355	366	360	344	305	F	313	F	F
19	F	296	328	320	330	347	352	358	354	344	360	349	349	336	351	351	356	374	367	A	294	298	295	281
20	314	300	318	317	320	327	365	358	363	359	359	336	345	350	362	366	368	357	339	319	A	A	315	307
21	294	320	330	345	368	307	353	379	373	372	351	350	360	341	377	353	366	386			323	322	309	297
22	309	301	311	310	358	352	353	380	373	381	353	348	347	343	343	369	376	361	355	328	332	329	277	F
23	308	327	322	334	367	331	351	380	357	380	341	366	348	357	355	365	367	342	362	371	322	318	293	F
24	308	308	318	307	378	316	369	368	373	376	351	364	327	350	348	376	379	360		A	A	F	286	333
25	320	288	316	315	382	324	328	352	362	381		341	351	335	370	360	362	389	351	282	304	314	304	335
26	344	329	321	310	298	309	345	350	376	344	375	362	355	349	371	364	374	353	346	343	328	323	302	316
27	320	324	317	313	330	311	368	369	387	347	366	352	366	352	351	391	379	375	363	313	325	308	310	310
28	337	312	319	327	343	328	381	374	382	372	362	354	361	345	361	354	377	368	334	345	337	326	314	284
29	302	326	330	332	A	A	A	392	384	387		C	C	C	C	C	C				347	356	344	330
30	295	320	326	334	342	342	362	378	389	366	352	350	344	366	369	371	367	384	385	350	A	A	327	315
31	304	334	324	341	333		360	383	376	378	363	353	364	330	343	372	384	375	327				308	289
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT	30	30	30	31	29	29	30	31	31	31	29	29	30	30	30	30	30	31	29	26	28	30	25	23
MED	308	308	318	325	342	331	365	376	370	369	353	349	351	345	350	356	362	358	354	335	322	313	308	309
U _o	315	320	324	334	360	344	370	382	382	378	362	357	358	352	355	365	368	368	362	350	330	322	314	319
L _o	298	301	311	316	318	318	353	362	359	356	345	340	344	337	343	351	353	351	342	325	310	305	294	297

OCT. 2005 M(3000)F2 (0.01)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 M(3000)F1 (0.01) 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1								L	L	L	L	L	L	L	A									
2									L	L	L	L	L	A	L	L								
3									L	A	A	A	A	A	A	L	A							
4									L	L	L	L	L	L	L	L								
5									L	A	L	L	L	L	L	L								
6								L	L	L	L	L	L	L	L	L								
7									L	L	L	L	L	L	L	L								
8									L	L	L	L	L	L	L	L								
9									L	L	L	L	L	A	L	L								
10									A	L	L	L	L	L	L	L								
11									A	L	L	L	C	L	A	A	A							
12								L	L	L	L	U	L	A	L	L	L							
13										L	L	L	L	L	L	L	L							
14										L	L	L	U	U	L	L	L							
15									L	L	L	L	L	L	L	L	L							
16										L	L	L	L	L	L	L	L							
17									L	L	L	L	L	L	L	L	L							
18									L	L	L	L	L	L	L	L	L							
19										L	L	L	L	L	L	L	L							
20										L	L	L	L	L	L	L	L							
21									L	L	L	L	L	L	L	L	L							
22									L	L	L	A	L	A	A									
23									L	L	A	L	L	L	L	L								
24									L	L	A	A	L	L	A									
25									L	L		L	L	L	L	L								
26											L	L	L	A	A	A								
27										L	L	L	L	L	L									
28										L	L	L	U	L	L	L								
29							A		L		C	C	C	C	C	C	C							
30										L	L	L	L	L	L	A								
31										L	A	L	L	L	L	L								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT											7	7	6	3	1									
MED											L	L	L	U	L	L								
U Q											394	392	392	386	366									
L Q											L	L	L	L	L									
											401	422	409	426										
											L	L	L	U	L									
											385	385	384	383										

OCT. 2005 M(3000)F1 (0.01)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 h'F2 (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1								262	242	230	230	236	242	252	244										
2									220	238	242	268	262	254	254	254	250								
3									236	248	242	248	268	^E 284 ^A	250	254	238								
4									222	246	246	238	260	274	268	256									
5									234	228	246	258	258	244	282	254									
6								216	232	236	236	234	246	248	256	256									
7									220	236	238	236	246	256	264										
8									234	234	254	236	242	254	254										
9									226	236	286	236	244	^E 252 ^A	256	264									
10									236	242	254	258	244	268	264	248									
11								210	236	242	272		^C 244	248	250	240									
12								234	238	240	254	250	246	252	254	244									
13									250	250	240	248	248	256	252										
14									224	254	254	254	250	260											
15									228	256	250	234	244	260	250	254									
16									238	260	262	252	270	268	244										
17									244	232	266	260	230	226	226										
18									242	238	244	262	244	238	248										
19									256	232	238	236	270	248											
20									236	230	250		246	238											
21									234	224	258	246	230	268	230	254									
22									230	232	252	234	252	262	252										
23									246	218	^E 256 ^A	234	250	252	260	238									
24									240	234	254	232	240	246	250										
25									242	214		248	230	260	240	244									
26										214	238	244	248	234	234										
27									240	238	250	226	248	230											
28									230	228	240	226	250	246											
29								A				^C 232	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	^C	
30									240	248	238	258	242	246	226										
31									236	228	258	230	266	248	230										
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT								4	21	29	29	29	29	30	30	18	2								
MED								225	234	236	247	240	244	252	250	250	244								
U Q								248	241	241	254	256	252	262	256	254									
L Q								213	229	231	237	236	238	248	246	240									

OCT. 2005 h'F2 (KM)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 h'F (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	240	E B 288	246	E B 280	212	214	214	218	210	200	202	198	198	192	A	H 190	230	226	E A 274	218	232	E B 256	E B 286	244	
2	242	E B 234	E B 254	236	222	226	214	210	A	210	190	H 172	H 218	A	206	208	218	224	210	204	E A 240	E A 332	E A 260	E A 254	
3	E A 278	E A 320	E B 284	E B 258	E B 236	218	202	216	A	A	A	A	A	A	A	A	A	220	214	A	E A 298	E A 304	A	E A 284	
4	E A 298	E A 266	240	236	202	206	216	212	198	200	172	H 196	188	202	182	212	222	218	208	198	E A 284	230	E B 238	244	
5	E A 278	E A 282	244	230	218	218	206	206	H 182	A	204	204	210	214	202	210	216	226	206	224	224	222	226	248	
6	E B 272	E B 252	E B 256	250	234	226	206	192	198	194	202	196	198	200	204	210	216	214	204	200	E B 234	E B 246	240	252	
7	242	230	226	238	226	E B 274	222	202	202	202	200	198	190	170	H 220	214	222	218	204	206	E B 258	246	E B 272	E B 266	
8	E B 274	E B 280	E B 258	214	202	E B 292	226	204	208	204	204	206	204	186	H 214	236	232	228	222	210	200	E B 280	E B 278	246	
9	E B 250	E B 270	E B 268	E B 272	240	212	218	212	A	E A 198	E A 236	190	204	A	204	216	222	216	212	220	E A 272	E A 252	E B 274	E B 274	
10	242	E A 274	E A 274	240	224	214	208	212	A	204	220	218	A	208	216	220	224	214	216	E A 240	E A 252	E B 230	E B 272	E B 302	
11	E A 270	E A 280	E B 258	218	208	206	208	A	192	212	202	C	208	A	A	A	226	226	208	210	E A 312	E A 262	E A 278	E A 258	
12	E A 308	E A 274	246	216	210	202	192	192	212	198	190	H 178	A	188	214	220	212	206	206	E A 266	272	254	288	254	
13	236	E A 276	E A 236	E A 272	238	210	200	206	210	206	E A 230	192	208	206	202	200	226	214	206	214	238	238	244	E A 282	
14	252	E B 238	E B 250	244	216	242	216	216	212	194	204	180	186	180	212	214	214	210	206	200	220	E B 246	E B 270	E A 300	
15	E B 278	E B 264	E B 264	E B 234	196	E B 232	198	210	210	196	H 188	200	188	196	202	224	218	200	204	212	218	212	274	E B 272	
16	E B 262	E B 262	E B 262	240	202	224	206	206	208	200	188	188	192	210	212	212	216	212	216	E A 206	272	246	E A 290	E B 282	
17	E B 280	E B 286	E B 256	244	218	256	190	202	192	210	200	190	180	164	180	228	228	228	202	220	236	236	246	E A 272	
18	E B 280	E B 278	E B 268	234	226	232	212	220	212	206	194	180	222	192	202	208	224	218	208	E A 248	E A 340	E A 278	246	E B 276	
19	E A 294	E A 254	222	E B 224	234	220	208	210	202	198	200	194	186	172	224	212	232	198	204	A	E B 290	E B 288	E B 284	E A 306	
20	E B 260	E B 268	E B 270	222	224	E B 248	208	214	218	204	200	202	212	208	202	216	210	208	208	A	E B 232	E B 230	E B 260	E B 240	E B 252
21	E A 286	E A 284	E A 232	212	208	E A 296	224	212	208	202	196	198	192	188	194	216	216	206	A	E A 272	E A 262	E A 266	E A 292	A	
22	E A 254	E A 260	E B 258	270	222	214	210	210	214	202	202	A	204	A	A	218	214	204	200	226	220	E A 282	E A 298	E A 316	
23	E B 266	E B 252	242	232	208	E A 248	216	216	208	A	A	206	216	224	212	A	218	214	208	222	224	246	E B 296	E B 300	
24	E A 280	E A 316	E A 268	E A 264	208	E B 252	202	176	212	208	A	A	202	202	A	222	206	198	A	E A 306	E A 288	226	230	A	
25	E A 304	E A 252	E B 266	E B 258	196	228	222	224	214	A	192	186	212	210	210	218	192	202	E A 334	E A 302	E A 290	E B 264	E B 242	A	
26	210	220	E A 250	E A 290	E A 296	E A 284	220	204	212	232	A	198	188	A	A	A	214	220	226	260	E A 294	E A 268	E A 284	E A 292	
27	E A 266	E A 276	E A 276	E A 280	250	E A 258	208	206	212	198	186	204	180	186	186	206	206	204	196	230	E A 270	E A 272	E A 246	E A 284	
28	234	E B 252	E B 256	228	238	E B 230	204	190	212	200	204	192	184	188	216	218	200	200	230	242	218	228	252	260	
29	E B 294	E B 258	E B 262	296	A	A	A	208	200	208	C	C	C	C	C	C	C	208	210	E A 268	E A 278	E A 300	E A 272	E A 294	
30	E B 294	E B 282	E B 268	E B 258	224	236	200	188	204	204	198	198	198	208	210	A	216	200	208	228	E A 248	E A 268	E B 266	236	
31	E B 264	234	224	210	224	E B 242	208	204	218	204	A	192	202	214	212	214	208	208	216	A	E A 282	E A 304	E B 284	A	
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT	31	31	31	31	30	30	30	30	27	27	24	26	27	24	24	25	29	31	29	26	30	31	30	31	
ME D	E 270	E B 268	E B 256	U 229	220	U 218	208	209	210	202	200	196	198	198	208	214	218	214	208	216	E 255	E A 260	E 271	E 272	
U Q	E A 280	E A 280	E A 268	E A 264	234	E B 248	216	212	212	206	204	200	208	208	213	219	224	220	215	240	E A 284	E A 282	E A 284	E A 292	
L Q	250	252	244	228	208	214	204	204	202	198	192	190	188	187	202	210	214	204	204	210	230	246	246	252	

OCT. 2005 h'F (KM)

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 h'E (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1							124	124	124	114	116	A	116	A	A	118	120	B							
2							124	A	A	A	A	A	A	A	A	116	A	B							
3							B	126	120	A	A	A	A	A	A	A	A	B							
4							B	122	118	A	A		118	116	A	122	124	122	B						
5							A	A	A	A		112	112	112	116	114	118	122	B						
6							B	118	118	118	114	110	112	112	112	118	124	B							
7							B	118	116	116	114	118	116	118	120	120	126	B							
8							128	126	122	112	116	A	120	118	118	A	120	A	B						
9							B	126	120	114	118	120	116		114	114	A	B							
10							B	120	122	116	A	A	116	114	A	A	A	B							
11							B	A	A	A	A	C	A	A	A	A	A	B							
12							B	116	116	116	A	A	A		A	112	114	B							
13							B	120	A	A	A		114	108	A	110	116	112	B						
14							B	120	122	A	118	114	114	116	116	118	110	B							
15							B	112	A	A	A		112	114	114	114	110	116	B						
16							B	116	A	118	A	116	118	116	116	116	130	B							
17							B	118	A	112	112	114	110	110	114	118	118	B							
18							B	116	120	120	A	A	A	A		114	118	122	B						
19							B	114	A	A	116	A	112	110	116	118	114	B							
20							B	120	116	A	A	A	110	112	112	116	116								
21							120	120	A	A	A	A	110	112	112	116	A								
22							B	112	A	A	A	A	A	A	A	A	124								
23							B	126	122	118	A	A	A	A	122	122	124								
24							B	114	122	A	A	A	116	116	A	122	122								
25							B	A	A	A	A	A	A	A	A	A	A								
26							B	114	116	118	116	116	120	A	A	A	A								
27							B	A	122	120	A	A	116	118	114	118	A								
28							B	118	116	116	118	114	114	A	A	116	A								
29							B	A	A	114	C	C	C	C	C	C	C								
30							B	120	118	114	A	A	108	112	118	A	A								
31							B	114	124	120	A	A	A	114	A	A	A								
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
CNT							3	25	20	17	11	12	20	17	18	22	18								
MED							124	118	120	116	116	114	115	114	114	118	121								
U Q							128	121	122	118	118	117	116	116	118	118	124								
L Q							124	115	117	114	114	113	112	112	114	116	116								

OCT. 2005 h'E (KM)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 h'Es (KM)

135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	B	B	B	B	B	100	G	134	102	104	114	102	100	100	100	102	154	116	106	102	B	B	94	B	
2	B	B	B	B	B	94	120	108	104	104	104	104	100	100	100	110	106	96	B	98	96	100	92	88	
3	92	94	B	86	B	B	140	118	120	104	104	100	98	100	100	98	98	94	96	96	104	100	104	106	
4	100	98	100	102	96	B	122	128	116	108	108	102	116	106	106	102	124	116	108	104	100	B	102	96	
5	92	96	96	B	B	B	106	100	98	96	98	94	94	98	102	102	104	B	B	B	B	88	88	86	
6	B	86	B	B	B	B	B	G	102	102	98	92	G	92	G	146	130	128	112	B	B	102	102	98	
7	98	B	B	B	B	B	144	152	138	96	114	106	104	100	156	112	130	B	B	B	102	102	B	B	
8	B	B	B	B	B	B	G	104	158	96	102	108	104	104	114	102	104	116	B	B	104	B	98	B	
9	B	B	B	B	B	B	118	116	116	124	112	116	118	104	114	110	106	108	108	106	104	102	106	104	
10	100	100	98	98	B	B	B	138	116	116	106	104	114	112	92	90	88	88	88	104	98	100	102	102	
11	100	96	B	B	B	B	134	102	110	108	102	C	104	104	106	114	104	98	108	98	98	100	100	98	
12	98	100	B	B	B	B	130	110	110	100	96	100	96	94	96	116	108	94	88	102	102	96	98	96	
13	96	90	90	88	92	92	134	118	106	104	100	96	88	90	90	96	164	B	B	94	92	94	96	94	
14	90	92	94	B	B	B	B	134	124	106	102	102	100	G	102	94	90	88	B	92	B	B	B	94	
15	B	90	90	B	B	B	B	114	102	100	96	92	94	94	G	100	152	92	B	B	B	B	B	B	
16	B	B	B	B	B	B	B	122	108	104	106	102	104	G	100	102	130	120	112	104	100	98	96	B	
17	B	B	B	B	B	B	B	108	104	154	150	96	90	88	90	162	G	130	108	104	102	102	102	102	
18	98	96	92	94	B	B	B	152	142	124	104	106	102	106	96	104	100	120	98	100	106	102	100	96	
19	94	B	B	B	B	B	136	118	108	106	100	94	98	86	98	132	120	110	106	100	B	102	96	94	
20	96	B	94	B	B	B	136	138	96	100	98	94	94	92	90	138	124	94	102	B	B	92	B	B	
21	94	92	B	94	94	96	96	140	122	104	102	100	98	96	92	128	96	92	102	100	100	100	100	98	
22	96	B	92	92	B	B	B	118	106	106	100	100	104	104	104	100	104	B	B	114	112	100	108	100	
23	102	B	B	B	B	B	102	B	132	120	114	102	106	106	104	106	124	114	114	108	104	112	102	102	92
24	98	102	102	90	108	B	B	G	118	104	104	102	152	100	98	132	122	120	104	100	108	104	100	100	
25	100	96	96	94	94	94	90	108	104	104	104	104	104	104	104	104	104	B	100	98	98	98	B	B	
26	B	96	96	94	92	96	B	142	134	124	118	100	104	100	96	98	98	104	100	102	100	98	96	92	
27	98	96	94	96	96	94	92	104	104	102	102	102	100	98	96	102	102	106	B	98	98	96	92	100	
28	100	96	94	B	B	B	92	148	104	102	116	116	120	106	106	102	102	98	96	96	90	B	90	94	
29	B	106	104	106	100	96	98	100	102	118	C	C	C	C	C	C	C	98	96	92	94	96	94	96	
30	100	102	98	90	96	90	96	102	106	106	98	94	90	160	114	96	96	90	92	94	94	104	104	96	
31	94	B	B	B	B	B	B	G	134	124	100	104	104	114	104	108	102	100	102	98	94	98	98	100	
CNT	21	19	16	13	10	11	16	28	31	31	29	29	29	28	28	30	29	26	22	25	24	25	26	24	
MED	98	96	95	94	95	94	121	118	108	104	102	102	102	100	100	103	104	102	102	100	100	100	99	96	
U Q	100	100	98	97	96	96	135	136	120	114	107	104	104	104	106	116	124	116	108	104	104	102	102	100	
L Q	94	92	93	90	92	92	97	108	104	102	100	96	97	95	96	100	101	94	96	97	97	97	96	94	

OCT. 2005 h'Es (KM)

NATIONAL INSTITUTE OF INFORMATION AND COMMUNICATIONS TECHNOLOGY, JAPAN

IONOSPHERIC DATA STATION Kokubunji

OCT. 2005 TYPES OF Es 135°E MEAN TIME (G.M.T. + 9 H)

LAT. 35°42.4'N LON. 139°29.3'E SWEEP 1.0MHz TO 30.0MHz IN 15.0SEC IN MANUAL SCALING

H D	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1					F1		CL11	L1	L2	CL11	L2	L1	L2	L3	L2	HL12	C4	F5	F4			F2		
2					F1	C2	L3	L2	L2	L2	L2	L2	L2	L3	L2	CL11	L3	L2		F2	F3	F3	F2	F3
3	F2	F1		F1		H2	CL21	CL11	L2	L2	L2	L2	L2	L2	L3	L2	L3	L3	F5	F4	F3	F5	F5	F3
4	F3	F2	F3	F1	F3	C2	C2	CL21	L2	L2	L2	L2	CL11	L1	L1	L1	CL11	C3	F3	F2	F2		F2	F2
5	F2	F2	F2			L2	L2	L2	L2	L2	L2	L2	L1	L2	L1	L2	L2					F1	F2	F1
6		F1						L2	L2	L2	L2		L3			HL11	CL21	C3	F2			F1	F1	F2
7	F1					H1	H1	HL12	L2	CL12	L1	L2	L1	L1	HL11	CL11	CL11				F2	F1		
8							L2	HL22	L2	L2	L2	L2	L2	L2	CL11	L2	L2	C3			F2		F1	
9						C2	C1	CL11	CL11	CL11	CL11	CL11	CL11	L2	CL21	CL32	L3	L3	FF21	F2	F3	F2	F1	F4
10	F2	F3	F3	F3			H3	CL31	CL21	L2	L2	CL11	CL11	L2	L3	L3	L3	F3	FF43	FF4	F3	F2	F2	F2
11	F3	F2				H2	L3	L2	L1	L2		L1	L2	L2	CL22	L3	L4	F2	F3	F3	F2	F3	F2	F2
12	F4	F3				H1	C2	CL21	L2	L2	L2	L2	L2	L2	CL21	CL12	L2	F2	FF32	F2	F2	F5	F3	F3
13	F3	F3	F2	F2	F3	F2	C1	C2	L2	L2	L3	L2	L2	L2	L2	L2	HL12			F3	F3	F3	F4	F3
14	F1	F1	F2				C2	C1	L2	L1	L1	L1	L1		L1	L2	L3	L3		F2				F2
15		F2	F1				C1	L2	L2	L2	L2	L1	L1		L2	L2	HL11	L1						
16							C1	L2	L1	L1	L1	L1	L1		L2	L2	CL21	C2	F1	F2	F2	F2	F2	
17							L2	L3	HL11	HL12	L2	L2	L2	L2	L2	H1		H2	F2	F2	F3	F2	F2	F2
18	F1	F2	F1	F2			H2	HL11	CL11	L1	L1	L1	L2	L2	L2	L2	L2	CL22	F4	F3	F4	F3	F2	F3
19	F3				F2		H2	C2	L2	L2	L2	L2	L2	L2	L2	C1	C2	C3	F2	F4		F2	F1	F2
20	F1		F2			H1	HL21	L2	L2	L2	L2	L2	L2	L2	L2	HL11	C1	F2	F2			F2		
21	F2	F2		F1	F1	F2	L2	HL21	CL11	L2	L1	L1	L2	L2	L2	CL22	L2	F2	F2	F4	F3	F3	F2	F2
22	F3		F2	F1			C2	L2	L2	L1	L2	L1	L2	L1	L2	L3	L3	L2			F1	F2	F3	F3
23	F1					F1		CL11	CL11	CL11	L2	L1	L2	L2	L2	CL21	CL32	F3	F2	F4	F2	F2	F2	F2
24	F2	F6	F4	F3	FF11			CL11	L1	L2	L2	L2	HL12	L2	L2	L2	CL22	CL22	F3	F3	F3	F3	F2	F1
25	F4	F2	F3	F2	F2	F2	L2	L2	L2	L2		L2	L1	L1	L2	L2	L2		F1	F3	F2	F2		
26		F1	F3	F4	F4	F1		H2	HL21	CL31	CL11	L2	L2	L3	L3	L2	L4	F2	F3	F3	F3	F3	F2	F2
27	F3	F2	F4	F3	F5	F3	L2	L2	L2	L2	L2	L2	L1	L1	L2	L2	L2	F2		F3	F3	F2	F2	F3
28	F3	F3	F2			F1		HL21	L1	L1	CL11	CL11	CL11	L2	L2	L1	L2	F2	F3	F2	F1		F3	F2
29		F1	F3	F5	F4	F5	L4	L4	L2	CL11								F3	F3	F3	F2	F2	F2	F2
30	F2	F3	F6	F3	F3	F3	L1	L1	L2	L1	L2	L2	L1	HL11	CL12	L2	L2	F3	F2	F2	F2	F2	F2	F2
31	F2							HL11	CL11	L3	L1	L2	L2	CL11	L2	L2	L4	F4	F3	F3	F4	F4	F2	F2
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
CNT																								
MED																								
U Q																								
L Q																								

f - PLOTS OF IONOSPHERIC DATA

KEY OF f - PLOT	
	SPREAD
◊	foF2, foF1, foE
×	fxF2
✱	DOUBTFUL foF2, foF1, foE
⊗	fbEs
└	ESTIMATED foF1
†, ‡	fmin
^	GREATER THAN
v	LESS THAN


f-PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/1

135 'N MEAN TIME




f-PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/3

135 'N MEAN TIME




f-PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/2

135 'N MEAN TIME




f-PLOT DATA





SCALER : I.WISHIMUTA





STATION : Kokubunji

DATE : 2005/10/4

135 'N MEAN TIME








f- PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/25

135 'M MEAN TIME




f- PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/27

135 'M MEAN TIME




f- PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/26

135 'M MEAN TIME




f- PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/28

135 'M MEAN TIME




f-PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/29

135 °N MEAN TIME




f-PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/31

135 °N MEAN TIME




f-PLOT DATA

SCALER : I.WISHIMUTA

STATION : Kokubunji

DATE : 2005/10/30

135 °N MEAN TIME




B. Solar Radio Emission
B1. Daily Data at Hiraiso
500 MHz

Since 10th November 2004, offering of 500MHz observational data has been finished due to deterioration of the observational environment.

B. Solar Radio Emission
 B3.Summary Plots of $F_{10.7}$ at Hiraiso

October 2005



Note: A vertical grid space corresponds to a 100 sfu.
 Elevation angle range $\geq 6^\circ$.

IONOSPHERIC DATA IN JAPAN FOR OCTOBER 2005
F-682 Vol.57 No.10 (Not for Sale)

電離層月報 (2005年10月)
第57卷 第10号 (非売品)
2006年1月16日印刷
2006年1月20日発行

編集兼 独立行政法人情報通信研究機構
発行所 〒184-8795 東京都小金井市貫井北町4丁目2-1

☎ (042) (327) 7 4 7 8 (直通)

Queries about "Ionospheric Data in Japan" should be forwarded to :
National Institute of Information and Communications Technology, 2-1
Nukui-Kitamachi 4-chome, Koganei-shi, Tokyo 184-8795 JAPAN